APPENDIX A

TVA ROW CLEARING SPECIFICATIONS

Tennessee Valley Authority Right-of-Way Clearing Specifications

1. General - The clearing contractor shall review the environmental evaluation documents (categorical exclusion checklist, environmental assessment, or environmental impact statement) for the project or proposed activity, along with all clearing and construction appendices, conditions in applicable general and/or site-specific permits, the storm water pollution prevention plan, and any Tennessee Valley Authority (TVA) commitments to property owners. The contractor shall then plan and carry out operations using techniques consistent with good engineering and management practices as outlined in TVA's best management practices (BMPs) manual (Muncy 1992, and revisions thereto). The contractor will protect areas that are to be left unaffected by access or clearing work at and adjacent to all work sites. In sensitive areas and their buffers, the contractor will retain as much native ground cover and other vegetation as possible.

   If the contractor fails to use BMPs or to follow environmental expectations discussed in the prebid or prework meeting or present in contract specifications, TVA will order corrective changes and additional work as deemed necessary in TVA's judgment to meet the intent of environmental laws and regulations or other guidelines. Major violations or continued minor violations will result in work suspension until correction of the situation is achieved or other remedial action is taken at the contractor's expense. Penalty clauses may be invoked as appropriate.

2. Regulations - The clearing contractor shall comply with all applicable federal, state, and local environmental and antipollution laws, regulations, and ordinances including without limitation all air, water, solid and hazardous waste, noise, and nuisance laws, regulations, and ordinances. The contractor shall secure or ensure that TVA has secured all necessary permits or authorizations to conduct work on the acres shown on the drawings and plan and profile for the contract. The contractor's designated project manager will actively seek to prevent, control, monitor, and safely abate all commonly recognized forms of workplace and environmental pollution. Permits or authorizations and any necessary certifications of trained or licensed employees shall be documented with copies submitted to TVA's right-of-way inspector or construction environmental engineer before work begins. The contractor will be responsible for meeting all conditions specified in permits. Permit conditions shall be reviewed in prework discussions.

3. Land and Landscape Preservation - The clearing contractor shall exercise care to preserve the condition of cleared soils by avoiding as much compacting and deep scarring as possible. As soon as possible after initial disturbance of the soil and in accordance with any permit(s) or other state or local environmental regulatory requirements, cover material shall be placed to prevent erosion and sedimentation of water bodies or conveyances to surface water or groundwater. In areas outside the clearing, use, and access areas, the natural vegetation shall be protected from damage. The contractor and his employees must not deviate from delineated access routes or use areas and must enter the site at designated areas that will be marked. Clearing operations shall be conducted to prevent any unnecessary destruction, scarring, or defacing of the remaining natural vegetation and adjacent surroundings in the vicinity of the work. In sensitive public or environmental areas, appropriate buffer zones shall be observed and the methods of clearing or reclearing modified to protect

the buffer and sensitive area. Some areas may require planting native plants or grasses to meet the criteria of regulatory agencies or commitments to special program interests.

4. Streamside Management Zones - The clearing contractor must leave as many rooted ground cover plants as possible in buffer zones along streams and other bodies of water or wet-weather conveyances thereto. In such streamside management zones (SMZ), tall-growing tree species (trees that would interfere with TVA's National Electrical Safety Code clearances) shall be cut, and the stumps may be treated to prevent resprouting. Low-growing trees identified by TVA as marginal electrical clearance problems may be cut, and then stump treated with growth regulators to allow low, slow-growing canopy development and active root growth. Only approved herbicides shall be used, and herbicide application shall be conducted by certified applicators from TVA's Transmission, Operations, and Maintenance (TOM) organization after initial clearing and construction. Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment, such as a feller-buncher. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. Disturbed soils in SMZs must be stabilized by appropriate methods immediately after the right-of-way is cleared. Stabilization must occur within the time frame specified in applicable storm water permits or regulations. Stumps within SMZs may be cut close to the ground but must not be removed or uprooted. Trees, limbs, and debris shall be immediately removed from streams, ditches, and wet areas using methods that will minimize dragging or scarring the banks or stream bottom. No debris will be left in the water or watercourse. Equipment will cross streams, ditches, or wet areas only at locations designated by TVA after the application of appropriate erosion control BMPs consistent with permit conditions or regulatory requirements.

5. Wetlands - In forested wetlands, tall trees will be cut near the ground, leaving stumps and roots in place. The cambium may be treated with herbicides applied by certified applicators from the TOM organization to prevent regrowth. Understory trees that must be initially cut and removed may be allowed to grow back or may be treated with tree growth regulators selectively to slow growth and increase the reclearing cycle. The decision will be situationally made based on existing ground cover, wetland type, and tree species since tall tree removal may "release" understory species and allow them to grow quickly to "electrical clearance problem" heights. In many circumstances, herbicides labeled for water and wetland use may be used in reclearing.

6. Sensitive Area Preservation - If prehistoric or historic artifacts or features that might be of archaeological significance are discovered during clearing or reclearing operations, the activity shall immediately cease within a 100-foot radius, and a TVA right-of-way inspector or construction environmental engineer and the Cultural Resources Program manager shall be notified. The site shall be protected and left as found until a determination about the resources, their significance, and site treatment is made by TVA's Cultural Resources Program. Work may continue beyond the finding zone and the 100-foot radius beyond its perimeter.

7. Water Quality Control - The contractor's clearing and disposal activities shall be performed using BMPs that will prevent erosion and entrance of spillage, contaminants, debris, and other pollutants or objectionable materials into drainage

ways, surface water, or groundwater. Special care shall be exercised in refueling equipment to prevent spills. Fueling areas shall be remote from any sinkhole, crevice, stream, or other water body. Open burning debris will be kept away from streams and ditches and shall be incorporated into the soil.

The clearing contractor will erect and (when TVA or contract construction personnel are unable) maintain BMPs such as silt fences on steep slopes and adjacent to any stream, wetland, or other water body. BMPs will be inspected by the TVA field engineer or other designated TVA or contractor personnel routinely and during periods of high runoff, and any necessary repairs will be made as soon as practicable. BMP inspections will be conducted in accordance with permit requirements. Records of all inspections will be maintained on site, and copies of inspection forms will be forwarded to the TVA construction environmental engineer.

8. Turbidity and Blocking of Streams - If temporary clearing activities must interrupt natural drainage, appropriate drainage facilities and erosion/sediment controls shall be provided to avoid erosion and siltation of streams and other water bodies or water conveyances. Turbidity levels in receiving waters or at storm water discharge points shall be monitored, documented, and reported if required by the applicable permit. Erosion and sediment control measures such as silt fences, water bars, and sediment traps shall be installed as soon as practicable after initial access, site, or right-of-way disturbance in accordance with applicable permit or regulatory requirements.

   Mechanized equipment shall not be operated in flowing water except when approved and, then, only to construct necessary stream crossings under direct guidance of TVA. Construction of stream fords or other crossings will only be permitted at approved locations and to current TVA construction access road standards. Material shall not be deposited in watercourses or within stream bank areas where it could be washed away by high stream flows. Any clearing debris that enters streams or other water bodies shall be removed as soon as possible. Appropriate U.S. Army Corps of Engineers and state permits shall be obtained for stream crossings.

9. Air Quality Control - The clearing or reclearing contractor shall take appropriate actions to limit the amount of air emissions created by clearing and disposal operations to well within the limits of clearing or burning permits and/or forestry or local fire department requirements. All operations must be conducted in a manner that prevents nuisance conditions or damage to adjacent land crops, dwellings, highways, or people.

10. Dust and Mud Control - Clearing activities shall be conducted in a manner that minimizes the creation of fugitive dust. This may require limitations as to type of equipment, allowable speeds, and routes utilized. Control measures such as water, gravel, etc., or similar measures may be used subject to TVA approval. On new construction sites and easements, the last 100 feet before an access road approaches a county road or highway shall be graveled to prevent transfer of mud onto the public road.

11. Burning - The contractor shall obtain applicable permits and approvals to conduct controlled burning. The contractor will comply with all provisions of the permit, notification, or authorization including burning site locations, controlled draft, burning hours, and such other conditions as stipulated. If weather conditions such as wind speed or wind direction change rapidly, the contractor's burning operation may be

temporarily stopped by TVA's field engineer. The debris to be burned shall be kept as clean and dry as possible and stacked and burned in a manner that produces the minimum amount of smoke. Residue from burning will be disposed of according to permit stipulations. No fuel starters or enhancements other than kerosene will be allowed.

12. Smoke and Odors - The contractor will properly store and handle combustible and volatile materials that could create objectionable smoke, odor, or fumes. The contractor shall not burn oil or refuse that includes trash, rags, tires, plastics, or other manufactured debris.

13. Vehicle Exhaust Emissions - The contractor shall maintain and operate equipment in a manner that limits vehicle exhaust emissions. Equipment and vehicles will be kept within the manufacturers' recommended limits and tolerances. Excessive exhaust gases will be eliminated, and inefficient operating procedures will be revised or halted until corrective repairs or adjustments are made.

14. Vehicle Servicing - Routine maintenance of personal vehicles will not be performed on the right-of-way. However, if emergency or "have to" situations arise, minimal/temporary maintenance to personal vehicles will occur in order to mobilize the vehicle to an off-site maintenance shop. Heavy equipment will be serviced on the right-of-way, except in designated sensitive areas. The clearing or reclearing contractor will properly maintain these vehicles with approved spill protection controls and countermeasures. If emergency maintenance in a sensitive or questionable area arises, the area environmental coordinator or construction environmental engineer will be consulted. All wastes and used oils will be properly recovered, handled, and disposed/recycled. Equipment shall not be temporarily stored in stream floodplains, whether overnight or on weekends or holidays.

15. Noise Control - The contractor shall take steps to avoid the creation of excessive sound levels for employees, the public, or the site and adjacent property owners. Concentration of individual noisy pieces as well as the hours and locations of operation should be considered.

16. Noise Suppression - All internal combustion engines shall be properly equipped with mufflers. The equipment and mufflers shall be maintained at peak operating efficiency.

17. Sanitation - A designated representative of TVA or the clearing contractor shall contact a sanitary contractor who will provide sanitary chemical toilets convenient to all principal points of operation for every working party. The facilities shall comply with applicable federal, state, or local health laws and regulations. They shall not be located closer than 100 feet to any stream or tributary or to any wetland. The facilities shall be required to have proper servicing and maintenance, and the waste disposal contractor shall verify in writing that the waste disposal will be in state-approved facilities. Employees shall be notified of sanitation regulations and shall be required to use the toilet facilities.

18. Refuse Disposal - The clearing or reclearing contractor shall be responsible for daily cleanup and proper labeling, storage, and disposal of all refuse and debris on the site produced by his operations and employees. Facilities that meet applicable regulations

and guidelines for refuse collection will be required. Only approved transport, storage, and disposal areas shall be used.

19. Brush and Timber Disposal (Reclearing) - The reclearing contractor shall place felled tree boles in neat stacks at the edge of the right-of-way, with crossing breaks at least every 100 feet. Property owner requests shall be reviewed with the project manager or right-of-way specialist before accepting them. Lop and drop activities must be specified in the contract and on plan and profile drawings with verification with the right-of-way specialist before conducting such work. When tree trimming and chipping is necessary, disposal of the chips on the easement or other locations on the property must be with the consent of the property owner and the approval of the right-of-way specialist. No trees, branches, or chips shall remain in a surface water body or be placed at a location where washing into a surface water or groundwater source might occur.

20. Brush and Timber Disposal (Initial Clearing) - For initial clearing, trees are commonly part of the contractor's contract to remove as they wish. Trees may be removed from the site for lumber or pulpwood or they may be chipped or stacked and burned. All such activities must be coordinated with the TVA field engineer, and the open burning permits, notifications, and regulatory requirements must be met. Trees may be cut and left in place only in areas specified by TVA and approved by appropriate regulatory agencies. These areas may include sensitive wetlands or SMZs where tree removal would cause excessive ground disturbance or in very rugged terrain where windrowed trees are used as sediment barriers along the edge of the right-of-way.

21. Restoration of Site - All disturbed areas, with the exception of farmland under cultivation and any other areas as may be designated by TVA's specifications, shall be stabilized in the following manner unless the property owner and TVA's engineer specify a different method:

    A. The subsoil shall be loosened to a minimum depth of 6 inches if possible and worked to remove unnatural ridges and depressions.

    B. If needed, appropriate soil amendments will be added.

    C. All disturbed areas will initially be seeded with a temporary ground cover such as winter wheat, rye, or millet, depending on the season. Perennials may also be planted during initial seeding if proper growing conditions exist. Final restoration and final seeding will be performed as line construction is completed. Final seeding will consist of permanent perennial grasses such as those outlined in TVA's *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (Muncy 2012).* Exceptions would include those areas designated as native grass planting areas. Initial and final restoration will be performed by the clearing contractor.

    D. TVA holds the option, depending upon the time of year and weather condition, to delay or withdraw the requirement of seeding until more favorable planting conditions are certain. In the meantime, other stabilization techniques must be applied.

References

Muncy, J. A. 2012. A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (revised edition). Edited by Abigail Bowen, Jodie Branum, Corey Chandler, Adam Dattilo, Britta Dimick, Shea Gaither, Casey Henley, Todd Liskey, Joe Melton, Cherie Minghini, Paul Pearman, Kenton Smithson, Joe Turk, Emily Willard, Robby Wilson. Norris: TVA Technical Note TVA/LR/NRM 92/1. Retrieved from <http://www.tva.com/power/projects/bmp_manual_2012.pdf> (n.d.).

Revision January2013

APPENDIX B

TVA ENVIRONMENTAL QUALITY PROTECTION SPECIFICATIONS FOR TRANSMISSION LINE CONSTRUCTION

Tennessee Valley Authority Environmental Quality Protection Specifications for Transmission Line Construction

1. General – Tennessee Valley Authority (TVA) and/or the assigned contractor shall plan, coordinate, and conduct operations in a manner that protects the quality of the environment and complies with TVA's environmental expectations discussed in the preconstruction meeting. This specification contains provisions that shall be considered in all TVA and contract construction operations. If the contractor fails to operate within the intent of these requirements, TVA will direct changes to operating procedures. Continued violation will result in a work suspension until correction or remedial action is taken by the contractor. Penalties and contract termination will be used as appropriate. The costs of complying with the Environmental Quality Protection Specifications are incidental to the contract work, and no additional compensation will be allowed. At all structure and conductor pulling sites, protective measures to prevent erosion will be taken immediately upon the end of each step in a construction sequence, and those protective measures will be inspected and maintained throughout the construction and right-of-way rehabilitation period.

2. Regulations - TVA and/or the assigned contractor shall comply with all applicable federal, state, and local environmental and antipollution laws, regulations, and ordinances related to environmental protection and prevention, control, and abatement of all forms of pollution.

3. Use Areas - TVA and/or the assigned contractor's use areas include but are not limited to site office, shop, maintenance, parking, storage, staging, assembly areas, utility services, and access roads to the use areas. The construction contractor shall submit plans and drawings for their location and development to the TVA engineer and project manager for approval. Secondary containment will be provided for fuel and petroleum product storage pursuant to 29CFR1910.106(D)(6)(iii)(OSHA).

4. Equipment - All major equipment and proposed methods of operation shall be subject to the approval of TVA. The use or operation of heavy equipment in areas outside the right-of-way, access routes, or structure, pole, or tower sites will not be permitted without permission of the TVA inspector or field engineer. Heavy equipment use on steep slopes (greater than 20 percent) and in wet areas will be held to the minimum necessary to construct the transmission line. Steps will be taken to limit ground disturbance caused by heavy equipment usage, and erosion and sediment controls will be instituted on disturbed areas in accordance with state requirements.

   No subsurface ground-disturbing equipment or stump-removal equipment will be used by construction forces except on access roads or at the actual structure, pole, or tower sites, where only footing locations and controlled runoff diversions shall be created that disturb the soil. All other areas of ground cover or in-place stumps and roots shall remain in place. (Note: Tracked vehicles disturb surface layer of the ground due to size and function.) Some disking of the right-of-way may occur for proper seedbed preparation.

   Unless ponding previously occurred (i.e., existing low-lying areas), water should not be allowed to pond on the structure sites except around foundation holes; the water must be directed away from the site in as dispersed a manner as possible. At tower or

structure sites, some means of upslope interruption of potential overland flow and diversion around the footings should be provided as the first step in construction-site preparation. If leveling is necessary, it must be implemented by means that provide for continuous gentle, controlled, overland flow or percolation. A good grass cover, straw, gravel, or other protection of the surface must be maintained. Steps taken to prevent increases in the moisture content of the in-situ soils will be beneficial both during construction and over the service life of any structure.

5. Sanitation - A designated TVA or contractor representative shall contact a sanitary contractor who will provide sanitary chemical toilets convenient to all principal points of operation for every working party. The facilities shall comply with applicable federal, state, or local health laws and regulations. They shall not be located closer than 100 feet to any stream or tributary or to any wetland. The facilities shall be required to have proper servicing and maintenance, and the waste disposal contractor shall verify in writing that the waste disposal will be in state-approved facilities. Employees shall be notified of sanitation regulations and shall be required to use the toilet facilities.

6. Refuse Disposal - Designated TVA and/or contractor personnel shall be responsible for daily inspection, cleanup, and proper labeling, storage, and disposal of all refuse and debris produced by his operations and by his employees. Suitable refuse collecting facilities will be required. Only state-approved disposal areas shall be used. Disposal containers such as dumpsters or roll-off containers shall be obtained from a proper waste disposal contractor. Solid, special, construction/demolition, and hazardous wastes as well as scrap are part of the potential refuse generated and must be properly managed with emphasis on reuse, recycle, or possible give away, as appropriate, before they are handled as waste. Contractors must meet similar provisions on any project contracted by TVA.

7. Landscape Preservation - TVA and its contractors shall exercise care to preserve the natural landscape in the entire construction area as well as use areas, in or outside the right-of-way, and on or adjacent to access roads. Construction operations shall be conducted to prevent any unnecessary destruction, scarring, or defacing of the natural vegetation and surroundings in the vicinity of the work.

8. Sensitive Areas Preservation - Certain areas on site and along the right-of-way may be designated by the specifications or the TVA engineer as environmentally sensitive. These areas include but are not limited to areas classified as erodible, geologically sensitive, scenic, historical and archaeological, fish and wildlife refuges, water supply watersheds, and public recreational areas such as parks and monuments. Contractors and TVA construction crews shall take all necessary actions to avoid adverse impacts to these sensitive areas and their adjacent buffer zones. These actions may include suspension of work or change of operations during periods of rain or heavy public use; hours may be restricted or concentrations of noisy equipment may have to be dispersed. If prehistoric or historic artifacts or features are encountered during clearing or construction operations, the operations shall immediately cease for at least 100 feet in each direction, and TVA's right-of-way inspector or construction superintendent and Cultural Resources Program shall be notified. The site shall be left as found until a significance determination is made. Work may continue elsewhere beyond the 100-foot perimeter.

9. Water Quality Control - TVA and contractor construction activities shall be performed by methods that will prevent entrance or accidental spillage of solid matter, contaminants,

debris, and other objectionable pollutants and wastes into flowing caves, sinkholes, streams, dry watercourses, lakes, ponds, and underground water sources.

The clearing contractor will erect and (when TVA or contract construction personnel are unable) maintain best management practices (BMPs) such as silt fences on steep slopes and adjacent to any stream, wetland, or other water body. Additional BMPs may be required for areas of disturbance created by construction activities. BMPs will be inspected by the TVA field engineer or other designated TVA or contractor personnel routinely and during periods of high runoff, and any necessary repairs will be made as soon as practicable. BMP inspections will be conducted in accordance with permit requirements. Records of all inspections will be maintained on site, and copies of inspection forms will be forwarded to the TVA construction environmental engineer.

Acceptable measures for disposal of waste oil from vehicles and equipment shall be followed. No waste oil shall be disposed of within the right-of-way, on a construction site, or on access roads.

10. Turbidity and Blocking of Streams - Construction activities in or near SMZs or other bodies of water shall be controlled to prevent the water turbidity from exceeding state or local water quality standards for that stream. All conditions of a general storm water permit, aquatic resource alteration permit, or a site-specific permit shall be met including monitoring of turbidity in receiving streams and/or storm water discharges and implementation of appropriate erosion and sediment control measures.

    Appropriate drainage facilities for temporary construction activities interrupting natural site drainage shall be provided to avoid erosion. Watercourses shall not be blocked or diverted unless required by the specifications or the TVA engineer. Diversions shall be made in accordance with TVA's *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (Muncy, 2012).*

    Mechanized equipment shall not be operated in flowing water except when approved and, then, only to construct crossings or to perform required construction under direct guidance of TVA. Construction of stream fords or other crossings will only be permitted at approved locations and to current TVA construction access road standards. Material shall not be deposited in watercourses or within stream bank areas where it could be washed away by high stream flows. Appropriate U.S. Army Corps of Engineers and state permits shall be obtained.

    Wastewater from construction or dewatering operations shall be controlled to prevent excessive erosion or turbidity in a stream, wetland, lake, or pond. Any work or placing of equipment within a flowing or dry watercourse requires the prior approval of TVA.

11. Clearing - No construction activities may clear additional site or right-of-way vegetation or disturb remaining retained vegetation, stumps, or regrowth at locations other than the structure sites and conductor setup areas. TVA and the construction contractor(s) must provide appropriate erosion or sediment controls for areas they have disturbed that have previously been restabilized after clearing operations. Control measures shall be implemented as soon as practicable after disturbance in accordance with applicable federal, state, and/or local storm water regulations.

12. Restoration of Site - All construction disturbed areas, with the exception of farmland under cultivation and any other areas as may be designated by TVA's specifications, shall be stabilized in the following manner unless the property owner and TVA's engineer specify a different method:

    A. The subsoil shall be loosened to a minimum depth of 6 inches if possible and worked to remove unnatural ridges and depressions.

    B. If needed, appropriate soil amendments will be added.

    C. All disturbed areas will initially be seeded with a temporary ground cover such as winter wheat, rye, or millet, depending on the season. Perennials may also be planted during initial seeding if proper growing conditions exist. Final restoration and final seeding will be performed as line construction is completed. Final seeding will consist of permanent perennial grasses such as those outlined in TVA's *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (Muncy 2012).* Exceptions would include those areas designated as native grass planting areas. Initial and final restoration will be performed by the clearing contractor.

    D. TVA holds the option, depending upon the time of year and weather condition, to delay or withdraw the requirement of seeding until more favorable planting conditions are certain. In the meantime, other stabilization techniques must be applied.

13. Air Quality Control - Construction crews shall take appropriate actions to minimize the amount of air pollution created by their construction operations. All operations must be conducted in a manner that avoids creating a nuisance and prevents damage to lands, crops, dwellings, or persons.

14. Burning - Before conducting any open burning operations, the contractor shall obtain permits or provide notifications as required to state forestry offices and/or local fire departments. Burning operations must comply with the requirements of state and local air pollution control and fire authorities and will only be allowed in approved locations and during appropriate hours and weather conditions. If weather conditions such as wind direction or speed change rapidly, the contractor's burning operations may be temporarily stopped by the TVA field engineer. The debris for burning shall be piled and shall be kept as clean and as dry as possible, then burned in such a manner as to reduce smoke. No materials other than dry wood shall be open burned. The ash and debris shall be buried away from streams or other water sources and shall be in areas coordinated with the property owner.

15. Dust and Mud Control - Construction activities shall be conducted to minimize the creation of dust. This may require limitations as to types of equipment, allowable speeds, and routes utilized. Water, straw, wood chips, dust palliative, gravel, combinations of these, or similar control measures may be used subject to TVA's approval. On new construction sites and easements, the last 100 feet before an access road approaches a county road or highway shall be graveled to prevent transfer of mud onto the public road.

16. Vehicle Exhaust Emissions - TVA and/or the contractors shall maintain and operate equipment to limit vehicle exhaust emissions. Equipment and vehicles that show

excessive emissions of exhaust gasses and particulates due to poor engine adjustments or other inefficient operating conditions shall not be operated until corrective repairs or adjustments are made.

17. Vehicle Servicing - Routine maintenance of personal vehicles will not be performed on the right-of-way. However, if emergency or "have to" situations arise, minimal/temporary maintenance to personal vehicles will occur in order to mobilize the vehicle to an off-site maintenance shop. Heavy equipment will be serviced on the right-of-way except in designated sensitive areas. The Heavy Equipment Department within TVA or the construction contractor will properly maintain these vehicles with approved spill prevention controls and countermeasures. If emergency maintenance in a sensitive or questionable area arises, the area environmental coordinator or construction environmental engineer will be consulted. All wastes and used oils will be properly recovered, handled, and disposed/recycled. Equipment shall not be temporarily stored in stream floodplains, whether overnight or on weekends or holidays.

18. Smoke and Odors - TVA and/or the contractors shall properly store and handle combustible material that could create objectionable smoke, odors, or fumes. The contractor shall not burn refuse such as trash, rags, tires, plastics, or other debris.

19. Noise Control - TVA and/or the contractor shall take measures to avoid the creation of noise levels that are considered nuisances, safety, or health hazards. Critical areas including but not limited to residential areas, parks, public use areas, and some ranching operations will require special considerations. TVA's criteria for determining corrective measures shall be determined by comparing the noise level of the construction operation to the background noise levels. In addition, especially noisy equipment such as helicopters, pile drivers, air hammers, chippers, chain saws, or areas for machine shops, staging, assembly, or blasting may require corrective actions when required by TVA.

20. Noise Suppression - All internal combustion engines shall be properly equipped with mufflers as required by the Department of Labor's *Safety and Health Regulations for Construction*. TVA may require spark arresters in addition to mufflers on some engines. Air compressors and other noisy equipment may require sound-reducing enclosures in some circumstances.

21. Damages - The movement of construction crews and equipment shall be conducted in a manner that causes as little intrusion and damage as possible to crops, orchards, woods, wetlands, and other property features and vegetation. The contractor will be responsible for erosion damage caused by his actions and especially for creating conditions that would threaten the stability of the right-of-way or site soil, the structures, or access to either. When property owners prefer the correction of ground cover condition or soil and subsoil problems themselves, the section of the contract dealing with damages will apply.

References

Muncy, J. A. 2012. A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (revised edition). Edited by Abigail Bowen, Jodie Branum, Corey Chandler, Adam Dattilo, Britta Dimick, Shea Gaither, Casey Henley, Todd Liskey, Joe Melton, Cherie Minghini, Paul Pearman, Kenton Smithson, Joe Turk, Emily Willard, Robby

Wilson. Norris: TVA Technical Note TVA/LR/NRM 92/1. Retrieved from <http://www.tva.com/power/projects/bmp_manual_2012.pdf> (n.d.).

Revision January 2013

APPENDIX C

TVA TRANSMISSION CONSTRUCTION GUIDELINES NEAR STREAMS

Tennessee Valley Authority Transmission Construction Guidelines Near Streams

Even the most carefully designed transmission line project eventually will affect one or more creeks, rivers, or other type of water body. These streams and other water areas are protected by state and federal law, generally support some amount of fishing and recreation, and, occasionally, are homes for important and/or endangered species. These habitats occur in the stream and on strips of land along both sides (the streamside management zone [SMZ]) where disturbance of the water, land, or vegetation could have an adverse effect on the water or stream life. The following guidelines have been prepared to help Tennessee Valley Authority (TVA) Transmission Construction staff and their contractors avoid impacts to streams and stream life as they work in and near SMZs. These guidelines expand on information presented in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities* (Muncy 2012).

Three Levels of Protection

During the preconstruction review of a proposed transmission line, the TVA Environmental Biological Compliance staff will have studied each possible stream impact site and will have identified it as falling into one of three categories: (A) standard streamside management protection, (B) protection of important permanent streams, springs, and sinkholes, or (C) protection of unique habitats. These category designations are based on the variety of species and habitats that exist in the stream, as well as federal requirements to avoid harming certain species.

As early as possible after field surveys are completed by the TVA Biological Compliance Staff, any streams that have been designated as either Category B or C will be discussed with the TVA Environmental Energy Delivery staff. The purpose of these discussions will be to minimize the number of crossings and their impact on the important resources in the streams during design and construction. The category designation for each stream site will then be marked on the transmission line plan and profile sheets. Construction crews are required to protect streams and other identified water habitats using the following pertinent set(s) of guidelines:

(A) Standard Stream Protection

This is the standard (basic) level of protection for streams, springs, sinkholes, and the habitats around them. The purpose of the following guidelines is to minimize the amount and length of disturbance to the water bodies without causing adverse impacts on the construction work.

Guidelines:

1. All construction work around streams, springs, and sinkholes will be done using pertinent best management practices (BMPs) such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities,* especially Chapter 5, “Structural Controls Standards and Specifications” (Muncy 2012).

2. All equipment crossings of streams and shorelines must comply with appropriate state permitting requirements. Crossings of all drainage channels, intermittent streams, and permanent streams must be done in ways that avoid erosion problems and long-term changes in water flow. Crossings of any permanent streams must allow for natural movement of fish and other aquatic life.

3. Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. Stumps can be cut close to ground level, but must not be removed or uprooted.

4. Other vegetation near streams must be disturbed as little as possible during construction. Soil displacement as a result of clearing operations by the actions of plowing, disking, blading, or other tillage or grading equipment will be minimized in SMZs. Shorelines that have to be disturbed must be stabilized as soon as feasible.

(B) Protection of Important Permanent Streams, Springs, and Sinkholes

This category will be used when there is one or more specific reason(s) why a permanent (always-flowing) stream, spring, or sinkhole requires protection beyond that provided by standard BMPs. Reasons for requiring this additional protection include high potential for occupancy by federally listed or significant state-listed species, federally designated critical habitat, or areas designated as special use classification (e.g., trout waters). The purpose of the following guidelines is to minimize the disturbance of the banks and water in the flowing stream(s) where this level of protection is required.

Guidelines:

1. Except as modified by Guidelines 2-4 below, all construction work around streams will be done using pertinent BMPs, such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities,* especially Chapter 5, “Structural Controls Standards and Specifications” (Muncy 2012).

2. All equipment crossings of streams must comply with appropriate state (and, at times, federal) permitting requirements. Crossings of drainage channels and intermittent streams must be done in ways that avoid erosion problems and long-term changes in water flow. Category B designations will be discussed with the TVA Environmental Energy Delivery staff as early as possible in the process, to allow time to discuss possible avoidance or minimization of impacts with design and construction.

3. Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. Cutting of trees near permanent streams must be limited to those required to meet National

Electrical Safety Code and danger tree requirements. Stumps can be cut close to ground level, but must not be removed or uprooted.

4. Other vegetation near streams must be disturbed as little as possible during construction. Soil displacement by the actions of plowing, disking, blading, or other tillage or grading equipment will be minimized in SMZs. Shorelines that have to be disturbed must be stabilized as soon as possible and revegetated as soon as feasible.

(C) Protection of Unique Habitats

This category will be used when, for one or more specific reasons, a temporary or permanent aquatic habitat requires special protection. This relatively uncommon level of protection will be appropriate and required when a unique habitat requiring special protection is present (for example, the spawning area of a rare species), the stream is known to be occupied by a federally listed or significant state-listed species, or when required as a special condition resulting from consultation with the United States Fish and Wildlife Service to avoid project effects on a listed species or designated critical habitat. The purpose of the following guidelines is to avoid or minimize any disturbance of the unique aquatic habitat.

Guidelines:

1. Except as modified by Guidelines 2-4 below, all construction work around the unique habitat will be done using pertinent BMPs, such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities,* especially Chapter 5, "Structural Controls Standards and Specifications" (Muncy 2012).

2. Category C designations would be discussed with the TVA Environmental Energy Delivery staff as early as possible following field surveys to allow time to discuss possible avoidance or minimization of impacts with design and construction. Environmental Energy Delivery staff would discuss construction activities to take place in the SMZ with the Environmental Biological Compliance staff. On-site planning sessions would be conducted as needed. All crossings of streams also must comply with appropriate state (and, at times, federal) permitting requirements.

3. Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. Cutting of trees near permanent streams should be limited to those required to meet National Electrical Safety Code, Federal Energy Regulatory Commission standards, and danger tree requirements. Stumps can be cut close to ground level, but must not be removed or uprooted.

4. Other vegetation near the unique habitat must be disturbed as little as possible during construction. Soil disturbance by plowing, disking, blading, or grading must be kept at a minimum. Areas that have to be disturbed must be stabilized as soon as possible and revegetated as soon as feasible.

5. Special SMZ requirements will be coordinated with Environmental Biological Compliance staff.

Maintenance

During ongoing operations, SMZs will be inspected frequently; and during inactive periods, occasionally. Damaging or failing situations that may cause unacceptable water quality impacts will be corrected as soon as practical.

Revision 2.1 - June 2012

Comparison of Guidelines Under the Three Stream and Water Body Protection Categories[1] (page 1)

Guidelines	A: Standard Stream Protection	B: Protection of Important Permanent Streams, Springs, and Sinkholes	C: Protection of Unique Habitats
1. Reference	• All TVA construction work around streams, springs, and sinkholes will be done using pertinent Best Management Practices (BMPs) such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities*, especially Chapter 5, "Structural Controls Standards and Specifications."	• Except as modified by Guidelines 2-4, all construction work around streams will be done using pertinent BMPs such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities*, especially Chapter 5, "Structural Controls Standards and Specifications."	• Except as modified by Guidelines 2-4, all construction work around the unique habitat will be done using pertinent BMPs such as those described in *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities,* especially Chapter 5, "Structural Controls Standards and Specifications."
2. Equipment Crossings	• All equipment crossings of streams and shorelines must comply with appropriate state permitting requirements. • Crossings of all drainage channels, intermittent streams, and permanent streams must be done in ways that avoid erosion problems and long-term changes in water flow. • Crossings of any permanent streams must allow for natural movement of fish and other aquatic life.	• All equipment crossings of streams also must comply with appropriate state (and, at times federal) permitting requirements. • Crossings of drainage channels and intermittent streams must be done in ways that avoid erosion problems and long-term changes in water flow. • All construction activity would be discussed with the TVA Environmental Energy Delivery staff as early as possible in the process to allow time to discuss possible avoidance or minimization of impacts with design and construction.	• All crossings of streams also must comply with appropriate state (and, at times federal) permitting requirements. • All construction activity would be discussed with the TVA Environmental Energy Delivery staff as early as possible following field surveys to allow time to discuss possible avoidance or minimization of impacts with design and construction. • On-site planning sessions would be conducted as needed.

[1]Source: *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities* (Muncy 2012)

Comparison of Guidelines Under the Three Stream and Water Body Protection Categories[1] (page 2)

Guidelines	A: Standard	B: Important Permanent Streams	C: Unique Water Habitats
3. Cutting Trees	• Cutting of trees within streamside management zones (SMZs) must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. • Stumps can be cut close to ground level, but must not be removed or uprooted.	• Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. • Cutting of trees near permanent streams must be limited to those meeting National Electrical Safety Code (NESC) and danger tree requirements. • Stumps can be cut close to ground level, but must not be removed or uprooted.	• Cutting of trees within SMZs must be accomplished by using either hand-held equipment or other appropriate clearing equipment (e.g., a feller-buncher) that would result in minimal soil disturbance and damage to low-lying vegetation. The method will be selected based on site-specific conditions and topography to minimize soil disturbance and impacts to the SMZ and surrounding area. • Cutting of trees near permanent streams must be limited to those meeting NESC, Federal Energy Regulatory Commission standards, and danger tree requirements. • Stumps can be cut close to ground level, but must not be removed or uprooted.
4. Other Vegetation	• Other vegetation near streams must be disturbed as little as possible during construction. • Soil displacement as a result of clearing operations by the actions of plowing, disking, blading, or other tillage or grading equipment will be minimized in SMZs. • Shorelines that have to be disturbed must be stabilized as soon as feasible.	• Other vegetation near streams must be disturbed as little as possible during construction. • Soil displacement by the actions of plowing, disking, blading, or other tillage or grading equipment will be minimized in SMZs. • Shorelines that have to be disturbed must be stabilized as soon as possible and revegetated as soon as feasible.	• Other vegetation near the unique habitat must be disturbed as little as possible during construction. • The soil disturbance by plowing, disking, blading, or grading must be kept at a minimum. • Areas that have to be disturbed must be stabilized as soon as possible and revegetated as soon as feasible. Special SMZ requirements will be coordinated with Environmental Biological Compliance staff.

[1]Source: *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Construction and Maintenance Activities (Muncy 2012)*

APPENDIX D

TVA ENVIRONMENTAL QUALITY PROTECTION SPECIFICATIONS FOR TRANSMISSION SUBSTATION OR COMMUNICATIONS CONSTRUCTION

Tennessee Valley Authority Environmental Quality Protection Specifications for Transmission Substation or Communications Construction

1. General – Tennessee Valley Authority (TVA) and/or the assigned contractor and subcontractors shall plan, coordinate, and conduct his or her operations in a manner that protects the quality of the environment and complies with TVA's environmental expectations discussed in the preconstruction meeting (including clearing and grading or reclearing and removal or dismantling). This specification contains provisions that shall be considered in all TVA and contract construction, dismantling, or forensic operations. If the contractor and his or her subcontractors fail to operate within the intent of these requirements, TVA will direct changes to operating procedures. Continued violation will result in a work suspension until correction or remedial action is taken by the contractor. Penalties and contract termination will be used as appropriate. The costs of complying with the Environmental Quality Protection Specifications are incidental to the contract work, and no additional compensation will be allowed. At all site perimeters, structure, foundation, conduit, grounding, fence, drainage ways, etc., appropriate protective measures to prevent erosion or release of contaminants will be taken immediately upon the end of each step in a construction, dismantling, or forensic sequence, and those protective measures will be inspected and maintained throughout the construction and site stabilization and rehabilitation period.

2. Regulations - TVA and/or the assigned contractor and subcontractor(s) shall comply with all applicable federal, state, and local environmental and antipollution laws, regulations, and ordinances related to environmental protection and prevention, control, and abatement of all forms of pollution.

3. Use Areas - TVA and/or the assigned contractor and/or subcontractor(s) use areas include but are not limited to site office, shop, maintenance, parking, storage, staging, assembly areas, utility services, and access roads to the use areas. The construction contractor and subcontractor(s) shall submit plans and drawings for their location and development to the TVA engineer and project manager for approval. Secondary containment will be provided for fuel and petroleum product storage pursuant to 29CFR1910.106(D)(6)(iii)(OSHA).

4. Equipment - All major equipment and proposed methods of operation shall be subject to the approval of TVA. The use or operation of heavy equipment in areas outside the right-of-way, access routes, site, or structure, pole, or tower sites will not be permitted without permission of the TVA inspector or field engineer. Heavy equipment use on steep slopes (greater than 20 percent) and in wet areas will be held to the minimum necessary to construct the transmission or communication facility. Steps will be taken to limit ground disturbance caused by heavy equipment usage, and erosion and sediment controls will be instituted on disturbed areas in accordance with state requirements and best management practices (BMPs).

   No subsurface ground-disturbing equipment or stump-removal equipment will be used by construction forces except on access roads or at the actual site, structure, pole, or tower sites, where only footing locations and controlled runoff diversions shall be created that disturb the soil. All other areas of ground cover or in-place stumps and roots shall remain in place. (Note: Tracked vehicles disturb surface layer of the ground

due to size and function.) Some disking of the right-of-way, access, and site(s) may occur for proper seedbed preparation.

Unless ponding previously occurred (i.e., existing low-lying areas), water should not be allowed to pond on the site or around structures except around foundation holes; the water must be directed away from the site in as dispersed a manner as possible. At tower or structure sites, some means of upslope interruption of potential overland flow and diversion around the footings should be provided as the first step in construction-site preparation. If leveling is necessary, it must be implemented by means that provide for continuous gentle, controlled, overland flow or percolation. A good grass cover, straw, gravel, or other protection of the surface must be maintained. Steps taken to prevent increases in the moisture content of the in-situ soils will be beneficial both during construction and over the service life of any anchor, foundation, or its structure.

5. Sanitation - A designated TVA or contractor and/or subcontractor(s) representative shall contract a sanitary contractor who will provide sanitary chemical toilets convenient to all principal points of operation for every working party. The facilities shall comply with applicable federal, state, or local health laws and regulations. They shall not be located closer than 100 feet to any stream or tributary or to any wetland. The facilities shall be required to have proper servicing and maintenance, and the waste disposal contractor shall verify in writing that the waste disposal will be in state-approved facilities. Employees shall be notified of sanitation regulations and shall be required to use the toilet facilities.

6. Refuse Disposal - Designated TVA and/or contractor and subcontractor(s) personnel shall be responsible for daily inspection, cleanup, and proper labeling, storage, and disposal of all refuse and debris produced by his or her operations and by his or her employees. Suitable refuse collecting facilities will be required. Only state-approved disposal areas shall be used. Disposal containers such as dumpsters or roll-off containers shall be obtained from a proper waste disposal contractor. Solid, special, construction/demolition, and hazardous wastes as well as scrap are part of the potential refuse generated and must be properly managed with emphasis on reuse, recycle, or possible give away, as appropriate, before they are handled as wastes. Records of the amounts generated shall be provided to the site's or project's designated environmental specialist. Contractor(s) and subcontractor(s) must meet similar provisions on any project contracted by TVA. Final debris, refuse, product, and material removal is the responsibility of the contractor unless special written agreement is made with the ultimate TVA owner of the site.

7. Landscape Preservation - TVA and its contractor(s) and subcontractor(s) shall exercise care to preserve the natural landscape in the entire construction, dismantling, or forensic area as well as use areas, in or outside the right-of-way, and on or adjacent to access roads. Construction operations shall be conducted to prevent any unnecessary destruction, scarring, or defacing of the natural vegetation and surroundings in the vicinity of the work.

8. Sensitive Areas Preservation - Certain areas on site and along the access and/or right-of-way may be designated by the specifications or the TVA engineer as environmentally sensitive. These areas include but are not limited to areas classified as erodible, geologically sensitive, scenic, historical and archaeological, fish and wildlife refuges, endangered species' habitat, water supply watersheds, and public recreational areas such as parks and monuments. Contractors, their subcontractor(s), and TVA

construction crews shall take all necessary actions to avoid adverse impacts to these sensitive areas and their adjacent buffer zones. These actions may include suspension of work or change of operations during periods of rain or heavy public use; hours may be restricted or concentrations of noisy equipment may have to be dispersed. If prehistoric or historic artifacts or features are encountered during clearing, grading, borrow, fill, construction, dismantling, or forensic operations, the operations shall immediately cease for at least 100 feet in each direction, and TVA's construction superintendent, project manager, or area environmental program administrator and TVA Cultural Resources Program shall be notified. The site shall be left as found until a significance determination is made. Work may continue elsewhere beyond the 100-foot perimeter.

9. Water Quality Control - TVA and contractor construction, dismantling, or forensic activities shall be performed by methods that will prevent entrance or accidental spillage of solid matter, contaminants, debris, and other objectionable pollutants and wastes into flowing caves, sinkholes, streams, dry watercourses, lakes, ponds, and underground water sources.

   The clearing contractor erected erosion and/or sedimentation control shall be maintained and (when TVA or contract construction personnel are unable) the construction crew(s) shall maintain BMPs such as silt fences on steep slopes and adjacent to any stream, wetland, or other water body. Additional BMPs may be required for areas of disturbance created by construction activities and at sequential steps of construction at the same location on site. BMPs will be inspected by the TVA field engineer or other designated TVA or contractor and/or subcontractor(s) personnel routinely and during periods of high runoff, and any necessary repairs will be made as soon as practicable. BMP inspections and any required sampling will be conducted in accordance with permit requirements. Records of all inspections and sampling results will be maintained on site, and copies of inspection forms and sampling results will be forwarded to the TVA project manager or supporting environmental specialist.

   Acceptable measures for disposal of waste oil from vehicles and equipment shall be followed. No waste oil shall be disposed of within the site, access, or right-of-way, on a related construction site or its access roads.

10. Turbidity and Blocking of Streams - Construction, dismantling, or forensic activities in or near streamside management zones or other bodies of water shall be controlled to prevent the water turbidity from exceeding state or local water quality standards for that stream. **All conditions** of a general storm water permit, aquatic resource alteration permit, or a site-specific permit **shall be met** including monitoring of turbidity in receiving streams and/or storm water discharges and implementation of appropriate erosion and sediment control measures.

    Appropriate drainage facilities for temporary construction, dismantling, or forensic activities interrupting natural site drainage shall be provided to avoid erosion. Watercourses shall not be blocked or diverted unless required by the specifications or the TVA engineer. Diversions shall be made in accordance with TVA's *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (Muncy, 2012).*

    On rights-of-way, mechanized equipment shall not be operated in flowing or standing water bodies except when approved and, then, only to construct crossings or to perform

required construction under direct guidance of TVA. Construction of stream fords or other crossings will only be permitted at approved locations and to current TVA construction access road standards. Material shall not be deposited in watercourses, their adjacent wetlands, or within stream bank areas where it could be washed away by high stream flows. Appropriate U.S. Army Corps of Engineers' and state permits shall be obtained.

Mechanized equipment shall not be operated in flowing or standing water on substation, switching station, or telecommunication sites.

Wastewater from construction, dismantling, or dewatering operations shall be controlled to prevent excessive erosion or turbidity in a stream, wetland, lake, pond or conveyed to a sinkhole. Any work or placing of equipment within a flowing or dry watercourse requires the prior approval of TVA.

11. Floodplain Evaluation - During the planning and design phase of the substation or communications facility, floodplain information should be obtained to avoid locating flood-damageable facilities in the 100-year floodplain. If the preferred site is located within a floodplain area, alternative sites must be evaluated and documentation prepared to support a determination of "no practicable alternative" to siting in the floodplain. In addition, steps taken to minimize adverse floodplain impacts should also be documented.

12. Clearing - No construction, dismantling, or forensic activities may clear additional site or right-of-way vegetation or disturb remaining retained vegetation, stumps, or regrowth at locations other than the structure, substation, or communication site or access thereto. TVA and the construction, dismantling, or forensic contractor(s) must provide appropriate erosion or sediment controls for areas they have disturbed after each disturbance that have previously been restabilized after clearing operations. Control measures shall be implemented as soon as practicable after disturbance in accordance with applicable federal, state, and/or local storm water regulations.

13. Restoration of Site - All construction, dismantling, or forensic-related disturbed areas with the exception of farmland under cultivation and any other areas as may be designated by TVA's specifications shall be stabilized in the following manner unless the property owner and TVA's engineer specify a different method:

    A. The subsoil shall be loosened to a minimum depth of 6 inches if possible and worked to remove unnatural ridges and depressions.

    B. If needed, appropriate soil amendments will be added.

    C. All disturbed areas will initially be seeded with a temporary ground cover such as winter wheat, rye, or millet, depending on the season. Perennials may also be planted during initial seeding if proper growing conditions exist. Final restoration and final seeding will be performed as line construction is completed. Final seeding will consist of permanent perennial grasses such as those outlined in TVA's *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (Muncy 2012).* Exceptions would include those areas designated as native grass planting areas. Initial and final restoration will be performed by the clearing contractor.

D. Rehabilitation species shall use species designated by federal guidance that are low–maintenance, native species appropriate for the site conditions that prevail at that location.

E. TVA holds the option, depending upon the time of year and weather condition, to delay or withdraw the requirement of seeding until more favorable planting conditions are certain. In the meantime, other stabilization techniques must be applied.

F. The site must be protected from species designated by the federal Invasive Species Council and must not be the source of species that can be transported to other locations via equipment contaminated with viable materials; thus, the equipment must be inspected, and any such species' material found must be removed and destroyed prior to transport to another location.

14. Air Quality Control - Construction, dismantling, and/or forensic crews shall take appropriate actions to minimize the amount of air pollution created by their operations. All operations must be conducted in a manner that avoids creating a nuisance and prevents damage to lands, crops, dwellings, or persons.

15. Burning - Before conducting any open burning operations, the contractor and subcontractor(s) shall obtain permits or provide notifications as required to state forestry offices and/or local fire departments. Burning operations must comply with the requirements of state and local air pollution control and fire authorities and will only be allowed in approved locations and during appropriate hours and weather conditions. If weather conditions such as wind direction or speed change rapidly, the contractor's burning operations may be temporarily stopped by the TVA field engineer. The debris for burning shall be piled and shall be kept as clean and as dry as possible, then burned in such a manner as to reduce smoke. No materials other than dry wood shall be open burned. The ash and debris shall be buried away from streams or other water sources and shall be in areas coordinated with the property owner on rights-of-way or project manager for TVA sites.

16. RENOVATION OR DEMOLITION DEBRIS MAY NOT BE BURNED.

17. Dust and Mud Control - Construction, dismantling, or forensic activities shall be conducted to minimize the creation of dust. This may require limitations as to types of equipment, allowable speeds, and routes utilized. Water, straw, wood chips, dust palliative, gravel, combinations of these, or similar control measures may be used subject to TVA's approval. On new construction sites and easements, the last 100 feet before an access road approaches a county road or highway shall be graveled to prevent transfer of mud onto the public road.

18. Vehicle Exhaust Emissions - TVA and/or the contractor(s) and subcontractor(s) shall maintain and operate equipment to limit vehicle exhaust emissions. Equipment and vehicles that show excessive emissions of exhaust gasses and particulates due to poor engine adjustments or other inefficient operating conditions shall not be operated until corrective repairs or adjustments are made.

19. Vehicle Servicing - Routine maintenance of personal vehicles will not be performed on the right-of-way or access route to the site. However, if emergency or "have to" situations arise, minimal/temporary maintenance to personal vehicles will occur in order

to mobilize the vehicle to an off-site maintenance shop. Heavy equipment will be serviced on the site except adjacent to or in designated sensitive areas. The Heavy Equipment Department within TVA or the construction, dismantling, or forensic contractor will properly maintain these vehicles with approved spill protection controls and countermeasures. If emergency maintenance in a sensitive or questionable area arises, the area environmental coordinator or construction environmental engineer will be consulted. All wastes and used oils will be properly recovered, handled, and disposed/recycled. Records of amounts generated shall be provided to TVA. Equipment shall not be temporarily stored in stream floodplains whether overnight or on weekends or holidays.

20. Smoke and Odors - TVA and/or the contractor(s) and subcontractor(s) shall properly store and handle combustible material that could create objectionable smoke, odors, or fumes. The contractor and subcontractor(s) shall not burn refuse such as trash, rags, tires, plastics, or other debris.

21. Noise Control - TVA and/or the contractor and subcontractor(s) shall take measures to avoid the creation of noise levels that are considered nuisances, safety, or health hazards. Critical areas including but not limited to residential areas, parks, public use areas, and some ranching operations will require special considerations. TVA's criteria for determining corrective measures shall be determined by comparing the noise level of the construction, dismantling, or forensic operation to the background noise levels. In addition, especially noisy equipment such as helicopters, pile drivers, air hammers, chippers, chain saws, or areas for machine shops, staging, assembly, or blasting may require corrective actions when required by TVA.

22. Noise Suppression - All internal combustion engines shall be properly equipped with mufflers as required by the Department of Labor's *Safety and Health Regulations for Construction.* TVA may require spark arresters in addition to mufflers on some engines. Air compressors and other noisy equipment may require sound-reducing enclosures in some circumstances.

23. Damages - The movement of construction, dismantling, or forensic crews and equipment shall be conducted in a manner that causes as little intrusion and damage as possible to crops, orchards, woods, wetlands, and other property features and vegetation. The contractor and subcontractor(s) will be responsible for erosion damage caused by his or her actions and employees and, especially, for creating conditions that would threaten the stability of the right-of-way or site soil, the structures, or access to either. When property owners prefer the correction of ground cover condition or soil and subsoil problems themselves, the section of the project to be handled shall be documented with an implementation schedule and a property owner signature obtained.

24. Final Site Cleanup and Inspection - The contractor’s designated person shall ensure that all construction, dismantling, or forensic-related debris, products, materials, and wastes are properly handled, labeled as required, and removed from the site. Upon completion of those activities, that person and a TVA-designated person shall walk down the site and complete an approval inspection.

References

Muncy, J. A. 2012. A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities

(revised edition). Edited by Abigail Bowen, Jodie Branum, Corey Chandler, Adam Dattilo, Britta Dimick, Shea Gaither, Casey Henley, Todd Liskey, Joe Melton, Cherie Minghini, Paul Pearman, Kenton Smithson, Joe Turk, Emily Willard, Robby Wilson. Norris: TVA Technical Note TVA/LR/NRM 92/1. Retrieved from <http://www.tva.com/power/projects/bmp_manual_2012.pdf> (n.d.).

Revision January 2013

APPENDIX E

ROW VEGETATION MANAGEMENT GUIDELINES 2013

Energy Delivery Environmental Protection Procedures
Right-Of-Way Vegetation Management Guidelines

1.0 Overview

A. The Tennessee Valley Authority (TVA) must manage the vegetation on its rights-of-way and easements to ensure emergency maintenance access and routine access to structures, switches, conductors, and communications equipment. In addition, TVA must maintain adequate clearance, as specified by the National Electrical Safety Code, between conductors and tall growing vegetation and other objects. This requirement applies to vegetation within the right-of-way as well as to trees located off the right-of-way.

B. Each year TVA assesses the conditions of the vegetation on and along its rights-of-way. This is accomplished by aerial inspections, periodic field inspections, aerial photography, and information from TVA personnel, property owners and the general public. Important information gathered during these assessments includes the coverage by various vegetation types, the mix of plant species, the observed growth, the seasonal growing conditions, and the density of the tall vegetation. TVA also evaluates the proximity, height, and growth rate of trees adjacent to the right-of-way that may be a danger to the line or structures.

C. TVA right-of-way specialists develop a vegetation re-clearing plan that is specific to each line segment and is based on terrain conditions, species mix, growth, and density.

2.0 Right-of-Way Management Methods

A. TVA uses an integrated vegetation management approach. In farming areas, TVA encourages property owner management of the right-of-way using low growing crops. In dissected terrain with rolling hills and interspersed woodlands, TVA may utilize mechanical mowing.

B. TVA uses a variety of herbicides specific to the species present with a variety of possible application techniques. TVA utilizes control methods, including use of low volume herbicide applications, occasional single tree injections, and tree growth regulators (TGRs) to a large extent.

C. In very steep terrain, in sensitive environmental areas, in extensive wetlands, at stream banks, and in sensitive property owner land use areas, hand clearing may be utilized. Hand clearing is recognized as one of the most hazardous occupations documented by the Occupational Health and Safety Administration. For that reason, TVA utilizes low volume herbicide applications in these areas when feasible.

D. TVA does not encourage tree re-clearing by individual property owners because of the high hazard potential of hand clearing, possible interruptions of the line, and electrical safety considerations for untrained personnel that might do the work. Private property owners may re-clear the right-of-way with trained re-clearing professionals.

E. Mechanical mowers not only cut the tall saplings and seedlings on the right-of-way, they also shatter the stump and the supporting near surface root crown. The tendency of resistant species is to re-sprout from the root crown and shattered stumps can produce a multi-stem dense stand in the immediate area. Repeated use of mowers on short cycle re-clearing with many original stumps re-growing in the above manner can create a single species thicket or monoculture. With the original large root system and multiple stems, the resistant species can produce re-growth at the rate of 5-10 feet in a year. In years with high rainfall, the growth can reach 12-15 feet in a single year. These dense, monoculture stands can become nearly impenetrable for even large tractors. Such stands have low diversity, little wildlife food or nesting potential, and become a property owner concern. Selective herbicide application may be used to control monoculture stands.

F. TVA encourages property owners to sign an agreement to manage rights-of-way on their land for wildlife under the auspices of "Project Habitat," a joint project by TVA, BASF, and wildlife organizations, e.g., National Wild Turkey Federation, Quail Unlimited, and Buckmasters. The property owner maintains the right-of-way in wildlife food and cover with emphasis on quail, turkey, deer or other wildlife. A variation used in or adjacent to developing suburban areas is to sign agreements with the developer and residents to plant and maintain wildflowers on the right-of-way.

G. TVA places strong emphasis on managing rights-of-way in the above manner. When the property owners do not agree to these opportunities, TVA must maintain the right-of-way in the most environmentally acceptable, cost-effective, and efficient manner possible.

3.0 Herbicide Program

A. TVA has worked with universities (such as Mississippi State University, University of Tennessee, Purdue University and others), chemical manufacturers, other utilities, U.S. Department of Transportation, U.S. Fish and Wildlife (USFWS), and U.S. Forest Service (USFS) personnel to explore options for vegetation control. The results have been strong recommendations to use species-specific, low volume herbicide applications in more situations. Research, demonstrations, and other right-of-way programs show a definite improvement of rights-of-way treated with selective low-volume applications of new herbicides using a variety of application techniques and timing. Table 1 below identifies herbicides currently used on TVA rights-of-way. Table 2 identifies pre-emergent herbicides currently being used on bare ground areas on TVA rights-of-way and in substations. Table 3 identifies TGRs that may be used on tall trees that have special circumstances that require trimming on a regular cycle, e.g., restrictions on complete removal. The rates of application utilized are those listed on the U.S. Environmental

Protection Agency (USEPA) approved label and consistent with utility standard practice throughout the Southeast.

Table 1 - Herbicides Currently Used on TVA Rights-of-Way

Trade Name	Active Ingredient	Label Signal Word
Accord/Accord XRT II	Glyphosate/Liquid	Caution
Arsenal	Imazapyr/Liquid/Granule	Caution
Chopper	Imazapyr/RTU	Caution
Clearstand	Imazapyr/Metsulfuron Methyl/Liquid	Caution
Escort	Metsulfuron Methyl/Dry Flowable	Caution
Garlon	Triclopyr/Liquid	Caution
Garlon 3A	Triclopyr/Liquid	Danger
Habitat	Imazapyr/Liquid	Caution
Krenite S	Fosamine Ammoinium	Caution
Milestone VM	Aminopyralid/Liquid	Caution
Pathfinder II	Triclopyr/RTU	Caution
Rodeo	Glyphosate/Liquid	Caution
Roundup	Glyphosate/Liquid	Caution
Roundup Pro	Glyphosate	Caution
Streamline	Aminocyclopyrachlor/ Metsulfuron Methyl/Liquid	Caution
Transline	Clopyralid/Liquid	Caution
Viewpoint	Imazapyr/Aminocyclopyrachlor/ Metsulfuron Methyl/Liquid	Caution

Table 2 - Pre-Emergent Herbicides Currently Used for Bare Ground Areas On TVA Rights-of-Way

Trade Name	Active Ingredients	Label Signal Word
Arsenal 5G	Imazapyr/Granule	Caution
Sahara	Diuron/Imazapyr	Caution
SpraKil SK-26	Tebuthiuron/Diuron/Granules	Caution
SpraKil S-5	Tebuthiuron/Granules	Caution
Topsite	Diuron/Imazapyr	Caution

Table 3 - Tree Growth Regulators (TGRs) Currently Used On TVA Rights-of-Way

Trade Name	Active Ingredients	Label Signal Word
Profile 2SC	TGR-paclobutrazol	Caution
TGR	Flurprimidol	Caution

B. The herbicides listed in Table 1 and 2 and TGRs listed in Table 3 have been evaluated in extensive studies in support of registration applications and label requirements. Many have been reviewed in the USFS vegetation management environmental impact statements (EISs), and those evaluations are incorporated here by reference (USFS 1989a, 1989b, 2002a, and 2002b). Electronic copies can be accessed at http://www.fs.fed.us/r8/planning/documents/vegmgmt/. The result of these reviews has been a consistent finding of limited environmental impact beyond that of control of the target vegetation. All the listed herbicides have been found to be of low environmental toxicity when applied by trained applicators following the label and registration procedures, including prescribed measures, such as buffer zones, to protect threatened and endangered species.

C. Low volume herbicide applications are recommended since research demonstrates much wider plant diversity after such applications. There is better ground erosion protection and more wildlife food plants and cover plants develop. In most situations there is increased development of wild flowering plants and shrubs. In conjunction with herbicides, the diversity and density of low-growing plants provide control of tall-growing species through competition.

D. Wildlife managers often request the use of herbicides in place of rotary mowing in order to avoid damage to nesting and tunneling wildlife. This method retains ground cover year around with a better mix of food species and associated high-protein insect populations for birds in the right seasons. Most also report less damage to soils (even when compared with rubber-tired equipment).

E. Property owners interested in tree production often request the use of low volume applications rather than hand or mechanical clearing because of the insect and fungus problems in damaged vegetation and debris left on the right-of-way. The insect and fungus invasions, such as pine tip moth, oak leaf blight, sycamore and dogwood blight, etc., are becoming widespread across the nation.

F. Best Management Practices (BMPs) governing application of herbicides are contained within *A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities* (Muncy 2012) which is incorporated by reference. Herbicides can be liquid, granular, or powder and can be applied aerially or by ground equipment and may be selectively applied or broadcast, depending on the site requirements, species present, and condition of the vegetation. Water quality considerations include measures taken to keep herbicides from reaching streams whether by direct application or through runoff of or

flooding by surface water. "Applicators" must be trained, licensed, and follow manufacturers' label instructions, USEPA guidelines, and respective state regulations and laws.

G. When herbicides are used, their potential adverse impacts are considered in selecting the compound, formulation, and application method. Herbicides that are designated "Restricted Use" by USEPA require application by or under the supervision of applicators certified by the respective state control board. Aerial and ground applications are done either by TVA or by contractors in accordance with the following guidelines identified in the TVA BMP manual (Muncy 2012):

1. The sites to be treated are selected and application directed by the appropriate TVA official.
2. A preflight walking or flying inspection is made within 72 hours prior to applying herbicides aerially. This inspection ensures that no land use changes have occurred, that sensitive areas are clearly identified to the pilot, and that buffer zones are maintained.
3. Aerial application of liquid herbicides will normally not be made when surface wind speeds exceed 5 miles per hour, in areas of fog, or during periods of temperature inversion.
4. Pellet application will normally not be made when the surface wind speeds exceed 10 miles per hour, or on frozen or water saturated soils.
5. Liquid application is not performed when the temperature reaches 95 degrees Fahrenheit or above.
6. Application during unstable, unpredictable, or changing weather patterns is avoided.
7. Equipment and techniques are used that are designed to ensure maximum control of the spray swath with minimum drift.
8. Herbicides are not applied to surface water or wetlands unless specifically labeled for aquatic use. Filter and buffer strips will conform at least to federal and state regulations and any label requirements. The use of aerial or broadcast application of herbicides is not allowed within a streamside management zone (SMZ) adjacent to perennial streams, ponds, and other water sources. Hand application of certain herbicides labeled for use within SMZs is used only selectively.
9. Buffers and filter strips (200 feet minimum width) are maintained next to agricultural crops, gardens, farm animals, orchards, apiaries, horticultural crops, and other valuable vegetation.
10. Herbicides are not applied in the following areas or times: (a) in city, state, and national parks or forests or other special areas without written permission and/or required permits (b) off the right-of-way and (c) during rainy periods or during the 48- hour interval prior to rainfall predicted with a 20 percent or greater probability by local forecasters, when soil active herbicides are used.

H. TVA currently uses primarily low volume applications of foliar and basal applications, e.g., Accord (Glyphosate), Arsenal (Imazapyr), Clearstand (Imazapyr / Metsulfuron

Methyl), Milestone VM (Aminopyralid) and Streamline (Aminocyclopyrachlor / Metsulfuron Methyl).

4.0 References

Muncy, J. A. 2012. A Guide for Environmental Protection and Best Management Practices for Tennessee Valley Authority Transmission Construction and Maintenance Activities (revised edition). Edited by Abigail Bowen, Jodie Branum, Corey Chandler, Adam Dattilo, Britta Dimick, Shea Gaither, Casey Henley, Todd Liskey, Joe Melton, Cherie Minghini, Paul Pearman, Kenton Smithson, Joe Turk, Emily Willard, Robby Wilson. Norris: TVA Technical Note TVA/LR/NRM 92/1. Retrieved from <http://www.tva.com/power/projects/bmp_manual_2012.pdf> (n.d.).

U.S. Forest Service. 1989a. Vegetation Management in the Coastal Plain/Piedmont Final Environmental Impact Statement, Volumes I and II. Southern Region Management Bulletin R8-MB-23, January 1989. Atlanta, Ga.: USDA Forest Service.

———. 1989b. Vegetation Management in the Appalachian Mountains Final Environmental Impact Statement, Volumes I and II. Southern Region Management Bulletin R8-MB-38, July 1989. Atlanta, Ga.: USDA Forest Service.

———. 2002a. Vegetation Management in the Appalachian Mountains Final Environmental Impact Statement Supplement. Southern Region Management Bulletin R8-MB-97A, October 2002. Atlanta, Ga.: USDA Forest Service.

———. 2002b. Vegetation Management in the Coastal Plain/Piedmont Final Environmental Impact Statement Supplement. Southern Region Management Bulletin R8-MB-98A, October 2002. Atlanta, Ga.: USDA Forest Service.

APPENDIX F

CONSULTATION INFORMATION

DEPARTMENT OF THE ARMY
NASHVILLE DISTRICT, CORPS OF ENGINEERS
WEST REGULATORY FIELD OFFICE
2424 DANVILLE ROAD SW, SUITE-N
DECATUR, AL 35603

November 8, 2019

SUBJECT: LRN-2017-01012, First Solar, Dev., LLC.; Approved Jurisdictional Determination, Mulberry Creek Watershed Mile 0.4L, Tennessee River Mile 241.6L Colbert County, AL

First Solar, Dev., LLC.
C/o Russell Kiesling
11757 Katy Freeway. Ste. 400
Houston, TX 77079

Dear Mr. Kiesling:

This letter is in regard to your report entitled “Environmental Assessment Report, 2019”, which documented potential waters of the United States on a review area of approximately 1,432 acres. This project has been assigned File No. LRN-2017-01012, please refer to this number in any future correspondence.

The U.S. Army Corps of Engineers (USACE) has regulatory responsibilities pursuant to Section 404 of the Clean Water Act (33 U.S.C. 1344) and Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403). Under Section 10, the USACE regulates any work in, or affecting, navigable waters of the U.S. It appears the review area does not include navigable waters of the U.S. and would not be subject to the provisions of Section 10. Under Section 404, the USACE regulates the discharge of dredged and/or fill material into waters of the U.S., including wetlands.

Enclosed is an approved jurisdictional determination for aquatic resources identified as S-A-1, S-A-2, S-A-3, S-A-4, S-B-1, S-B-2, S-E-1, S-E-2, S-E-7, S-E-9, which were determined to be jurisdictional, and WET-B-1, WET-B-2, WET-B-3, WET-C-1, WET-C-2, WET-C-3, WET-E-1, WET-E-7, WET-E-8, WET-E-9, WET-E-10, WET-E-11, WET-E-12, S-B-3, S-C-1, S-C-2, S-C-3, S-C-4, S-C-5, S-C-6, S-C-7, S-E-8, S-E-10, which were determined not to be jurisdictional. The rationale for this determination is provided in the attached Approved Jurisdictional Determination form. This approved jurisdictional determination expires five years from the date of this letter, unless new information warrants revision of the determination before the expiration date, or the District Engineer identifies specific geographic areas with rapidly changing environmental conditions that merit re-verification on a more frequent basis. This delineation/determination has been conducted to identify the limits of COE' s Clean Water Act jurisdiction for the particular site identified in this request. This delineation/determination may not be valid for the wetland conservation provisions of the Food Security Act of 1985. If you or your tenant are USDA program participants, or anticipate participation in USDA programs, you should request a certified wetland determination from the local office of the Natural Resources Conservation Service, prior to starting work. This approved jurisdictional determination is only valid for the review area as shown on the map labeled LRN-2017-01012, AJD Review Area.

If you object to this decision, you may request an administrative appeal under Corps regulations at 33 CFR Part 331. Enclosed you will find a Notification of Appeals Process (NAP) fact sheet and Request for Appeal (RFA) form. If you request to appeal this decision you must submit a completed RFA form to the Great Lakes and Ohio River Division, Division Office at the following address:

LRD Appeals Officer
U.S. Army Corps of Engineers
Great Lakes and Ohio River Division
550 Main Street, Room 10524
Cincinnati, OH 45202-3222
TEL (513) 684-2699; FAX (513) 684-2460

In order for an RFA to be accepted by the Corps, the Corps must determine that it is complete, that it meets the criteria for appeal under 33 CFR Part 331.5, and that it has been received by the Division Office within 60 days of the date listed on the RFA form. **It is not necessary to submit an RFA form to the Division Office if you do not object to the decision in this letter**.

We appreciate your awareness of the USACE regulatory program. If you have any questions, you may contact me or Mr. David Medina at (256) 350-5620 or by e-mail at David.J.Medina@usace.army.mil.

Sincerely,

Timothy C. Wilder
Chief, West Branch
Regulatory Division
U.S. Army Corps of Engineers

Enclosures:
Notification of Administrative Appeal Options and Process and Request for Appeal Form
AJD Forms
LRN-2019-00309, AJD Review Area

Electronic Copies Furnished:
Chad Martin, Cardno Inc.

NOTIFICATION OF ADMINISTRATIVE APPEAL OPTIONS AND PROCESS AND REQUEST FOR APPEAL

Applicant: First Solar, Dev., LLC.	File Number: LRN-2017-01012	Date: 11/8/2019

Attached is:		See Section below
	INITIAL PROFFERED PERMIT (Standard Permit or Letter of permission)	A
	PROFFERED PERMIT (Standard Permit or Letter of permission)	B
	PERMIT DENIAL	C
X	APPROVED JURISDICTIONAL DETERMINATION	D
	PRELIMINARY JURISDICTIONAL DETERMINATION	E

SECTION I - The following identifies your rights and options regarding an administrative appeal of the above decision. Additional information may be found at http://www.usace.army.mil/CECW/Pages/reg_materials.aspx or Corps regulations at 33 CFR Part 331.

A: INITIAL PROFFERED PERMIT: You may accept or object to the permit.

- ACCEPT: If you received a Standard Permit, you may sign the permit document and return it to the district engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- OBJECT: If you object to the permit (Standard or LOP) because of certain terms and conditions therein, you may request that the permit be modified accordingly. You must complete Section II of this form and return the form to the district engineer. Your objections must be received by the district engineer within 60 days of the date of this notice, or you will forfeit your right to appeal the permit in the future. Upon receipt of your letter, the district engineer will evaluate your objections and may: (a) modify the permit to address all of your concerns, (b) modify the permit to address some of your objections, or (c) not modify the permit having determined that the permit should be issued as previously written. After evaluating your objections, the district engineer will send you a proffered permit for your reconsideration, as indicated in Section B below.

B: PROFFERED PERMIT: You may accept or appeal the permit

- ACCEPT: If you received a Standard Permit, you may sign the permit document and return it to the district engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- APPEAL: If you choose to decline the proffered permit (Standard or LOP) because of certain terms and conditions therein, you may appeal the declined permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division engineer. This form must be received by the division engineer within 60 days of the date of this notice.

C: PERMIT DENIAL: You may appeal the denial of a permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division engineer. This form must be received by the division engineer within 60 days of the date of this notice.

D: APPROVED JURISDICTIONAL DETERMINATION: You may accept or appeal the approved JD or provide new information.

- ACCEPT: You do not need to notify the Corps to accept an approved JD. Failure to notify the Corps within 60 days of the date of this notice, means that you accept the approved JD in its entirety, and waive all rights to appeal the approved JD.
- APPEAL: If you disagree with the approved JD, you may appeal the approved JD under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division engineer. This form must be received by the division engineer within 60 days of the date of this notice.

E: PRELIMINARY JURISDICTIONAL DETERMINATION: You do not need to respond to the Corps regarding the preliminary JD. The Preliminary JD is not appealable. If you wish, you may request an approved JD (which may be appealed), by contacting the Corps district for further instruction. Also you may provide new information for further consideration by the Corps to reevaluate the JD.

SECTION II - REQUEST FOR APPEAL or OBJECTIONS TO AN INITIAL PROFFERED PERMIT

REASONS FOR APPEAL OR OBJECTIONS: (Describe your reasons for appealing the decision or your objections to an initial proffered permit in clear concise statements. You may attach additional information to this form to clarify where your reasons or objections are addressed in the administrative record.)

ADDITIONAL INFORMATION: The appeal is limited to a review of the administrative record, the Corps memorandum for the record of the appeal conference or meeting, and any supplemental information that the review officer has determined is needed to clarify the administrative record. Neither the appellant nor the Corps may add new information or analyses to the record. However, you may provide additional information to clarify the location of information that is already in the administrative record.

POINT OF CONTACT FOR QUESTIONS OR INFORMATION:

If you have questions regarding this decision and/or the appeal process you may contact: David Medina Nashville District, U.S. Army Corps of Engineers Regulatory Division - West Regulatory Field Office 2424 Danville Road SW, Suite - N Decatur, AL 35603 (256) 350-5620; David.J.Medina@usace.army.mil	If you only have questions regarding the appeal process you may also contact: Jacob Siegrist Regulatory Appeals Review Officer US Army Corps of Engineers Great Lakes and Ohio River Division 550 Main Street, Room 10524 Cincinnati, Ohio 45202-3222 Phone: (513) 684-2699 Fax: (513) 684-2460

RIGHT OF ENTRY: Your signature below grants the right of entry to Corps of Engineers personnel, and any government consultants, to conduct investigations of the project site during the course of the appeal process. You will be provided a 15 day notice of any site investigation, and will have the opportunity to participate in all site investigations.

_____ Signature of appellant or agent.	Date:	Telephone number:

LRN-2017-01012

AJD Form, S-A-1

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-A-1, an ephemeral tributary. S-A-1 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 8 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **2-5** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 1 feet
Average side slopes: **2:1.**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-A-1 has no riffle/pool areas due to it being ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 1 %

(c) Flow:

Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☐ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☒ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981.

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-A-2

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-A-2, an ephemeral tributary. S-A-2 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 28 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **2-5** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 2 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☐ Cobbles	☐ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-A-2 has no riffle/pool areas due to it being ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 3 %

(c) Flow:
Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:
Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 3-5 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):

☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).

☐ Other non-wetland waters: acres.

Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**

☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)

linear feet width (ft).

☐ Other non-wetland waters: acres.

Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**

☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.

☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**

☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**

☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

☐ Demonstrate that impoundment was created from "waters of the U.S.," or

☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or

☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.

[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-A-3

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-A-3, an ephemeral tributary. S-A-3 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 10 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **2-5** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 1 feet
Average side slopes: **2:1.**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-A-3 has minor riffle/pool areas due to it being ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 1 %

(c) Flow:

Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☐ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☒ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-A-4

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-A-4, a perennial tributary. S-A-4 flows directly into directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **Pick List**
Drainage area: 70 to 3,473 **Pick List**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☒ Tributary flows directly into TNW.
☐ Tributary flows through **Pick List** tributaries before entering TNW.

Project waters are **Pick List** river miles from TNW.
Project waters are **Pick List** river miles from RPW.
Project waters are **Pick List** aerial (straight) miles from TNW.
Project waters are **Pick List** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

---

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 2.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 17 feet
Average depth: 6 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☒ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☒ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: Mulberry Creek has frequent riffle/pool areas.
Tributary geometry: **Meandering**
Tributary gradient (approximate average slope): 1 %

(c) Flow:

Tributary provides for: **Seasonal flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: Mulberry Creek, S-E-7 are perennial flow and others are ephemeral/intermittent.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☐ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.

Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff and automotive runoff from surrounding fields and roads.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

☒ Riparian corridor. Characteristics (type, average width): 5-15 feet average width.
☐ Wetland fringe. Characteristics: .
☒ Habitat for:
☐ Federally Listed species. Explain findings: .
☒ Fish/spawn areas. Explain findings: pernnial water that floods and is directly connected to a TNW.
☐ Other environmentally-sensitive species. Explain findings: .
☒ Aquatic/wildlife diversity. Explain findings: Riparian area habitat for small mammals, reptiles, amphibians and substrate provides benthic and aquatic fauna habitat.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:
Properties:
Wetland size: N/A acres
Wetland type. Explain: N/A.
Wetland quality. Explain: N/A .
Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:
Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**
Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .
☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:
☐ Directly abutting
☐ Not directly abutting
☐ Discrete wetland hydrologic connection. Explain: .
☐ Ecological connection. Explain: .
☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW
Project wetlands are **Pick List** river miles from TNW.
Project waters are **Pick List** aerial (straight) miles from TNW.
Flow is from: **Pick List.**
Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .
Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

☐ Riparian buffer. Characteristics (type, average width): .
☐ Vegetation type/percent cover. Explain: .
☐ Habitat for:
☐ Federally Listed species. Explain findings: .
☐ Fish/spawn areas. Explain findings: .
☐ Other environmentally-sensitive species. Explain findings: .
☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **1**
Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Y	24 acres		

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters directly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs. Water can also provide aquatic habitat and support fish functions.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek has a very large drainage area, a site visit during April indicated heavy flow, fish and other aquatic species were noted during the site visit.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows

seasonally: S-E-1 is a 2nd order stream that did not have flow at the time of the site visit. There were still pools of water throughout the stream bed with aquatic insects. S-E-7 emerges from a spring box that was flowing during the time of the site visit. Mulberry Creek supports a large drainage area and had water and fish during the site visit..

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. Non-RPWs[8] that flow directly or indirectly into TNWs.
☐ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.[9]
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):
☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..
- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-B-1

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-B-1, an ephemeral tributary. S-B-1 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 5 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1-2** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1-2** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 1 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☒ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-B-1 has no riffle/pool areas due to it being steep and ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 2-4 %

(c) Flow:

Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-B-2

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-B-2, an ephemeral tributary. S-B-2 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 40 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1-2** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1-2** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

---

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 1 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☒ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-B-2 has no riffle/pool areas due to it being steep and ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 2-4 %

(c) Flow:

Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-E-1

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-E-1, an intermittent tributary. S-E-1 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 400-500 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1-2** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1-2** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

---

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 2.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 8 feet
Average depth: 4 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☒ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-E-1 has frequent riffle/pool areas.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 1 %

(c) Flow:

Tributary provides for: **Intermittent but not seasonal flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: stream may dry during later summer months.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☐ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.

Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff and automotive runoff from surrounding fields and roads.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

☒ Riparian corridor. Characteristics (type, average width): 5-15 feet average width.
☐ Wetland fringe. Characteristics: .
☒ Habitat for:
☐ Federally Listed species. Explain findings: .
☐ Fish/spawn areas. Explain findings: .
☐ Other environmentally-sensitive species. Explain findings: .
☒ Aquatic/wildlife diversity. Explain findings: Riparian area habitat for small mammals, reptiles, amphibians and substrate provides benthic and aquatic fauna habitat.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:
Properties:
Wetland size: N/A acres
Wetland type. Explain: N/A.
Wetland quality. Explain: N/A .
Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:
Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**
Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .
☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:
☐ Directly abutting
☐ Not directly abutting
☐ Discrete wetland hydrologic connection. Explain: .
☐ Ecological connection. Explain: .
☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW
Project wetlands are **Pick List** river miles from TNW.
Project waters are **Pick List** aerial (straight) miles from TNW.
Flow is from: **Pick List.**
Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .
Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

☐ Riparian buffer. Characteristics (type, average width): .
☐ Vegetation type/percent cover. Explain: .
☐ Habitat for:
☐ Federally Listed species. Explain findings: .
☐ Fish/spawn areas. Explain findings: .
☐ Other environmentally-sensitive species. Explain findings: .
☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**
Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters directly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs. Water can also provide aquatic habitat and support fish functions.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek has a very large drainage area, a site visit during April indicated heavy flow, fish and other aquatic species were noted during the site visit. .
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows

seasonally: S-E-1 is a 2nd order stream that did not have flow at the time of the site visit. There were still pools of water throughout the stream bed with aquatic insects. S-E-7 emerges from a spring box that was flowing during the time of the site visit. Mulberry Creek supports a large drainage area and had water and fish during the site visit..

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. Non-RPWs[8] that flow directly or indirectly into TNWs.
☐ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.[9]
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):
☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..
- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-E-2

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 8/11/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-E-2, an ephemeral tributary. S-E-2 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 100 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2 feet
Average depth: 1 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-E-2 has no riffle/pool areas due to it being ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 1 %

(c) Flow:
Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:
Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-E-7

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-E-7, a perennial tributary. S-E-7 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date: 11/8/2019
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 10-20 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **2-5** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **2-5** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 2.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2 feet
Average depth: 1 feet
Average side slopes: **2:1.**

Primary tributary substrate composition (check all that apply):

☒ Silts	☒ Sands	☐ Concrete
☒ Cobbles	☐ Gravel	☐ Muck
☒ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-E-7 has frequent riffle/pool areas due to being a spring.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 1 %

(c) Flow:
Tributary provides for: **Seasonal flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: stream is spring fed from underground source.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Yes**. Explain findings: discharge point for underground water.
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☐ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☒ shelving	☐ the presence of wrack line
☒ vegetation matted down, bent, or absent	☐ sediment sorting
☐ leaf litter disturbed or washed away	☐ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:
Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff and automotive runoff from surrounding fields and roads.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

☒ Riparian corridor. Characteristics (type, average width): 5-15 feet average width.
☐ Wetland fringe. Characteristics: .
☒ Habitat for:
☐ Federally Listed species. Explain findings: .
☐ Fish/spawn areas. Explain findings: .
☐ Other environmentally-sensitive species. Explain findings: .
☒ Aquatic/wildlife diversity. Explain findings: Riparian area habitat for small mammals, reptiles, amphibians and substrate provides benthic and aquatic fauna habitat.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:
Properties:
Wetland size: N/A acres
Wetland type. Explain: N/A.
Wetland quality. Explain: N/A .
Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:
Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**
Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .
☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:
☐ Directly abutting
☐ Not directly abutting
☐ Discrete wetland hydrologic connection. Explain: .
☐ Ecological connection. Explain: .
☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW
Project wetlands are **Pick List** river miles from TNW.
Project waters are **Pick List** aerial (straight) miles from TNW.
Flow is from: **Pick List.**
Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .
Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

☐ Riparian buffer. Characteristics (type, average width): .
☐ Vegetation type/percent cover. Explain: .
☐ Habitat for:
☐ Federally Listed species. Explain findings: .
☐ Fish/spawn areas. Explain findings: .
☐ Other environmentally-sensitive species. Explain findings: .
☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **Pick List**
Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters directly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs. Water can also provide aquatic habitat and support their primary functions.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek has a very large drainage area, a site visit during April indicated heavy flow, fish and other aquatic species were noted during the site visit. .
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows

seasonally: S-E-1 is a 2nd order stream that did not have flow at the time of the site visit. There were still pools of water throughout the stream bed with aquatic insects. S-E-7 emerges from a spring box that was flowing during the time of the site visit. Mulberry Creek supports a large drainage area and had water and fish during the site visit..

Provide estimates for jurisdictional waters in the review area (check all that apply):

☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).

☐ Other non-wetland waters: acres.

Identify type(s) of waters: .

3. Non-RPWs[8] that flow directly or indirectly into TNWs.

☐ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)

linear feet width (ft).

☐ Other non-wetland waters: acres.

Identify type(s) of waters: **.**

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.

☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.

☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.[9]

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

☐ Demonstrate that impoundment was created from "waters of the U.S.," or

☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or

☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

---

[8]See Footnote # 3.

[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):
☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..
- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012

AJD Form, S-E-9

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 11/8/2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER:Nashville District, First Solar, LRN-2017-01012

C. PROJECT LOCATION AND BACKGROUND INFORMATION: The JD review area includes 2,467 acres of land on the west central side of Colbert County, Alabama. The majority of the JD review area is in agricultural use but some areas are forested. This AJD form references all waters found within the JD review area but discusses only S-E-9, an ephemeral tributary. S-E-9 flows directly into Mulberry Creek (S-A-4), a perennial stream that flows directly into a Traditional Navigable Water (TNW), the Tennessee River. Separate AJD forms have been completed by the USACE for each water determined to be a water of the U.S. (WOUS), and all non-jurisdicational waters.

State: Alabama County/parish/borough: Colbert County City: Barton
Center coordinates of site (lat/long in degree decimal format): Lat. 34.75881° **N**, Long. -87.909289° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Mulberry Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River (Pickwick Lake)
Name of watershed or Hydrologic Unit Code (HUC):)Pickwick Lake_HUC3-06030005

☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

☒ Office (Desk) Determination. Date:
☒ Field Determination. Date(s): April 18-19, 2019

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]

☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☐ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: linear feet: width (ft) and/or acres.
      Wetlands:

S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
acres.

c. Limits (boundaries) of jurisdiction based on: **Established by OHWM.**
Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):[3]

☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: **The wetlands listed below are geographically isolated and the streams listed below flow into these wetlands and are therefore not tributaries of traditional navigable waters. These listed waters do not drain directly or indirectly into any waters of the U.S. and do not support a link to interstate or foreign commerce because they are not known to be used by interstate or foreign travelers for recreation or other purposes; do not produce fish or shellfish that could be taken and sold in interstate or foreign commerce and are not known to be used for industrial purposes by industries in interstate commerce. The USACE has determined that the waters listed below are isolated and not jurisdictional under Section 404 of the CWA.**

***WET-B-1 (emergent) - 0.22 acre**
***WET-B-2 (emergent) - 8.48 acre**
***WET-B-3 (forested) - 1.06 acre**
***WET-C-1 (emergent) - 0.23 acre**
***WET-C-2 (scrub-shrub) - 0.28 acre**
***WET-C-3 (forested) - 1.43 acre**
***WET-E-1 (PUB) - 0.40 acre**
***WET-E-7 (scrub-shrub) - 0.27 acre**
***WET-E-8 (forested) - 1.77 acre**
***WET-E-9 (emergent) - 4.19 acre**
***WET-E-10 (scrub-shrub) - 2.24acre**
***WET-E-11 (PUB) - 7.36 acre**
***WET-E-12 (PUB) - 0.63 acre**
Total = 28.56 acres

***S-B-3 (ephemeral) 407 LF**
***S-C-1 (ephemeral) 2,588 LF**
***S-C-2 (ephemeral) 561 LF**
***S-C-3 (ephemeral) 477 LF**
***S-C-4 (ephemeral) 681 LF**
***S-C-5 (ephemeral) 567 LF**
***S-C-6 (ephemeral) 511 LF**
***S-C-7 (ephemeral) 661 LF**
***S-E-8 (ephemeral) 1,285 LF**
***S-E-10 (ephemeral) 1,088 LF**
Total = 8,826 LF

.

[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": N/A.

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 83,966 **acres**
Drainage area: 40 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☐ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1 (or less)** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW's and RPW's flows into an RPW (Mulberry Creek) on the Project site, which flows into Pickwick Lake (TNW).

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 2.5 feet
Average depth: 1 feet
Average side slopes: **3:1 .**

Primary tributary substrate composition (check all that apply):

☒ Silts	☐ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☒ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Banks stable, mild erosion.
Presence of run/riffle/pool complexes. Explain: S-E-9 has no riffle/pool areas due to it being steep and ephemeral.
Tributary geometry: **Relatively straight**
Tributary gradient (approximate average slope): 2-4 %

(c) Flow:

Tributary provides for: **Ephemeral flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: In response to rainfall.
Other information on duration and volume: .

Surface flow is: **Confined.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☐ changes in the character of soil	☒ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☒ sediment sorting
☐ leaf litter disturbed or washed away	☒ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☐ water staining	☐ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☐ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☐ physical markings;
☐ physical markings/characteristics	☐ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: Pollutants for this area would include agricultural runoff from surrounding fields.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): 1-3 feet average width.
- ☐ Wetland fringe. Characteristics: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: N/A acres

Wetland type. Explain: N/A.

Wetland quality. Explain: N/A .

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Pick List**. Explain: N/A.

Surface flow is**: Pick List**

Characteristics: .

Subsurface flow: **Pick List**. Explain findings: .

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☐ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW.

Project waters are **Pick List** aerial (straight) miles from TNW.

Flow is from: **Pick List.**

Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Brown water. .

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☐ Vegetation type/percent cover. Explain: .
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **1**

Approximately (N/A) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
N	24 acres		

Summarize overall biological, chemical and physical functions being performed: flood retention, nutrient cycling, filtering and habitat.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: The listed waters help carry pollutants and flood waters indirectly into a TNW. The transport of water also transfers organic carbon runoff and other nutrients to downstream foodwebs.

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   - ☐ TNWs: linear feet width (ft), Or, acres.
   - ☐ Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**
   - ☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek's watershed is very large and the site visit revealed heavy flow during summer months.
   - ☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: During site visit there was very little to no water present within the stream.

Provide estimates for jurisdictional waters in the review area (check all that apply):
☒ Tributary waters: **S-A-4 (Mulberry Creek) (RPW) Perennial, 4,365 linear feet: 17 width (ft); S-E-1 (RPW) Intermittent, 5,490 linear feet: 8 width (ft); S-E-7 (RPW) Perennial, 202 linear feet: 1 width (ft)** linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs[8] that flow directly or indirectly into TNWs.**
☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):
☒ Tributary waters: **S-A-1 (Non-RPW) Ephemeral, 191 linear feet: 2.5 width (ft)**
S-A-2 (Non-RPW) Ephemeral, 2,182 linear feet: 4 width (ft)
S-A-3 (Non-RPW) Ephemeral, 178 linear feet: 2 width (ft)
S-B-1 (Non-RPW) Ephemeral, 532 linear feet: 2.5 width (ft)
S-B-2 (Non-RPW) Ephemeral, 435 linear feet: 3 width (ft)
S-E-2 (Non-RPW) Ephemeral, 534 linear feet: 2 width (ft)
S-E-9 (Non-RPW) Ephermal, 553 linear feet: 8 width (ft)
linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: **.**

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
☐ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**
☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**
☐ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. **Impoundments of jurisdictional waters.[9]**
As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
☐ Demonstrate that impoundment was created from "waters of the U.S.," or
☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

[8]See Footnote # 3.
[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☒ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
☒ Other: (explain, if not covered above): **Non-wetland features found in section B-2 do not flow directly or indirectly into a TNW or other waters of the U.S. The combined total length of these features are 8,826 linear feet.**

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 28.56 acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☒ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☐ U.S. Geological Survey Hydrologic Atlas: .
☐ USGS NHD data.
☐ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:2400 Cherokee.
☒ USDA Natural Resources Conservation Service Soil Survey. Citation: Colbert County, AL.
☒ National wetlands inventory map(s). Cite name:National Wetlands Inventory, 1:58,000 scale, color infrared imagery 1981..

---

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

- ☐ State/Local wetland inventory map(s): .
- ☒ FEMA/FIRM maps:Mulberry Creek is within a flood zone on the southeast portion of the property.
- ☒ 100-year Floodplain Elevation is:450 (National Geodectic Vertical Datum of 1929)
- ☒ Photographs: ☒ Aerial (Name & Date):Multiple from Google Earth.
  or ☒ Other (Name & Date):site photos provided by applicant, reference report September 2016.
- ☐ Previous determination(s). File no. and date of response letter: .
- ☐ Applicable/supporting case law: .
- ☐ Applicable/supporting scientific literature: .
- ☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

LRN-2017-01012 First Solar Topo, Location Map



0 0.15 0.3 0.6 0.9 1.2 mi

All Measurements are approximate.

N
W E
S

US Army Corps of Engineers
BUILDING STRONG®



LRN-2017-01012, AJD Review Area

Legend

- AJD Review Area
- Existing Transmission Line Requiring Upgrade
- 1% Annual Chance Flood Hazard Zone
- Non-Jurisdictional Isolated Wetlands
- 50-ft Wetland Buffer
- Conservation Easement
- 50-ft Stream Buffer
- Non-Tributaries
- Jurisdictional Tributaries
- Existing 161 kV Transmission Line

January 31, 2019

U.S. Army Corps of Engineers
Nashville District Regulatory Branch
3701 Bell Road, Nashville, TN 37214

Cardno Inc.

76 San Marcos Street
Austin, Texas 78735
USA

Phone: +1 512 745 8129
Fax: +1 512 605 2641

www.cardno.com

Subject: Approved Jurisdictional Determination for Muscle Shoals Solar Facility in Colbert County, Alabama

Sir or Madam:

Please find attached one (1) Approved Jurisdictional Determination (AJD) form for the proposed commercial solar project in Colbert County, Alabama. The parcels are separated as such: Study C (417 acres), Study D (782 acres), Study E (1,432 acres) and Study F (58 acres). The results of the environmental surveys within these sites are presented in one attached report. Study A/B (1,066 acres) which is also included in this report, has already been submitted for review (acknowledged on November 27, 2017 by David Medina, PM). First Solar intends to avoid or minimize impacts to potential waters of the U.S. by designing around jurisdictional streams and wetlands where practical. Any questions concerning this submittal may be sent to chad.martin@cardno.com or I may be reached at my mobile number: 713-203-9161.

Sincerely,

Chad Martin, PWS, CWB
Principal / Technical Director
Cardno Inc.
Direct Line +1 713.203.9161
Email: chad.martin@cardno.com

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): January 4, 2019

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: USACE Nashville District Office

C. PROJECT LOCATION AND BACKGROUND INFORMATION:
State: Alabama County/parish/borough: Colbert County City: Cherokee
Center coordinates of site (lat/long in degree decimal format): Lat. 34.787143° **N**, Long. -87.960440° **W**.
Universal Transverse Mercator:
Name of nearest waterbody: Malone Creek
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Tennessee River/Pickwick Lake
Name of watershed or Hydrologic Unit Code (HUC): Pickwick Lake_HUC3-06030005
☒ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
☐ Check if other sites (e.g., offsite mitigation sites, disposal sites, etc…) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):
☒ Office (Desk) Determination. Date: June 1st - 2nd, 2016, August 29th, 2016, November 16th-17th, 2017, July 11th-13th, November 26-30 2018, and January 7-11 2019.
☒ Field Determination. Date(s): June 1st - 2nd, 2016, August 29th, 2016, November 16th-17th, 2017, July 11th-13th , 2018, November 26-30 2018 and January 13-18 2019.

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "*navigable waters of the U.S.*" within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [*Required*]
☐ Waters subject to the ebb and flow of the tide.
☐ Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "*waters of the U.S.*" within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [*Required*]

1. **Waters of the U.S.**
   a. **Indicate presence of waters of U.S. in review area (check all that apply):** [1]
      ☐ TNWs, including territorial seas
      ☐ Wetlands adjacent to TNWs
      ☒ Relatively permanent waters[2] (RPWs) that flow directly or indirectly into TNWs
      ☒ Non-RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
      ☐ Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
      ☒ Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
      ☐ Impoundments of jurisdictional waters
      ☒ Isolated (interstate or intrastate) waters, including isolated wetlands

   b. **Identify (estimate) size of waters of the U.S. in the review area:**
      Non-wetland waters: Streams linear feet: 30,276.0; 6 width (ft) and/or 4.17 acres.
      Wetlands: 5.65 acres.

   c. **Limits (boundaries) of jurisdiction** based on: **1987 Delineation Manual**
      Elevation of established OHWM (if known): N/A, based on USACE protocol and field delineation.

2. **Non-regulated waters/wetlands (check if applicable):**[3]
   ☒ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.
   Explain: **Ephemeral drainages and associated or isolated wetlands**.

[1] Boxes checked below shall be supported by completing the appropriate sections in Section III below.
[2] For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).
[3] Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW
Identify TNW: **N/A**.

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW
Summarize rationale supporting conclusion that wetland is "adjacent": .

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody[4] is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 2,400**square miles**
Drainage area: 1,080 **acres**
Average annual rainfall: 57 inches
Average annual snowfall: 2 inches

(ii) Physical Characteristics:
(a) Relationship with TNW:
☒ Tributary flows directly into TNW.
☒ Tributary flows through **2** tributaries before entering TNW.

Project waters are **1-2** river miles from TNW.
Project waters are **1 (or less)** river miles from RPW.
Project waters are **1-2** aerial (straight) miles from TNW.
Project waters are **1-2** aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW[5]: Non-RPW flows into an RPW, which flows into Pickwick Lake.
Tributary stream order, if known: 2nd order.

[4] Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.
[5] Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b) General Tributary Characteristics (check all that apply):

Tributary is: ☒ Natural
☐ Artificial (man-made). Explain: .
☐ Manipulated (man-altered). Explain: .

Tributary properties with respect to top of bank (estimate):
Average width: 4 feet
Average depth: 6 feet
Average side slopes: **2:1.**

Primary tributary substrate composition (check all that apply):

☐ Silts	☒ Sands	☐ Concrete
☒ Cobbles	☒ Gravel	☐ Muck
☐ Bedrock	☐ Vegetation. Type/% cover:	
☐ Other. Explain: .		

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: sloughing banks.
Presence of run/riffle/pool complexes. Explain: Yes, complexes were observed and documented.
Tributary geometry: **Meandering**
Tributary gradient (approximate average slope): 2 %

(c) Flow:

Tributary provides for: **Seasonal flow**
Estimate average number of flow events in review area/year: **20 (or greater)**
Describe flow regime: natural.
Other information on duration and volume: .

Surface flow is: **Discrete.** Characteristics: .

Subsurface flow: **Unknown**. Explain findings: .
☐ Dye (or other) test performed: .

Tributary has (check all that apply):
☒ Bed and banks
☒ OHWM[6] (check all indicators that apply):

☒ clear, natural line impressed on the bank	☒ the presence of litter and debris
☒ changes in the character of soil	☐ destruction of terrestrial vegetation
☐ shelving	☐ the presence of wrack line
☐ vegetation matted down, bent, or absent	☐ sediment sorting
☐ leaf litter disturbed or washed away	☐ scour
☐ sediment deposition	☐ multiple observed or predicted flow events
☒ water staining	☒ abrupt change in plant community
☐ other (list):	

☐ Discontinuous OHWM.[7] Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

☐ High Tide Line indicated by:	☒ Mean High Water Mark indicated by:
☐ oil or scum line along shore objects	☐ survey to available datum;
☐ fine shell or debris deposits (foreshore)	☒ physical markings;
☐ physical markings/characteristics	☒ vegetation lines/changes in vegetation types.
☐ tidal gauges	
☐ other (list):	

(iii) Chemical Characteristics:

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Water relatively clear.
Identify specific pollutants, if known: N/A.

[6]A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.
[7]Ibid.

(iv) Biological Characteristics. Channel supports (check all that apply):

- ☒ Riparian corridor. Characteristics (type, average width): Woodland Vegetation,250 feet.
- ☐ Wetland fringe. Characteristics: .
- ☒ Habitat for:
  - ☐ Federally Listed species. Explain findings: Potential habitat in riparian corridor for bat roosting.
  - ☒ Fish/spawn areas. Explain findings: small minnow and sunfish species.
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☒ Aquatic/wildlife diversity. Explain findings: water hole, riparian movement corridor.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: 2.11 acres

Wetland type. Explain: PEM.

Wetland quality. Explain: Consisting of 3 PEM wetland. One of the wetland is a Spring-fed Wetland.

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Perennial flow**. Explain: Wet-F-2 is a Spring-fed wetland. Water flows to Mulberry Creek. Wet-F-1 is a fringe wetland abutting Cane Creek. Wet-E-6 adjacent to mulberry creek.

Surface flow is**: Overland sheetflow**

Characteristics: .

Subsurface flow: **Yes**. Explain findings: Spring-fed wetland (Wet-F-2).

- ☐ Dye (or other) test performed: .

(c) Wetland Adjacency Determination with Non-TNW:

- ☒ Directly abutting
- ☐ Not directly abutting
  - ☐ Discrete wetland hydrologic connection. Explain: .
  - ☐ Ecological connection. Explain: .
  - ☐ Separated by berm/barrier. Explain: .

(d) Proximity (Relationship) to TNW

Project wetlands are **1 (or less)** river miles from TNW.

Project waters are **1 (or less)** aerial (straight) miles from TNW.

Flow is from: **Wetland to navigable waters.**

Estimate approximate location of wetland as within the **100 - 500-year** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: PEM wetland including spring-fed and fringe wetlands of RPW.

Identify specific pollutants, if known: N/A.

(iii) Biological Characteristics. Wetland supports (check all that apply):

- ☐ Riparian buffer. Characteristics (type, average width): .
- ☒ Vegetation type/percent cover. Explain: Emergent wetland with herbaceous vegetation.
- ☐ Habitat for:
  - ☐ Federally Listed species. Explain findings: .
  - ☐ Fish/spawn areas. Explain findings: .
  - ☐ Other environmentally-sensitive species. Explain findings: .
  - ☐ Aquatic/wildlife diversity. Explain findings: .

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **6**

Approximately (5.65) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Wet D-1 Yes	0.58		
Wet D-2 Yes	0.49		
Wet E-2 Yes	2.47		
Wet E-6 Yes	0.18		
Wet F-1 Yes	0.15		
Wet F-2 Yes	1.78		

Summarize overall biological, chemical and physical functions being performed: Water retention in ponds and wetlands within the Project boundaries. sediment collection; wildlife water and feeding areas.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: .

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Multiple jurisdictional streams and associated wetlands were determined to indirectly flow into the Tennessee River (TNW). They have medium to high functional assessment for biological and hydrogeomorphological characteristics and is within 2 miles of the Tennessee River .

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: .

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
   ☐ TNWs: linear feet width (ft), Or, acres.

☐ Wetlands adjacent to TNWs: acres.

2. RPWs that flow directly or indirectly into TNWs.

☒ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Mulberry Creek and one other perennial were observed with well defined banks and beds. Larger particles (cobble) were obsered in the center of the stream and smaller particles were closer to the banks..

☒ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: The area gets an average of 57 inches of water per year and the creek is 1-2 miles from the the nearest TNW. Mulberry Creek also exhibits an ordinary high water mark (OHWM) with other frequent flow indicators such as changes in character of the soil, presence of litter and debris, and water staining. Mean high water mark indicated by physical markings and vegetation lines along creek ban.

Provide estimates for jurisdictional waters in the review area (check all that apply):

☒ Tributary waters: **21,703.2** linear feet**; 6** width (ft).

☐ Other non-wetland waters: **NA** acres.

Identify type(s) of waters: .

3. Non-RPWs[8] that flow directly or indirectly into TNWs.

☒ Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

☒ Tributary waters: **8,572.8** linear feet **6** width (ft).

☐ Other non-wetland waters: acres.

Identify type(s) of waters: **.**

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.

☒ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.

☒ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: **The wetlands directly connect to Mulberry Creek and Cane Creek.**

☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: **2.11** acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

☐ Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

☒ Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: **3.54** acres.

7. Impoundments of jurisdictional waters.[9]

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

☐ Demonstrate that impoundment was created from "waters of the U.S.," or

☐ Demonstrate that water meets the criteria for one of the categories presented above (1-6), or

☐ Demonstrate that water is isolated with a nexus to commerce (see E below).

---

[8]See Footnote # 3.

[9] To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):[10]

☐ which are or could be used by interstate or foreign travelers for recreational or other purposes.
☐ from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
☐ which are or could be used for industrial purposes by industries in interstate commerce.
☐ Interstate isolated waters. Explain: .
☐ Other factors. Explain: .

Identify water body and summarize rationale supporting determination: .

Provide estimates for jurisdictional waters in the review area (check all that apply):
☐ Tributary waters: linear feet width (ft).
☐ Other non-wetland waters: acres.
Identify type(s) of waters: .
☐ Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
☒ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
☐ Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
☒ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:**ephemeral flow; lacking defined bed and bank, isolated wetlands.**
☐ Other: (explain, if not covered above): .

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
☐ Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
☒ Lakes/ponds: 13.3 acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☐ Wetlands: acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):
☒ Non-wetland waters (i.e., rivers, streams): **9,746.3** linear feet, **5** width (ft).
☐ Lakes/ponds: acres.
☐ Other non-wetland waters: acres. List type of aquatic resource: .
☒ Wetlands: 23.76 acres.

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

☒ Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: .
☒ Data sheets prepared/submitted by or on behalf of the applicant/consultant.
☐ Office concurs with data sheets/delineation report.
☐ Office does not concur with data sheets/delineation report.
☐ Data sheets prepared by the Corps: .
☐ Corps navigable waters' study: .
☒ U.S. Geological Survey Hydrologic Atlas: .
☒ USGS NHD data.
☒ USGS 8 and 12 digit HUC maps.
☒ U.S. Geological Survey map(s). Cite scale & quad name:1:24K Town Creek.

[10] Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos.*

☒ USDA Natural Resources Conservation Service Soil Survey. Citation:GIS SSURGO online data for county.
☒ National wetlands inventory map(s). Cite name:Town Creek.
☒ State/Local wetland inventory map(s): .
☒ FEMA/FIRM maps:FEMA GiS live layer.
☒ 100-year Floodplain Elevation is:535(National Geodectic Vertical Datum of 1929)
☒ Photographs: ☒ Aerial (Name & Date):Bing Maps.
or ☒ Other (Name & Date):World Imagery:Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community .
☒ Previous determination(s). File no. and date of response letter: .
☐ Applicable/supporting case law: .
☐ Applicable/supporting scientific literature: .
☐ Other information (please specify): .

B. ADDITIONAL COMMENTS TO SUPPORT JD: .

AECOM
10 Patewood Drive, Bldg. VI, Suite 500
Greenville, SC 29615

864.234.3000 tel
864.234.3069 fax

May 1, 2019

Lawrence McGhee
State Soil Scientist
Natural Resources Conservation Service
3381 Skyway Drive
Auburn, Alabama 36830-6443

SUBJECT: Request for Farmland Conversion Impact Rating – Muscle Shoals Solar Project

Dear Mr. McGhee,

AECOM is working with the Tennessee Valley Authority (TVA) (Elizabeth Smith, 865-632-3053) in the preparation of an Environmental Assessment associated with the construction of a solar farm located in Colbert County, Alabama. The proposed project includes the proposed construction of an up to 227-megawatt (MW) solar facility on approximately 2,583 acres, 15 miles west of Florence, Alabama (Figure 1). The constructed facility would occupy approximately 1,937 acres of the proposed project area. The existing conservation easement near the center of the project area would remain. Should the project be constructed, TVA would purchase the power generated by the facility under a Power Purchase Agreement with Muscle Shoals Solar, LLC.

TVA is in the process of conducting investigations and preparing the NEPA compliance documentation for the proposed project. This documentation will include a comprehensive analysis of pertinent environmental impacts, including prime or unique farmlands, and an analysis of project alternatives. This letter is being submitted under the provisions of the Farmland Protection Policy Act.

Enclosed is Form AD-1006, the Farmland Conversion Impact Rating Form, with Parts I, III, VI, and VII completed and a map showing soil types and farmland classification of the proposed project site (Figure 2). To ensure compliance with the Farmland Protection Policy Act and to support the NEPA process, TVA requests that the USDA Natural Resources Conservation Service review the enclosed project-specific information and complete Parts II, IV, and V on the enclosed Form AD-1006. TVA staff will also forward to your office, a copy of the draft NEPA document, when it is available for distribution, along with a request for comments.

If you have any questions regarding this proposed project, please contact me at 864-234-8913 (bobbie.hurley@aecom.com) or Elizabeth Smith at 865-632-3053 (esmith14@tva.gov).

Sincerely,

Roberta A. Hurley
Project Manager



Source: ArcGIS Aerial Map

Figure 1-1
Site Location Map

Figure 1. Proposed Muscle Shoals Solar Project Site



Figure 2. Prime Farmland Soils at the Proposed Muscle Shoals Solar Project Site

U.S. Department of Agriculture

FARMLAND CONVERSION IMPACT RATING

PART I *(To be completed by Federal Agency)*		Date Of Land Evaluation Request 5/1/2019	
Name of Project Muscle Shoals Solar		Federal Agency Involved Tennessee Valley Authority	
Proposed Land Use Solar Farm		County and State Colbert County, Alabama	
PART II *(To be completed by NRCS)*		Date Request Received By NRCS 5/6/2019	Person Completing Form: Eddie E. Davis Jr.
Does the site contain Prime, Unique, Statewide or Local Important Farmland? *(If no, the FPPA does not apply - do not complete additional parts of this form)*	YES ☑ NO ☐	Acres Irrigated	Average Farm Size 222
Major Crop(s) Cotton, Soybean, Corn	Farmable Land In Govt. Jurisdiction Acres: 191,984% 51	Amount of Farmland As Defined in FPPA Acres: 124,87% 33%	
Name of Land Evaluation System Used LESA	Name of State or Local Site Assessment System	Date Land Evaluation Returned by NRCS 5/10/2019	

PART III *(To be completed by Federal Agency)*	Alternative Site Rating			
	Site A	Site B	Site C	Site D
A. Total Acres To Be Converted Directly	1937.0			
B. Total Acres To Be Converted Indirectly	646.8			
C. Total Acres In Site	2583.8			
PART IV *(To be completed by NRCS)* Land Evaluation Information				
A. Total Acres Prime And Unique Farmland	1488			
B. Total Acres Statewide Important or Local Important Farmland	0			
C. Percentage Of Farmland in County Or Local Govt. Unit To Be Converted	1.19			
D. Percentage Of Farmland in Govt. Jurisdiction With Same Or Higher Relative Value	17.7			
PART V (To be completed by NRCS) Land Evaluation Criterion Relative Value of Farmland To Be Converted (Scale of 0 to 100 Points)	99			

PART VI *(To be completed by Federal Agency)* Site Assessment Criteria *(Criteria are explained in 7 CFR 658.5 b. For Corridor project use form NRCS-CPA-106)*	**Maximum Points**	Site A	Site B	Site C	Site D
1. Area In Non-urban Use	(15)	15			
2. Perimeter In Non-urban Use	(10)	10			
3. Percent Of Site Being Farmed	(20)	20			
4. Protection Provided By State and Local Government	(20)	0			
5. Distance From Urban Built-up Area	(15)	15			
6. Distance To Urban Support Services	(15)	10			
7. Size Of Present Farm Unit Compared To Average	(10)	10			
8. Creation Of Non-farmable Farmland	(10)	10			
9. Availability Of Farm Support Services	(5)	5			
10. On-Farm Investments	(20)	10			
11. Effects Of Conversion On Farm Support Services	(10)	2			
12. Compatibility With Existing Agricultural Use	(10)	0			
TOTAL SITE ASSESSMENT POINTS	160	107	0	0	0
PART VII ***(To be completed by Federal Agency)***					
Relative Value Of Farmland *(From Part V)*	100	99	0	0	0
Total Site Assessment *(From Part VI above or local site assessment)*	160	107	0	0	0
TOTAL POINTS ***(Total of above 2 lines)***	260	206	0	0	0

Site Selected:	Date Of Selection	Was A Local Site Assessment Used? YES ☐ NO ☐

Reason For Selection:

Name of Federal agency representative completing this form:	Date:

(See Instructions on reverse side) **Form AD-1006 (03-02)**

STEPS IN THE PROCESSING THE FARMLAND AND CONVERSION IMPACT RATING FORM

Step 1 - Federal agencies (or Federally funded projects) involved in proposed projects that may convert farmland, as defined in the Farmland Protection Policy Act (FPPA) to nonagricultural uses, will initially complete Parts I and III of the form. For Corridor type projects, the Federal agency shall use form NRCS-CPA-106 in place of form AD-1006. The Land Evaluation and Site Assessment (LESA) process may also be accessed by visiting the FPPA website, http://fppa.nrcs.usda.gov/lesa/.

Step 2 - Originator (Federal Agency) will send one original copy of the form together with appropriate scaled maps indicating location(s)of project site(s), to the Natural Resources Conservation Service (NRCS) local Field Office or USDA Service Center and retain a copy for their files. (NRCS has offices in most counties in the U.S. The USDA Office Information Locator may be found at http://offices.usda.gov/scripts/ndISAPI.dll/oip_public/USA_map**,** or the offices can usually be found in the Phone Book under U.S. Government, Department of Agriculture. A list of field offices is available from the NRCS State Conservationist and State Office in each State.)

Step 3 - NRCS will, within 10 working days after receipt of the completed form, make a determination as to whether the site(s) of the proposed project contains prime, unique, statewide or local important farmland. (When a site visit or land evaluation system design is needed, NRCS will respond within 30 working days.

Step 4 - For sites where farmland covered by the FPPA will be converted by the proposed project, NRCS will complete Parts II, IV and V of the form.

Step 5 - NRCS will return the original copy of the form to the Federal agency involved in the project, and retain a file copy for NRCS records.

Step 6 - The Federal agency involved in the proposed project will complete Parts VI and VII of the form and return the form with the final selected site to the servicing NRCS office.

Step 7 - The Federal agency providing financial or technical assistance to the proposed project will make a determination as to whether the proposed conversion is consistent with the FPPA.

INSTRUCTIONS FOR COMPLETING THE FARMLAND CONVERSION IMPACT RATING FORM

(For Federal Agency)

Part I: When completing the "County and State" questions, list all the local governments that are responsible for local land use controls where site(s) are to be evaluated.

Part III: When completing item B (Total Acres To Be Converted Indirectly), include the following:

1. Acres not being directly converted but that would no longer be capable of being farmed after the conversion, because the conversion would restrict access to them or other major change in the ability to use the land for agriculture.
2. Acres planned to receive services from an infrastructure project as indicated in the project justification (e.g. highways, utilities planned build out capacity) that will cause a direct conversion.

Part VI: Do not complete Part VI using the standard format if a State or Local site assessment is used. With local and NRCS assistance, use the local Land Evaluation and Site Assessment (LESA).

1. Assign the maximum points for each site assessment criterion as shown in § 658.5(b) of CFR. In cases of corridor-type project such as transportation, power line and flood control, criteria #5 and #6 will not apply and will, be weighted zero, however, criterion #8 will be weighed a maximum of 25 points and criterion #11 a maximum of 25 points.

2. Federal agencies may assign relative weights among the 12 site assessment criteria other than those shown on the FPPA rule after submitting individual agency FPPA policy for review and comment to NRCS. In all cases where other weights are assigned, relative adjustments must be made to maintain the maximum total points at 160. For project sites where the total points equal or exceed 160, consider alternative actions, as appropriate, that could reduce adverse impacts (e.g. Alternative Sites, Modifications or Mitigation).

Part VII: In computing the "Total Site Assessment Points" where a State or local site assessment is used and the total maximum number of points is other than 160, convert the site assessment points to a base of 160.
Example: if the Site Assessment maximum is 200 points, and the alternative Site "A" is rated 180 points:

$$\frac{\text{Total points assigned Site A}}{\text{Maximum points possible}} = \frac{180}{200} \text{ X } 160 = 144 \text{ points for Site A}$$

For assistance in completing this form or FPPA process, contact the local NRCS Field Office or USDA Service Center.

NRCS employees, consult the FPPA Manual and/or policy for additional instructions to complete the AD-1006 form.

Tennessee Valley Authority, 400 West Summit Hill Drive, Knoxville, TN 37902

January 30, 2018

Ms. Lee Anne Wofford
Deputy State Historic Preservation Officer
Alabama Historical Commission
468 South Perry Street
Montgomery, Alabama 36130-0900

Dear Ms. Wofford:

TENNESSEE VALLEY AUTHORITY (TVA), INITIATION OF CONSULATION, MUSCLE SHOALS SOLAR ARRAY, COLBERT COUNTY, ALABAMA

TVA proposes to enter into a Power Purchase Agreement with First Solar Development, LLC (First Solar) to construct, operate, and maintain a photovoltaic solar power facility, of up to 227 megawatt generating capacity. The project would interconnect to the existing Colbert FP-Cherokee-Burnsville 161-kV transmission line (TL) where a portion of the TL will need to be rebuilt (approximately 58 acres). The facility would be located on an assemblage of parcels constituting two geographically separate groups or tracts of agricultural land in Colbert County, Alabama (Figure 1). These land parcels total approximately 3,100 acres.

TVA determined the area of potential effects (APE) to be the footprint where ground disturbance could occur as a result of the undertaking and the indirect/visual APE to be the 0.5 mile radius of the project area and within the visual line of site (Figure 2). In order to provide maximum flexibility for project design the archaeological survey area will include all land parcels. For your review please find enclosed AECOM's research design for the Phase I Cultural Resources survey. Pursuant to 36 CFR § 800.4(b)(1), TVA finds that the design presented here is a reasonable and good faith effort to carry out identification efforts.

By this letter, TVA is initiating consultation regarding the proposed undertaking. TVA is proposing to do a Phase I Cultural Resources survey of the APE. Due to the size and scope of the project TVA proposes to proceed under phases as provided under 36 CFR § 800.4(b)(2) and § 800.5(c)(1).

Pursuant to 36 CFR Part 800.3(f)(2), TVA is consulting with federally recognized Indian tribes regarding historic properties within the proposed project's APE that may be of religious and cultural significance and are eligible for the NRHP.

If you have any questions or comments, please contact Michaelyn Harle by telephone, (865) 632-2248 or by email, mharle@tva.gov.

Sincerely,



Clinton E. Jones
Manager
Cultural Compliance

MSH:ABM
Enclosures

INTERNAL COPIES NOT TO BE INCLUDED WITH OUTGOING LETTER:

Lana D. Bean, WT 10 C-K
Michael C. Easley, BRF 1A-CTT
Patricia B. Ezzell, WT 7C-K
Michaelyn S. Harle, WT 11C-K
Susan R. Jacks, WT 11C-K
Ashley A. Pilakowski, WT 11B-K
M. Susan Smelley, BR 4A-C
Robert C. Wilson, MR 4B-C
ECM, WT CA-K



Figure 1: Location of the proposed solar array and TL rebuild(structures 24-50)



Figure 2: Proposed survey area of solar array[CSC1]

ALABAMA HISTORICAL COMMISSION

468 South Perry Street
P.O. Box 300900
Montgomery, Alabama 36130-0900
334-242-3184 / Fax: 334-240-3477

Lisa D. Jones
Executive Director
State Historic Preservation Officer

February 21, 2019

Clinton E. Jones
Manager, Cultural Compliance
TVA
400 West Summit Hill Drive
Knoxville, Tennessee 37902

Re: AHC 19-0480
CRA Phase I Research design
Initiation of Consultation
Muscle Shoals Solar Array
Colbert County

Dear Mr. Jones:

Upon review of the cultural resource assessment research design proposed for the above referenced project, we offer the following comments:

a.) Page one of the research proposal indicates that portions of the property depicted in the maps therein may be excluded from project activities. The area of potential effects (APE) must be firmly and clearly defined in all survey reports, and our office recommends that this be done as early in the process as possible.

b.) The proposal indicates at least one previously recorded archaeological site is located within the boundaries of the proposed APE. There are more than 35 additional previously recorded archaeological sites located near the APE. Our office considers this area to be extremely sensitive for archaeological resources. Also, maps indicate cemeteries located within and near the APE.

c.) Please note: All survey reports must meet or exceed Alabama Historical Commission Administrative Code, Chapter 460-X-9, Archeological Investigations, Section .02, Survey and Testing (hereafter, AHC Survey and Testing guidelines), Subsection 4, Standards for Reports.

d.) Please note: all surveys must meet or exceed AHC Survey and Testing guidelines regardless of guidelines set forth in research proposals.

e.) Please note: the Alabama Historical Commission (AHC) does not agree that agricultural cultivation eliminates the presence of cultural resources within a given APE. The absence of surficial evidence of cultural material within an agricultural field is not enough to justify the preclusion of 30-meter interval survey testing along with closer interval delineation testing to establish site boundaries. Artifacts are often recovered from below the plow zone.

f.) Please note that AHC Survey and Testing guidelines require all artifacts recovered from surveys be curated at a facility in Alabama which meets 36 CFR part 79 guidelines.

g.) Please note: AHC Survey and Testing guidelines do not allow for any percentage of slope to be the sole determining factor in the preclusion of subsurface testing.

We appreciate your commitment to helping us preserve Alabama's historic archaeological and architectural resources. Should you have any questions, please contact William Lowe at 334.230.2670 or William.Lowe@ahc.alabama.gov. Have the AHC tracking number referenced above available and include it with any future correspondence.

Sincerely,

Lee Anne Wofford
Deputy State Historic Preservation Officer

LAW/WJL/SGH/amh

Tennessee Valley Authority, 400 West Summit Hill Drive, Knoxville, Tennessee 37902

July 8, 2019

Ms. Lee Anne Wofford
Deputy State Historic Preservation Officer
Alabama Historical Commission
468 South Perry Street
Montgomery, Alabama 36130-0900

Dear Ms. Wofford:

TENNESSEE VALLEY AUTHORITY (TVA) PROPOSED MUSCLE SHOALS SOLAR ARRAY, COLBERT COUNTY, ALABAMA (AHC – 19-0480)

In a letter dated January 30, 2019, TVA initiated consultation with your office regarding TVA's proposal to enter into a Power Purchase Agreement with Muscle Shoals Solar, LLC (Muscle Shoals Solar) to construct, operate, and maintain a photovoltaic (PV) solar power facility of up to 227 megawatt (MW) generating capacity (Undertaking). In a February 21, 2019 response, the Alabama Historical Commission (AHC) provided comments regarding the proposed Cultural Resources assessment research design for the Undertaking. Muscle Shoals Solar contracted with AECOM to conduct a Phase I Cultural Resources survey of the APE. The results of the survey can be found in the enclosed report titled *Phase I Cultural Resources Assessment of Muscle Shoals Solar Project, Colbert County, Alabama* ("Phase I Assessment"). TVA, Muscle Shoals Solar, and AECOM considered AHC's comments in the implementation of the assessment and refinement of the scope of the Undertaking.

Following this initiation of consultation with AHC, the project was refined significantly. In the Phase I Assessment, two separate groups of properties (referred to as the southeast parcels and the northwest parcels) are discussed. The northwest parcels have been eliminated completely from the Undertaking. However, the results of the assessment are included in the report so that AHC may have access to the survey information on these parcels for future reference. The Undertaking is now limited to a portion of the southeast parcels totaling approximately 2,626 acres and comprising the Project Site. The Project Site is located approximately 15 miles west of the City of Florence, Alabama (Figures 1 and 2). Certain locations identified as "exclusion areas" within the refined Project Site by Muscle Shoals Solar were determined unsuitable for construction due to topography or the presence of sensitive environmental resources. Muscle Shoals Solar has excluded these areas from the project, and therefore TVA excluded them from the archaeological survey. Muscle Shoals Solar would also construct a project substation on the Project Site. The project would interconnect to TVA's existing Colbert Fossil Plant (FP)-Cherokee-Burnsville 161-kilovolt (kV) transmission line (TL), which traverses the Project Site at its northeast corner. TVA would construct a line-tap into the existing

TL to connect a proposed new TVA switching station (the Mulberry Creek switching station) also located on the Project Site (Figure 1). The project plan also calls for maintenance activities on portions of the existing Colbert FP-Cherokee-Burnsville 161-kV TL from the Colbert FP to the proposed substation on the Project Site.

TVA determined the area of potential effects (APE) to be the footprint of the Project Site where ground disturbance could occur (2,626 acres) and areas within a one half-mile radius surrounding the Project Site that have unobstructed lines of sight to the Project Site. TVA determined the APE for the existing TL maintenance activities to be the approximately 3.8 mile long by 100 foot wide TL right of way (ROW) where ground disturbance could occur. As this is an existing TL there would be no additional effects to the viewshed.

Identification Level Efforts

AECOM conducted the archaeological survey from December 15, 2018 to February 5, 2019 and March 28-29, 2019. Prior to developing identification level efforts, AECOM conducted a records search at the Office of Alabama to identify past Cultural Resources surveys and archaeological sites within a 0.5 mile radius of the current APE to review existing information on known and potential historic properties within the APE (Figure 15 in the Phase I Assessment) and conducted a preliminary field reconnaissance of the APE. TVA considered all the relevant background information available in designing the identification effort, and provided guidance to AECOM in developing the scope of the survey. While TVA does take into account state standards and guidelines, we also aim for consistency among surveys with similar settings, scope of undertakings, and potential for historic properties based on background research across TVA's Power Service Area. The survey methods, described in the Phase I Assessment, included confirmation by shovel testing of observations made during comprehensive pedestrian survey. TVA finds that pursuant to 36 CFR § 800.4(b)(1), and consistent with the Advisory Council on Historic Preservation's "Section 106 Archaeology Guidance", the proposed identification efforts constitute "reasonable and good faith effort" to identify historic properties. The enclosed supporting documentation is consistent with the requirements pursuant to 36 CFR § 800.11. Please also note per your February 2019 letter, that the report also includes a curation agreement with the Erskin Ramsey curation facility at the University of Alabama which meets 36 CFR part 79. All survey records and artifacts recovered on TVA land will be curated at their curation facility. Although TVA encourages land owners to relinquish the artifacts recovered on their property for curation, TVA has no authority to force a private land owner to relinquish their rights if they request the artifacts be returned after analysis.

Results of the Cultural Resources Survey and Effect Finding

Prehistoric sites 1Ct240, 1Ct247, 1Ct324, and 1Ct407 were recorded within the TL corridor during three previous surveys and 1Ct459 was recorded within the proposed boundaries of the solar array. Sites 1Ct240 and 1Ct247 (Hollis et al. 1989), and 1Ct407

(Hendryx and Hollis 1998) were determined to be ineligible for the National Register of Historic Places (NRHP). Site 1Ct324 is of undetermined eligibility. However, no further work was recommended at that site by the original investigators (Shaw and Ford 1993) due to a lack of intact deposits. Site 1Ct459 was recorded in the site files as being of undetermined eligibility for the NRHP. There were no previously recorded historic properties documented inside the project APE.

AECOM identified 17 previously unrecorded sites during the archaeological survey. Table 1 provides TVA's NRHP eligibility determination and proposed avoidance measures. TVA finds that seven of these sites are potentially eligible for the NRHP. Based on the results of the survey, Muscle Shoals further modified the project area. The properties associated with 1Ct642 and 1Ct643 will not be acquired or leased and are no longer considered part of the Project Site or Undertaking, and no construction related to the Undertaking will take place within the parcels on which 1Ct642 and 1Ct643 were located. These two sites will remain within the control of the current landowners. Muscle Shoals Solar intends to purchase or lease the property that includes the sites 1Ct459, 1Ct644, 1Ct645, 1Ct646, and 1Ct648. In order to avoid effects, these areas have been added to the "exclusion areas" within the Project Site and would be avoided from any development, disturbance, or other construction activities associated with the development of the project or future activities associated with the operation and maintenance of the Undertaking (Figure 2). In order to ensure avoidance of these sites during the life of the project, Muscle Shoals Solar and TVA will sign the draft enclosed legal agreement documenting the avoidance of potentially eligible sites 1Ct459, 1Ct644, 1Ct645, 1Ct646 and 1Ct648 during the term of the Power Purchase Agreement.

The historic architectural survey of the APE identified 38 resources that are 50 years old, or older. AECOM recommends all but one of these resources is ineligible for listing in the NRHP based on lack of integrity and/or lack of significance based on event(s), person(s) or craftsmanship. One historic cemetery (Malone Cemetery (Ct00021) is recommended eligible for listing in the NRHP, however based on the revised APE, Malone Cemetery was located adjacent to the northwest parcels which have been excluded from the Project Site and is no longer within the .5 radius APE and visible to the project area.

TVA has read the enclosed report and agrees with the recommendations of the authors. Pursuant to 36 CFR Part 800.4(d)(1), we are seeking your concurrence with TVA's eligibility determinations and TVA's finding that with the aforementioned avoidance measures will ensure that the Undertaking will have no effect to historic properties.

Pursuant to 36 CFR Part 800.3(f)(2), TVA is consulting with federally recognized Indian tribes within the proposed project's APE that may be of religious and cultural significance and eligible for the NRHP.

If you have any questions or comments, please contact Michaelyn Harle by telephone, (865) 632-2248 or by email, mharle@tva.gov.

Sincerely,

Clinton E. Jones
Manager
Cultural Compliance

MSH:ABM
Enclosures

INTERNAL COPIES NOT TO BE INCLUDED WITH OUTGOING LETTER:

Lana D. Bean, WT 10 C-K
Michael C. Easley, BRF 1A-CTT
Patricia B. Ezzell, WT 7C-K
Michaelyn S. Harle, WT 11C-K
Susan R. Jacks, WT 11C-K
Paul J. Pearman, BR 2C-C
Ashley A. Pilakowski, WT 11B-K
M. Susan Smelley, BR 2C-C
Rebecca C. Tolene, WT 7B-K
Robert C. Wilson, BR 2C-C
ECM, WT CA-K

Table 1: Sites identified with TVA's NRHP Eligibility Determination and Avoidance Plan

Site Number	Cultural Affiliation-Location	NRHP Determination	Proposed Avoidance
1Ct240	Indeterminate Prehistoric	Not Eligible	None
1Ct247	Indeterminate Prehistoric	Not Eligible	None
1Ct324	Indeterminate Prehistoric	Not Eligible	None
1Ct407	Indeterminate Prehistoric and Late 19th-Early 20th century historic house site	Not Eligible	None
1Ct459	Early Paleo-Indian to Early Archaic	Potentially Eligible	Avoidance Agreement
1Ct642	Indeterminate Prehistoric	Potentially Eligible	No longer within the APE
1Ct643	Late Archaic to Early Woodland and 19th to 20th Century	Potentially Eligible	No longer within the APE
1Ct644	Late Archaic to Early Woodland and 19th to 20th Century	Potentially Eligible	Avoidance Agreement
1Ct645	Middle Woodland and 19th to 20th Century	Potentially Eligible	Avoidance Agreement
1Ct646	Indeterminate Prehistoric	Potentially Eligible	Avoidance Agreement
1Ct647	19th to 20th Century	Not Eligible	None
1Ct648	Indeterminate Prehistoric	Potentially Eligible	Avoidance Agreement
1Ct651	Indeterminate Prehistoric	Not Eligible	None
1Ct652	Indeterminate Prehistoric	Not Eligible	None
1Ct653	Indeterminate Prehistoric	Not Eligible	None
1Ct654	Indeterminate Prehistoric	Not Eligible	None
1Ct655	Indeterminate Prehistoric	Not Eligible	None
1Ct656	19th to 20th Century	Not Eligible	None
1Ct657	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct658	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct659	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct662	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None



Figure 1: Proposed Site Layout



Figure 2: Revised APE and Proposed Avoidance Areas

Tennessee Valley Authority, 400 West Summit Hill Drive, Knoxville, Tennessee 37902

July 9, 2019

Mr. Brett Barnes
Tribal Historic Preservation Officer
Eastern Shawnee Tribe of Oklahoma
127 West Oneida
Seneca, Missouri 64865

Ms. Karen Brunso
Tribal Historic Preservation Officer
Division of Historic Preservation
Department of Culture & Humanities
The Chickasaw Nation
Post Office Box 1548
Ada, Oklahoma 74821-1548

Ms. RaeLynn Butler
Manager
Historic & Cultural Preservation Department
The Muscogee (Creek) Nation
Post Office Box 580
Okmulgee, Oklahoma 74447

Mr. Bryant Celestine
Tribal Historic Preservation Officer
Alabama-Coushatta Tribe of Texas
571 State Park Road 56
Livingston, Texas 77351

Mr. Galen Cloud
Tribal Historic Preservation Officer
Thlopthlocco Tribal Town
Post Office Box 188
Okemah, Oklahoma 74859

Mr. David Cook
Tribal Administrator
Kialegee Tribal Town
Post Office Box 332
Wetumka, Oklahoma 74883

Ms. Devon Frazier
Tribal Historic Preservation Officer
Absentee Shawnee Tribe of Indians of Oklahoma
2025 S. Gordon Cooper Drive
Shawnee, Oklahoma 74801

Mr. Larry Haikey
Tribal Historic Preservation Officer
Poarch Band of Creek Indians
Regulatory Affairs Division
5811 Jack Springs Road
Atmore, Alabama 36502

Mr. Theodore Isham
Tribal Historic Preservation Officer
The Seminole Nation of Oklahoma
12555 NS 3540 Road
Seminole, Oklahoma 74868

Dr. Linda Langley
Tribal Historic Preservation Officer
Coushatta Tribe of Louisiana
Post Office Box 10
Elton, Louisiana 70532

Ms. Janice Lowe
Cultural Preservation Assistant
Alabama-Quassarte Tribal Town
Post Office Box 187
101 East Broadway
Wetumka, Oklahoma 74883

Ms. Alina J. Shively
Tribal Historic Preservation Officer
Jena Band of Choctaw Indians
Post Office Box 14
Jena, Louisiana 71342

Ms. Charlotte Wolfe
Section 106 Compliance
Officer/Environmental Scientist
United Keetoowah Band of Cherokee
18263 W. Keetoowah Circle
Tahlequah, Oklahoma 74464

Ms. Tonya Tipton
Shawnee Tribe
Post Office Box 189
Miami, Oklahoma 74355

Ms. Elizabeth Toombs
Cherokee Nation
Post Office Box 948
Tahlequah, Oklahoma 74465

Mr. Stephen Yerka (NHPA)
Tribal Historic Preservation Office
Eastern Band of Cherokee Indians
Post Office Box 455
Cherokee, North Carolina 28719

Dear Sir/Madam:

TENNESSEE VALLEY AUTHORITY (TVA) PROPOSED MUSCLE SHOALS SOLAR ARRAY, COLBERT COUNTY, ALABAMA (-87.918686 34.763344)

In a letter dated February 28, 2019, TVA initiated consultation with your office regarding TVA's proposal to enter into a Power Purchase Agreement with Muscle Shoals Solar, LLC (Muscle Shoals Solar) to construct, operate, and maintain a photovoltaic (PV) solar power facility of up to 227 megawatt (MW) generating capacity (Undertaking). Muscle Shoals Solar contracted with AECOM to conduct a Phase I Cultural Resources survey of the APE. The report titled *Phase I Cultural Resources Assessment of Muscle Shoals Solar Project, Colbert County, Alabama* ("Phase I Assessment") can be downloaded at MuscleShoals_Phase1_July5_2019.pdf

Following this initiation of consultation, the project was refined significantly. In the Phase I Assessment, two separate groups of properties (referred to as the southeast parcels and the northwest parcels) are discussed. The northwest parcels have been eliminated completely from the Undertaking. However, the results of the assessment are included in the report so that AHC may have access to the survey information on these parcels for future reference. The Undertaking is now limited to a portion of the southeast parcels totaling approximately 2,626 acres and comprising the Project Site. The Project Site is located approximately 15 miles west of the City of Florence, Alabama (Figures 1 and 2). Certain locations identified as "exclusion areas" within the refined Project Site by Muscle Shoals Solar were determined unsuitable for construction due to topography or the presence of sensitive environmental resources. Muscle Shoals Solar has excluded these areas from the project, and therefore TVA excluded them from the archaeological survey.

The project would also construct a substation on the within the proposed solar facility. The project would interconnect to TVA's existing Colbert Fossil Plant (FP)-Cherokee-Burnsville 161-kilovolt (kV) transmission line (TL), which traverses the Project Site at its northeast corner. TVA would construct a line-tap into the existing transmission line to connect a proposed new TVA switching station (the Mulberry Creek switching station) also located on the Project Site (Figure 1). The project plan also calls for maintenance activities on portions of the existing Colbert Fossil Plant (FP)-Cherokee-Burnsville 161-kV TL from the Colbert Fossil Plant to the proposed substation on the Project Site.

TVA determined the area of potential effects (APE) to be the footprint of the Project Site where ground disturbance could occur (2,626 acres) and areas within a one half-mile radius surrounding the Project Site that have unobstructed lines of sight to the Project Site. TVA determined the APE for the existing TL maintenance activities to be the approximately 3.8 mile

long by 100 foot wide TL right of way (ROW) where ground disturbance could occur. As this is an existing TL there would be no additional effects to the viewshed.

Prehistoric sites 1Ct240, 1Ct247, 1Ct324, and 1Ct407 were recorded within the TL corridor during three previous surveys and 1Ct459 was recorded within the proposed boundaries of the solar array. Sites 1Ct240 and 1Ct247 (Hollis et al. 1989) and 1Ct407 (Hendryx and Hollis 1998) were determined to be ineligible for the National Register of Historic Places (NRHP). Site 1Ct324 is of undetermined eligibility. However, no further work was recommended at that site by the original investigators (Shaw and Ford 1993) due to a lack of intact deposits. Site 1Ct459 was recorded in the site files as being of undetermined eligibility for the NRHP. There were no previously recorded historic properties documented inside the project APE.

AECOM identified 17 previously unrecorded sites during the archaeological survey. Table 1 provides TVA's NRHP eligibility determination and proposed avoidance measures. TVA finds that seven of these sites are potentially eligible for the NRHP. Based on the results of the survey, Muscle Shoals Solar further modified the project area. The properties associated with 1Ct642 and 1Ct643 will not be acquired or leased and are no longer considered part of the Project Site or Undertaking, and no construction related to the Undertaking will take place within the parcels on which 1Ct642 and 1Ct643 were located. These two sites will remain within the control of the current landowners. Muscle Shoals Solar intends to purchase or lease the property that includes the sites 1Ct459, 1Ct644, 1Ct645, 1Ct646 and 1Ct648. In order to avoid effects, these areas have been added to the "exclusion areas" within the Project Site and would be avoided from any development, disturbance, or other construction activities associated with the development of the project or future activities associated with the operation and maintenance of the Undertaking (Figure 2). In order to ensure avoidance of these sites during the life of the project, Muscle Shoals Solar and TVA will sign the draft enclosed legal agreement documenting the avoidance of potentially eligible sites 1Ct459, 1Ct644, 1Ct645, 1Ct646 and 1Ct648 during the term of the power purchase agreement

The historic architectural survey of the APE identified 38 resources that are 50 years old or older. AECOM recommends all but one of these resources are ineligible for listing in the NRHP based on lack of integrity and/or lack of significance based on event(s), person(s) or craftsmanship. One historic cemetery (Malone Cemetery (Ct00021) is recommended eligible for listing in the NRHP. However Malone Cemetery is located adjacent to the northwest parcels, which have been excluded from the Project Site, and so is no longer within the 0.5-mile radius or visible from the project area.

Pursuant to 36 C.F.R. Part 800.3(f)(2), TVA is consulting with the following federally recognized Indian tribes regarding historic properties within the proposed project's APE that may be of religious and cultural significance and are eligible for the NRHP: Absentee Shawnee Tribe of Indians of Oklahoma, Alabama-Coushatta Tribe of Texas, Alabama-Quassarte Tribal Town, Cherokee Nation, The Chickasaw Nation, Coushatta Tribe of Louisiana, Eastern Band of Cherokee Indians, Eastern Shawnee Tribe of Oklahoma, Jena Band of Choctaw Indians, Kialegee Tribal Town, The Muscogee (Creek) Nation, Poarch Band of Creek Indians, The

Seminole Nation of Oklahoma, Shawnee Tribe, Thlopthlocco Tribal Town, and the United Keetoowah Band of Cherokee Indians in Oklahoma.

By this letter, TVA is providing notification of these findings and is seeking your comments regarding any properties that may be of religious and cultural significance and may be eligible for listing in the NRHP pursuant to 36CFR 800.2 (c)(2)(ii), 800.3 (f)(2), and 800.4 (a)(4)(b).

Please respond by August 8, 2019 if you have any comments on the proposed undertaking. If you have any questions, please contact me by phone, (865) 632-2464 or by e-mail, mmshuler@tva.gov.

Sincerely,

Marianne Shuler
Senior Specialist, Archaeologist and Tribal Liaison
Cultural Compliance

MSH:ABM
Enclosures
cc (Enclosures):

Mr. Paul Barton
Assistant Director of Cultural Preservation
Eastern Shawnee Tribe of Oklahoma
127 West Oneida
Seneca, Missouri 64865

Ms. Corain Lowe-Zepeda
Tribal Historic Preservation Officer
Historic & Cultural Preservation Department
The Muscogee (Creek) Nation
Post Office Box 580
Okmulgee, Oklahoma 74447

Mr. Jonas John
Director, Heritage Department
Coushatta Tribe of Louisiana
Post Office Box 10
Elton, Louisiana 70532

Mr. Russell Townsend
Tribal Historic Preservation Officer
Eastern Band of Cherokee Indians
Post Office Box 455
Cherokee, North Carolina 28719

Table 1: Sites identified with TVA's NRHP Eligibility Determination and Avoidance Plan

Site Number	Cultural Affiliation-Location	NRHP Determination	Proposed Avoidance
1Ct240	Indeterminate Prehistoric	Not Eligible	None
1Ct247	Indeterminate Prehistoric	Not Eligible	None
1Ct324	Indeterminate Prehistoric	Not Eligible	None
1Ct407	Indeterminate Prehistoric and Late 19th-Early 20th century historic house site	Not Eligible	None
1Ct459	Early Paleo-Indian to Early Archaic	Potentially Eligible	Avoidance Agreement
1Ct642	Indeterminate Prehistoric	Potentially Eligible	No longer within the APE
1Ct643	Late Archaic to Early Woodland and 19th to 20th Century	Potentially Eligible	No longer within the APE
1Ct644	Late Archaic to Early Woodland and 19th to 20th Century	Potentially Eligible	Avoidance Agreement
1Ct645	Middle Woodland and 19th to 20th Century	Potentially Eligible	Avoidance Agreement
1Ct646	Indeterminate Prehistoric	Potentially Eligible	Avoidance Agreement
1Ct647	19th to 20th Century	Not Eligible	None
1Ct648	Indeterminate Prehistoric	Potentially Eligible	Avoidance Agreement
1Ct651	Indeterminate Prehistoric	Not Eligible	None
1Ct652	Indeterminate Prehistoric	Not Eligible	None
1Ct653	Indeterminate Prehistoric	Not Eligible	None
1Ct654	Indeterminate Prehistoric	Not Eligible	None
1Ct655	Indeterminate Prehistoric	Not Eligible	None
1Ct656	19th to 20th Century	Not Eligible	None
1Ct657	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct658	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct659	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None
1Ct662	Indeterminate Prehistoric and 19th to 20th Century	Not Eligible	None



Figure 1: Proposed Site Layout



Figure 2: Revised APE and Proposed Avoidance Areas

ALABAMA HISTORICAL COMMISSION

468 South Perry Street
P.O. Box 300900
Montgomery, Alabama 36130-0900
334-242-3184 / Fax: 334-240-3477

Lisa D. Jones
Executive Director
State Historic Preservation Officer

August 12, 2019

Clinton E. Jones
Cultural Compliance
Tennessee Valley Authority
400 West Summit Hill Drive
Knoxville, TN 37902

Re: AHC 2019-0480
CRA
Proposed Muscle Shoals Solar Array
Colbert County

Dear Mr. Jones:

Upon review of the material submitted to our office for the above referenced project, we find that your submission does not contain sufficient information for our office to make a determination regarding the project's effect on cultural resources that may be eligible for the National Register of Historic Places (NRHP). We offer the following technical comments:

1. The report of findings does not include a description of the project area in terms of Township, Range, and Section as required in the Alabama Historical Commission's Administrative Code, Chapter 460-X-9.02, Archaeological Investigations, Survey and Testing (hereafter, AHC Administrative Code). Please see Section 4, Report Standards, Subsection b.
2. In the historical maps provided in Chapter 2, the Area of Project Effect (APE) appears to shift from map-to-map.
3. Maps provided in Figures 12 and 13 are incorrectly labelled by date (maps are reversed).
4. Numerous structures/former structures are depicted on the historical maps within the APE; however, there is not a clear discussion within the results section of the report as to whether all were relocated during the survey. Likewise, there are discussions in the historical context of antebellum plantations and potential Civil War skirmishes in and/or near the APE; however, there is no discussion of whether they were relocated during field work. In areas where former structures were not relocated, were additional shovel tests excavated? This should be discussed in both the Field Methodology and Results sections. For archaeological sites with historic components, this should also be discussed in the site description.
5. Field methodology described in the report of findings does not meet the minimum guidelines described in the AHC Administrative Code. In specific, our office typically requires shovel testing regardless of ground surface visibility – although, shovel test intervals may be increased in areas of good surface visibility. Please discuss data from soil profiles observed in shovel tests across the APE and the potential, if any, for buried deposits of cultural material that may not typically be observed through visual inspection alone. In the future, we highly recommend early consultation on field methodology that differs from standard approaches.

6. Please discuss how archaeological sites were defined in the field (e.g., three artifacts of the same cultural time period within a 30-meter radius). This is not specified in the methodology and it is not clear from project maps, which appear to have widely separated artifacts in some areas designated as archaeological sites, but there are other areas with several 'isolated finds' in close proximity (e.g., IF's 46- 48, 51, and 53). Are surface artifact scatters depicted on site plans?
7. Per information provided in the Laboratory Methods, we understand that artifacts will be returned to relevant landowners. We request that all artifacts that will not be curated be photographed prior to their release. Also, please note that per the requirements of AHC Administrative Code, all field notes and photographs must be curated in facility in Alabama that meets the guidelines of 36 CFR Part 79, regardless of findings.
8. AHC Administrative Code requires that copies of the state archaeological site forms be attached to the report of findings (see Section 4 – Standards for Reports, Subsection i).
9. The data in the artifact tables presented in the site descriptions and in the Artifact Catalog presented in Appendix D cannot be readily referenced by location to context within the archaeological sites. All positive shovel tests and/or surface collection points should be clearly labeled on site plans.
10. For all sites that may extend in Exclusion Areas and/or outside of the APE, please include a clear statement of boundaries that could not be determined in the field. Any discussion of NRHP eligibility should focus on portions of the site that were investigated, and whether they contribute to the overall NRHP eligibility of the site. The NRHP eligibility of the portion(s) of archaeological sites (if any) that were not investigated remain unevaluated.
11. The discussion for site 1CT646 (pg. 69) suggests a '...concentrated activity area...". Where was this located within the site?
12. On site plans in the report, it appears that some 'Isolated Finds' were not delineated by shovel tests in the field (e.g., IF026 on Figures 56 and 57). Please explain.
13. Site 1CT647 only indicates three historic surface finds on the site plan (Figures 74 and 75) – why is the site boundary so large? If the surrounding standing structures are related to the site, they should be discussed within the archaeological context.
14. Why does site 1CT653 have a lobe to the south around what appears to be a negative shovel test (see Figures 83 and 84)?
15. The site description of 1CT654 is the first discussion of potential Civil War skirmishes potentially located within the APE (see pages 99-100). This discussion should be expanded within the historic context.
16. What is the rectangular soil stain that appears on the aerial image of site 1CT655 (see Figure 90)? Do historical maps depict a structure in this location?
17. For site 1CT656, does it related to the structure indicated on the USGS quadrangle map (see Figure 109)? Does this structure appear on earlier maps? Is that structure still standing?
18. Is a surface find or positive shovel test missing from the extreme southwest portion of site 1CT659 (see Figure 102)?
19. Was the abandoned home at site 1CT660 also included in the Architectural Survey section of the report? If so, please cross-reference the numbers within the text.
20. Please provide additional historic context regarding sites 1CT661. What are the former structures shown on the USGS quadrangles (see Figure 127)? Why is this site so large when there are mostly negative shovel tests throughout? What are the unlabeled features shown on the site plans for this site (see Figure 126-127).

21. For site 1CT662, please provide a discussion of the former structures shown on the USGS quadrangle (see Figure 117). Do these appear on earlier maps?
22. Why is site 1CT459 so large, when there are only four artifacts recovered from the site, and most of the site area is depicted as negative shovel tests (see Figures 121 and 122)?
23. Many of the 'Isolated Finds' summarized on page 139 contain multiple artifacts. Please explain the methodology used to distinguish these as isolated finds as opposed to archaeological sites.
24. Please provide more information regarding the 'bone fragments' at IF050.
25. The Management Summary mentions three cemeteries in the immediate vicinity of the APE; however, only two cemeteries (Watkins and Malone) are discussed in the Architectural Assessment. We understand that the Malone Cemetery is no longer within the APE for the project; however, please provide detailed maps and an avoidance plan for the other two cemeteries.

We appreciate your commitment to helping us preserve Alabama's historic archaeological and architectural resources. Should you have any questions, please contact Eric Sipes at 334.230.2667 or Eric.Sipes@ahc.alabama.gov. Have the AHC tracking number referenced above available and include it with any future correspondence.

Sincerely,

Lee Anne Wofford

Lee Anne Wofford
Deputy State Historic Preservation Officer

LAW/EDS/eds

September 10, 2019

Ms. Marianne Shuler, Senior Specialist,
Archaeologist and Tribal Liaison
Cultural Compliance
Tennessee Valley Authority
400 West Summit Hill Drive
460 WT 7D-K
Knoxville, TN 37902

Dear Ms. Shuler:

Thank you for the letter of notification regarding proposed Power Purchase Agreement with First Solar Development, LLC to construct, operate and maintain a photovoltaic solar power facility in Colbert County, Alabama. We accept the invitation to consult under Section 106 of the National Historic Preservation Act.

The Chickasaw Nation concurs with the 20 site eligibility determinations, 14 ineligible and six eligible for the National Register of Historic Places, located within the project area. We also agree that the six eligible sites should be avoided during construction. In addition we make the agency aware of the following land patents to significant Chickasaws that are within the APE:

- Land Patent # 537 was issued to Chickasaw KILPATRICK CARTER and is located in Sections 28 & 29, Township 3 South, Range 3 West and Section 28, Township 3 South, Range 3 West is listed as the place of residence.
- Land Patent #538 was issued to Chickasaw BENJAMIN LOVE and is located in Section 32, Township 3 South, Range 13 West and Section 5, Township 4 South, Range 13 West.
- Land Patent #134a5 was issued to JOHN MCLISH and is located in Section 4, Township 4 South, Range 13 West and Section 33, Township 3 South, Range 13 West.

In the event the agency becomes aware of the need to enforce other statutes we request to be notified under ARPA, AIRFA, NEPA, NAGPRA, NHPA and Professional Standards. Your efforts to preserve and protect significant historic properties are appreciated. If you have any questions, please contact Ms. Karen Brunso, tribal historic preservation officer, at (580) 272-1106 or at karen.brunso@chickasaw.net.

Sincerely,

Lisa John, Secretary
Department of Culture and Humanities

cc: mmshuler@tva.gov

Tennessee Valley Authority, 400 West Summit Hill Drive, Knoxville, Tennessee 37902

September 24, 2019

Ms. Lee Anne Wofford
Deputy State Historic Preservation Officer
Alabama Historical Commission
468 South Perry Street
Montgomery, Alabama 36130-0900

Dear Ms. Wofford:

RE: TENNESSEE VALLEY AUTHORITY (TVA) PROPOSED MUSCLE SHOALS SOLAR ARRAY, COLBERT COUNTY, ALABAMA (AHC – 19-0480)

By this letter, TVA is addressing comments from your August 12, 2019 letter. In regards to field methodology, TVA initiated consultation with the AHC including a description of the field methodology on January 30, 2019. In your February 21, 2019 response to TVA's initiation of consultation and survey proposal you provided comments regarding the proposed identification level efforts. We responded to these concerns in our letter dated July 9, 2019, and we addressed your concerns regarding our identification efforts. We reiterate, while TVA does take into account state standards and guidelines, we also aim for consistency among surveys with similar settings, undertakings, and potential for historic properties based on background research across TVA's Power Service Area. The survey methods, described in the enclosed report, included confirmation by shovel testing of observations made during pedestrian survey. TVA finds that pursuant to 36 CFR 800.4(b)(1), and consistent with the Advisory Council on Historic Preservation's "Section 106 Archaeology Guidance", the proposed identification efforts constitute "reasonable and good faith effort" to identify historic properties. The supporting documentation is consistent with the requirements pursuant to 36 CFR § 800.11. Soils are described generally in Subsection 2.1.3 and then in additional detail for each portion of the survey area in Subsections 4.2.1 through 4.2.3. Soils overall are largely depleted. The area with highest potential for buried cultural deposits is in the southern section of the southeastern project area and two knolls in the eastern section of the NW project area. AECOM conducted thorough STP investigations in these two areas. All diagnostic artifacts have been photographed. Field notes and photographs will be curated at the Erskin Ramsey facility at the University of Alabama. Sections 1.0 and 3.4 have been updated to clarify this and the curation agreement is included in Appendix B. In addition, all archaeological site forms are attached in Appendix H.

In regards to the report, the report has been updated to include a description of each of the three project areas by Township and Range in Sections 4.2.1 to 4.2.3 of the report. In addition, all positive shovel tests and surface finds have been labeled on the site plans in Section 4.3 and/or in Appendix G. For some sites, labels do not fit on a single

map showing the entirety of the site, therefore, an overview map is included in the site description in Section 4.3 and the detailed maps are included in Appendix G. Section 3.3 describing the project methodology has been updated to clarify how sites were identified. In a few instances, where there was deviation from this methodology, the reason for the deviation is explained Section 4.4. Surface artifact scatters are depicted on site plans and labels have been added to the site plan figures throughout Section 4.3 and in additional maps in Appendix G.

In regards to specific comments:

- The historical maps in Chapter 2 were revised to ensure the project area placement was as consistent as possible. These maps were produced by overlaying pdfs in GIS, resulting in a small loss in accuracy, which is unavoidable without much more costly methods.
- Figures 12 and 13 have been reordered and are now correctly labeled.
- Additional information regarding the Civil War historic context was added to Chapter 2. In addition, clarification was added to Section 4.2 that no evidence was identified within the project site for plantation buildings or Civil War activities.
- The description of archaeological sites where early quadrangle/tax maps suggest a structure was present has been updated. In areas where former structures were not relocated, the standard STP protocol was followed unless artifacts or features were identified.
- Upon reexamination, one previously designated isolated find, IF088, has been submitted as a site (1CT663). This has been added to Section 4.3 (Subsection 4.3.22).
- Regarding your question regarding 1F050, these were animal bone fragments. Section 4.4 has been updated to clarify this.
- For sites adjacent to the project boundary and or exclusion areas, site descriptions within Section 4.3 have been updated to address any uncertainty related to the definition of site boundaries and the National Register of Historic Places (NRHP) eligibility.
- In regards to your question “The discussion for site 1CT646 (pg. 69) suggests a '...concentrated activity area...". Where was this located within the site?” this statement was in reference to the entirety of site 1CT646.
- IF026 was delineated as shown in Appendix B, Page 32 Section 006. There was an error on Figures 56 and 57. The additional negative shovel tests have been added to the revised map on Figures 56 and 57.
- For site 1CT647, the site is assumed to be associated with the nearby structures. Upon reflection, the site boundary has been modified to indicate possible association with only the nearest structure. The site description in Subsection 4.3.6 has been updated.
- For site 1CT653, an erroneous positive shovel test had been previously recorded in that location and was later removed during rectification of field data prior to

submittal of the draft report. The site boundary has been revised and the site description in Subsection 4.3.12 has been updated.

- For site 1CT655, as described in Subsection 4.3.14, this site was specifically investigated because of the "rectilinear anomaly" or "soil stain" that is visible on the aerial image of the site. The text in Subsection 4.3.14 has been expanded to clarify this and the nature of the landform.
- For site 1CT654, the reference to a skirmish was moved to Section 2.3 Historic Background. A skirmish likely occurred within the project vicinity, however, information regarding the skirmish location is too vague to conclusively link it to 1CT654. No evidence was found of the skirmish at this location.
- For site 1CT656, this site may be associated with the structure indicated on the USGS quadrangle map. A structure appears in east of this site on the 1926 map, the structure to the southwest of 1CT656 appears first on the 1936 map. None of these structures are still standing and no evidence of these structures was identified in their original locations during the survey. The site description has been updated to reflect this information.
- For site 1CT659, material had been found at this location that was determined to be modern upon laboratory analysis. The negative STP marker was inadvertently omitted. This has been rectified.
- For site 1CT660, this site is within the NW project area which is no longer part of the project site. This property will remain privately owned and will not be disturbed by project activities. The abandoned structure at 1Ct660 was not included in the Architectural Survey section of the report. The architectural historian did review this site and concurred with the archaeological determination that the site lacks sufficient integrity and/or significance required for NRHP listing under Criteria A, B, and C for their history, personal association, and architecture. The site itself is recommended not eligible under Criteria B for NRHP listing.
- In regards to 1CT661, the site is within the NW project area which is no longer part of the APE. This property will remain privately owned and will not be disturbed by project activities. The site description has been updated. The additional features were originally labeled on the topographic map. Labels have been added to both the aerial and topographic map for all features. This site boundary was made so large because all of the findings were in the vicinity of three structures that appear on the historic topo maps in this area. Additionally, the area is heavily overgrown and modern debris is scattered throughout this area. Locals report it has been periodically used as a dumping ground. Therefore additional historic materials could be present in the area. We assume that all of the features identified are associated with the structures previously present at this site on historical topographic maps. The site is was recommended as not eligible for NRHP listing.
- In regards to 1CT662, there was a structure mapped at the north end of 1CT662 in 1908. The systematic STPs identified almost no evidence of it (only 2 positive STPs). That same structure was still there in 1924, and two more structures

appear within the site boundaries in 1924 including one in the middle, where we found multiple surface artifacts, and one at the south end, where we found nothing. The nature of the structures is unknown. The archaeological field data indicates that, overall, the site has no subsurface depositional integrity; it has been heavily disturbed by agricultural activity.

- In regards to 1CT459, the site boundary was previously recorded. The site boundary did not match our survey findings and the site was extended to incorporate the old boundary and the results of the survey. After a further conversation with the Alabama Site File staff to resolve the confusion, the site boundary as depicted has been reduced. To be conservative, we drew a larger site boundary within the exclusion area because we were unable to confirm the extent of the site in that direction due to the exclusion area. A comment to this effect and the revised map has been added to Subsection 4.3.23.
- Additional description and map has been added for the Oates Cemetery in Subsection 5.3.7. This cemetery was previously assessed in 2001, therefore, AECOM did not conduct an additional assessment and is only reporting the results of the previous survey. The cemeteries are not within the project area. Additional information is provided in Section 6.0.
- In regards to the isolated finds, in some cases three or more non-diagnostic artifacts were recovered in close proximity. The soils at these locations were disturbed and deflated. Given the minimal number of artifacts and the nature of the deposits indicating they are unlikely to be in situ, these locations were not given a site number. Some historic isolated finds that were found in close proximity together were incorporated into a single site 1CT664. The site represents a historic artifact scatter with no integrity and TVA finds 1CT664 not eligible for the NRHP.

Based on the aforementioned clarifications to the report, TVA's findings as outlined in our July 8, 2019 letter still stand. TVA is seeking your agreement that sites (1Ct459, 1Ct644, 1Ct645, 1Ct646, and 1Ct648) are potentially eligible for inclusion on the National Register of Historic Places (NRHP). In order to avoid effects, these areas have been added to the "exclusion areas" within the Project Site and would be avoided from any development, disturbance, or other construction activities associated with the development of the project or future activities associated with the operation and maintenance of the undertaking. For ease we have provided another draft of our proposed legal agreement with Muscle Shoals Solar to ensure avoidance of these sites during the life of the project. TVA maintains that the remaining sites within the APE are ineligible for the NRHP.

Pursuant to 36 CFR Part 800.5(c) we are notifying you of TVA's finding of no adverse effect, providing the documentation specified in § 800.11(e); and inviting you to review the finding. Also, we are seeking your agreement with TVA's eligibility determinations and finding that the undertaking as currently planned will have no adverse effects on historic properties.

Pursuant to 36 CFR Part 800.3(f)(2), TVA consulted with federally recognized Indian tribes within the proposed project's APE that may be of religious and cultural significance and eligible for the NRHP and received no objections.

Please contact Michaelyn Harle by telephone, (865) 632-2248 or by email, mharle@tva.gov with your comments.

Sincerely,

Clinton E. Jones
Manager
Cultural Compliance

MSH:ABM
Enclosures

INTERNAL COPIES NOT TO BE INCLUDED WITH OUTGOING LETTER:

S. Dawn Booker, BR 2C-C
Michael C. Easley, BR 2C-C
Travis A. Giles, BR 2C-C
Michaelyn S. Harle, WT 11C-K
Susan R. Jacks, WT 11C-K
Paul J. Pearman, BR 2C-C
M. Susan Smelley, BR 2C-C
Rebecca C. Tolene, WT 11B-K
Elizabeth Smith, WT 11B-K
ECM, WT CA-K

ALABAMA HISTORICAL COMMISSION

468 South Perry Street
P.O. Box 300900
Montgomery, Alabama 36130-0900
334-242-3184 / Fax: 334-240-3477

Lisa D. Jones
Executive Director
State Historic Preservation Officer

November 4, 2019

Clinton E. Jones
Cultural Compliance
Tennessee Valley Authority
400 West Summit Hill Drive
Knoxville, TN 37902

Re: AHC 2019-0480
Revised CRA
Proposed Muscle Shoals Solar Array
Colbert County

Dear Mr. Jones:

Upon review of the additional material and revised cultural resources assessment report submitted to our office for the above referenced project, we understand that the Tennessee Valley Authority (TVA) has determined the field and reporting methodology for the identification level survey under 36 CFR 800.4(b)(1) and 800.11. As such, our comments are limited to the National Register of Historic Places eligibility of identified archaeological resources within the Area of Project Effect (APE).

Our office concurs that archaeological sites 1Ct459, 1Ct644, 1Ct645, 1Ct646, and 1Ct648 are potentially eligible for the NRHP. The remaining archaeological sites and isolated finds do not appear to be eligible for the NRHP. Per the information provided by TVA, we understand that the potentially eligible archaeological sites will be avoided and protected within "exclusion areas."

Please note that per information that our office has previously submitted to TVA, Government Land Office records suggest that former Chickasaw settlements were likely located within the APE and not discovered during the identification level survey. Should concentrations of artifacts or archaeological features be encountered during project activities, work shall cease and our office shall be consulted immediately, as per the stipulations of 36 CFR 800.13. Artifacts are objects made, used or modified by humans. They include but are not excluded to arrowheads, broken pieces of pottery or glass, stone implements, metal fasteners or tools, etc. Archaeological features are stains in the soil that indicate disturbance by human activity. Some examples are post holes, building foundations, and trash pits. If human remains are encountered, the provisions of the Alabama Burial Act (Code of Alabama 1975, §13A-7-23.1, as amended) should be followed (see AHC Administrative Code 460-X-10.01). **This stipulation shall be placed on the construction plans to insure contractors are aware of it.**

We appreciate your commitment to helping us preserve Alabama's historic archaeological and architectural resources. Should you have any questions, please contact Eric Sipes at 334.230.2667 or Eric.Sipes@ahc.alabama.gov. Have the AHC tracking number referenced above available and include it with any future correspondence.

Sincerely,

Lee Anne Wofford

Lee Anne Wofford
Deputy State Historic Preservation Officer

LAW/EDS/eds

APPENDIX G

NATURAL RESOURCES REPORT (WETLANDS AND PROTECTED SPECIES)

Natural Resources Report Report

First Solar Muscle Shoals

Colbert County, Alabama

Cardno
Shaping the Future

Document Information

Prepared for	First Solar, Dev., LLC
Project Name	Muscle Shoals Natural Resources Report
Project Number	E515018535
Project Manager	Chad Martin
Date	March 19, 2019

Prepared for:

First Solar Dev., LLC
11757 Katy Freeway. Ste. 400
Houston, TX 77079

Prepared by:

Cardno
76 San Marcos Street
Austin, Texas 78702
Tel 512 605 2640 Toll-free 800 368 7511
www.cardno.com

Table of Contents

Figures

Tables

Appendices

Acronyms

AHC	Alabama Historical Commission
ANHP	Alabama Natural Heritage Program
FEMA	Federal Emergency Management Agency
CWA	Clean Water Act
First Solar	First Solar Development, LLC
GIS	Geographic information systems
IPaC	Information for Planning and Consultation
NHD	National Hydrography Dataset
NOI	Notice of Intent
NRCS	Natural Resources Conservation Service
NRHP	National Register of Historic Places
NTCHS	National Technical Committee for Hydric Soils
NWP	Nationwide Permit
NWI	National Wetland Inventory
OHWM	Ordinary High Watermark
PDOP	Position Dilution of Precision
SHPO	State Historic Preservation Officer
SWPPP	Storm Water Pollution Prevention Plan
T&E	Threatened and Endangered
TLine	Transmission Line
TNW	Traditional Navigable Water
TVA	Tennessee Valley Authority
U.S.	United States
USACE	U.S. Army Corps of Engineers
USDA	U.S. Department of Agriculture
USEPA	Environmental Protection Agency
USFWS	U.S. Fish and Wildlife Service
WOUS	Waters of the U.S.

1 Executive Summary

Cardno was contracted by First Solar Development, LLC (First Solar) to conduct an environmental assessment on multiple properties consisting of 3,755 acres, referenced as the Muscle Shoals Properties (Project). The Project consists of five groups of properties and a Tennessee Valley Authority (TVA) transmission line right-of-way (ROW) (designated as studies A-F) in Colbert County, Alabama that were surveyed by Cardno from June 2016 to January 2019. The tasks performed as part of this environmental assessment included a review of threatened and endangered (T&E) species, potential Cultural resources, vegetation assessments and a delineation of potential waters of the United States (WOUS). The methodology, results, and recommendations of the review as it pertains to the Project area are contained within and summarized below.

Cardno conducted a threatened and endangered species review during desktop environmental assessments of the Project area. There are four mammal species, twenty-two freshwater mussel species, four fish, one amphibian, one crustacean, and seven plant species listed by the U.S. Fish & Wildlife Service (USFWS) Information for Planning and Consultation (IPaC) database and the TVA Natural Heritage Database as having the potential to occur within or be affected by the Project (**Appendix H**). Although Cardno scientists did not conduct 'in water' surveys for listed mussels or fish during field site visits, it was determined that habitat could exist for these species within the portions of Mulberry Creek and Stream S-D-8 that create the southeast boundary and runs through the Project, respectively. Additionally, these streams could provide habitat for listed salamander species, cave shrimp, bald eagles, and other migratory birds. Cardno scientists also investigated the area for bat habitat as defined in USFWS 2018 Range-wide Indiana Bat Summer Survey Guidelines (also applicable to Northern Long-eared Bat) during field site assessments. Potential roosting trees (trees with loose bark or hollows) were identified, and one potential vertical karst feature/rocky outcrop was documented within the Project area near Mulberry Creek. Although the identified potential vertical karst feature could provide summer roosting habitat, it is unlikely that this feature provides a winter hibernaculum, due to its location within the high banks of Mulberry Creek, and the absence of observed guano stains at the time of field site visits. Significant potential roosting and/or foraging habitat may exist along the Mulberry Creek riparian corridor. No bats were identified during the surveys. TVA State Listed with No Status plant species were determined to be unlikely to occur onsite, or occur within areas that would not be impacted by the Project.

Additionally, Cardno scientists consulted with the Auburn University Museum of Natural History, Alabama Natural Heritage Program (ANHP) to determine if any listed bat or other threatened and endangered species habitat or occurrences have been documented in proximity to the Project. No instances of state or federally listed threatened and endangered species were found to be within one mile of the Muscle Shoals properties. Final consultation and concurrence by USFWS is recommended.

In compliance with Section 404 of the Clean Water Act (CWA), this report contains a delineation of potential wetland features that may fall under the jurisdiction of the U.S. Army Corps of Engineers (USACE). Field delineations were performed by Cardno scientists during site visits to different portions of the Project from June 2016 to January 2019. All potential wetlands identified by the National Wetlands Inventory (NWI) as well as all potential jurisdictional waters identified by the National Hydrography Dataset (NHD) in the Project area during initial desktop evaluations were investigated in the field.

Cardno scientists identified **31** ephemeral drainages, **nine** intermittent streams, **five** perennial streams (Mulberry Creek, a tributary to Mulberry Creek, Malone Creek, Cane Creek, and a tributary to Malone Creek) and **33** wetlands, including **10 excavated** ponded areas within the Project boundaries. All perennial and intermittent streams, as well as 15 ephemeral streams, five wetlands, and one ponded area may possess a hydrological connection to a Traditional Navigable Water (TNW) (Tennessee River). Therefore, it is Cardno's opinion that these delineated features may likely be classified as jurisdictional under USACE

guidance. Twenty of the identified ephemeral streams did not exhibit flow during field investigations. Twenty-one of the identified wetlands, as well as nine of the excavated ponded areas appeared to be isolated in nature. It is Cardno's opinion that these drainages/streams and wetlands lack adequate connectivity to a TNW, and would most likely be classified as non-jurisdictional under USACE guidance.

Cardno is undertaking coordination with the USACE Nashville District Office to obtain an approved jurisdictional determination for the ephemeral drainages and potentially isolated wetlands identified within the Project boundaries.

If any streams and/or wetlands are deemed 'jurisdictional' by the USACE, the proposed Project could be completed under a Nationwide Permit (NWP) 12 and/or 51. Additionally, the Project would need to develop a Storm Water Pollution Prevention Plan (SWPPP) and provide Notice of Intent (NOI) prior to Project construction. As stated in the text of the NWPs, the discharge of dredged or fill material into wetlands and non-tidal WOUS must not cause the loss of greater than ½-acre of wetlands and non-tidal WOUS, including the loss of no more than 300 linear feet of stream bed. If impacts from the construction of the energy generation facility and associated infrastructure including roads, parking lots, stormwater management facilities, and pipelines permanently impact less than ½-acre then the Project may proceed under a NWP. Permanent impacts which exceed the ½-acre threshold for NWPs will require an Individual Permit.

Cardno's cultural resource specialists reviewed information regarding known archeological and historic sites, as well as prior cultural resources studies, available through the Alabama Online Cultural Resources Database. Cardno also reviewed USGS topographic maps as well as current and historic aerial imagery for evidence of historic use within the portions of the Project area designated as Studies A, B, and D, though these areas have not been the subject of any formal cultural resource surveys. Of the three studies reviewed, only Study A was found to contain a single archaeological site within the Project area, which has yet to be evaluated for eligibility for the National Register of Historic Places (NRHP). Cardno anticipates that the Alabama Historical Commission (AHC) as the State Historic Preservation Officer (SHPO) or other agency would request on-site cultural resource surveys prior to any site development. Cardno recommends that the Project avoid encroaching on this resource. Additionally, since Cultural reviews to date have only been conducted for the Study A, B, and D portions of the Project area, Cardno recommends further review to adequately address the potential for Cultural resources to occur within the remaining Study C and E portions of the Project.

Cardno has prepared a permitting matrix, which is included in this report (**Appendix D**), that details the local, state, and federal environmental permits that may be required for the development of the Project. The permit matrix is based upon the information gathered through the desktop and field investigations, as well as contact with appropriate agencies.

2 Introduction

Cardno was contracted by First Solar to perform an assessment for potential federally listed species habitat, Cultural resources, and a preliminary delineation of potential WOUS that exist within the 3,755-acre Project area in Colbert County, Alabama (**Figure 2-1**). The Project consists of five groups of properties and one transmission line (TLine) ROW that were surveyed by Cardno from 2016 to 2019. These are presented as Studies A through F in **Table 2-1**.

Table 2-1 Environmental Assessment Studies Conducted in Colbert County, Alabama

Study ID	Property Parcels	Field Survey Dates
Study A*	• 526-acre (E.R. Hall)	6/1/2016 – 6/2/2016
Study B*	• 540-acre (Carter Reid)	8/29/2016
Study C	• 417-acre (Keeton, Underwood, Thomason, and McWilliams)	11/16/2017– 11/17/2017
Study D	• 782-acre (KH Properties)	7/11/2018 – 7/12/2018
Study E	• 1,432-acre (McWilliams et. al. tracts)	11/26/2018 – 11/30/2018
Study F	• 58-acre TVA Line ROW	01/14/2019 – 01/17/2019

* Indicates studies for which AJD applications have been submitted

This report contains a delineation of all resources that potentially fall under the jurisdiction of the United States Army Corps of Engineers (USACE).

Cardno conducted desktop investigations to:

> Identify potential environmental permits that may be required to construct the Project; and

> Review and document cultural resources that may be located within or in close proximity to the Project area that may be impacted by Project activities.

Cardno scientists conducted field delineations during six site visits within different portions of the Project from June 2016 to January 2019 to:

> Delineate the approximate boundaries of potential jurisdictional wetlands and waterbody ordinary high water marks (OHWM) within the Project; and

> Document general site conditions; and

> Evaluate the potential for federally listed species habitat.

The results of the desktop and onsite investigations are provided in this report.



Data Source:
Bing Maps Aerial

Image:
WGS 1984

2-1: Project Area Overview

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 2,300 4,600 Feet

0 760 1,520 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 3/22/2019 Date Revised: 3/22/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_OVERVIEW MAP.mxd
GIS Analyst: chad.martin

3 Site Location

The Project is located in a rural setting in the northwestern portion of Colbert County (**Figure 2-1**). According to the United States Environmental Protection Agency (USEPA) Level III and IV Ecoregions of Alabama map accessed July 2018, the Project area falls within the Eastern Highland Rim (71g) ecoregion, and consists of a weakly dissected, nearly flat to gently rolling plateau. Natural vegetation for the region is transitional between the oak-hickory type to the west and the mixed mesophytic forests of the Appalachian ecoregions to the east. Much of the original bottomland hardwood forest has been inundated by impoundments. The flatter areas in the east and on both sides of the Tennessee River have deep, well-drained, reddish soils that are intensively farmed.

Soils within the Eastern Highland Rim generally consist of Ultisols, Alfisols, and Inceptisols with the Decatur, Dewey, Fullerton, Dickson, Colbert, Ketona, and Emory soil series being common. The Project and surrounding areas consists mainly of cropland, pine plantation, pasture, and woodlands (Griffith et al 2001). These Project areas consist of three geographically separate groups of tracts that are located approximately 2.5 miles north, northeast, and east of the town of Cherokee, Alabama. The Tennessee River is located to the north east of the Project approximately 2 miles away from the Project area. Additionally, three tributaries of the river exist near the Project. Malone Creek is located approximately 0.5 miles east of the KH Properties, and Mulberry Creek is located within the southern portion of the E.R. Hall boundary. Cane Creek is located on the far east side of the TVA TLine ROW.

3.1 Vegetation Communities

Field surveys were conducted in January 2019 to document plant communities within the 3,755-acre Project area. Using the National Vegetation Classification System (Grossman et al. 1998), vegetation types observed during field surveys can be classified as a combination of deciduous forest, evergreen forest, and herbaceous/agricultural vegetation. No forested areas in the proposed project area had structural characteristics indicative of old growth forest stands (Leverett 1996). The plant communities observed in the proposed Project area are common and well represented throughout the region.

The forest in the proposed Project area consist of evergreen, deciduous, and mixed evergreen/deciduous forest. Deciduous forest, where deciduous trees account for more than 75 percent of total canopy cover, occupies about 13.6 percent of the proposed Project area. Oak, sycamore, sweet gum, cottonwood and the invasive Chinese privet are the dominant deciduous tree species on the site.

Evergreen forest, which accounts for approximately 8.3 percent of the Project area, has low species diversity and is dominated by loblolly pine in the overstory. Many of these stands were planted and canopy trees are approximately the same size, are regularly harvested to produce wood products, and bear little resemblance to native plant communities found in the region. Eastern Red Cedar is the other common evergreen tree species on site.

Scrub/Shrub communities exist as either young pine plantations or as Chinese privet forests and make up 6.3 percent of the Project area. Herbaceous vegetative areas consist of 3.4 percent of the Project area and is characterized by greater than 75 percent cover of forbs and grasses and less than 25 percent cover of other types of vegetation. Rangeland habitat types occur as hayfields and heavily manipulated cattle pastures, consisting of 2.4 percent of the total Project area. Agricultural land accounts for approximately 66.1 percent of the Project area and are dominated with planted wheat, soybeans, cotton, or corn. Areas of wetlands, consisting of approximately 1 percent, were present in the Project area. See the wetland section (5.3) for discussion of those areas. The remaining acreage consisted of roads, infrastructure and barren land.



Data Source:
Bing Maps Aerial

1

Image:
WGS 1984

3-1: Vegetation Communities Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 660 1,320 Feet

0 210 420 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/24/2019 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\3-1 Veg Communities Mapbook.mxd
GIS Analyst: samuel.waltman



N

Data Source:
Bing Maps Aerial

2

Image:
WGS 1984

3-1: Vegetation Communities Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 630 1,260 Feet

0 200 400 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/24/2019 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\3-1 Veg Communities Mapbook.mxd
GIS Analyst: samuel.waltman



Data Source:
Bing Maps Aerial

3

Image:
WGS 1984

3-1: Vegetation Communities Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,250 2,500 Feet

0 420 840 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/24/2019 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\3-1 Veg Communities Mapbook.mxd
GIS Analyst: samuel.waltman



Data Source:
Bing Maps Aerial

4

Image:
WGS 1984

3-1: Vegetation Communities Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,200 2,400 Feet

0 410 820 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/24/2019 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\3-1 Veg Communities Mapbook.mxd
GIS Analyst: samuel.waltman

3.2 Land Use

The land located within and in proximity to the Project is rural, mostly pine plantation or of agricultural use and has some scattered residential development. The current land use at the Project site is agricultural and residential. There are three natural area within 10 miles of the project site. Distances to these natural areas are as follows:

- The Natchez Trace Parkway (NPS) comes within 5.4 miles
- Key Cave National Wildlife Area, 6.72 miles
- Seven Mile Island National Wildlife Area, 8.10 miles

3.3 Soil Series

Soils within the Project can be generally described as well drained soils that occur on broad, nearly level land to gently sloping floodplains, uplands, and terraces. According to the U.S. Department of Agriculture (USDA), Natural Resource Conservation Service (NRCS) website accessed November 2017 (Soil Survey Staff, 2017), the Project is located within twelve soil map units, which are listed and described below (**Figure 3-1**). None of the map units within the Project area meet the criteria as described by the National Technical Committee for Hydric Soils (NTCHS).

It should also be noted that caution must be used when comparing the list of hydric components to soil survey maps. Many of the soils on the list have ranges in water table depths that allow the soil component to range from hydric to non-hydric depending on the location of the soil within the landscape as described in the map unit. Lists of hydric soils along with soil survey maps are good off-site ancillary tools to assist in wetland determinations, but they are not a substitute for observations made during onsite investigations.

Barfield-Rock outcrop complex, 2 to 35 percent slopes (BaE)

The Barfield-Rock outcrop complex has slopes ranging from 2 to 35 percent and is typically found on high hills. The soil is well drained and its parent material is residuum weathered from limestone. This soil is considered to have a high runoff rate and is never flooded. This soil does not meet hydric criteria.

Capshaw silt loam, 2 to 6 percent slopes (CaB)

The Capshaw silt loam has slopes ranging from 2 to 6 percent and is typically found on ridges. The soil is moderately well drained and its parent material is silty loess derived from sedimentary rock over clayey alluvium derived from sedimentary rock. This soil is considered to have a high runoff rate and is never flooded. This soil does not meet hydric criteria.

Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded (CbA)

The Chenneby silt loam has slopes ranging from 0 to 2 percent and is typically found on flood-plain steps. The soil is somewhat poorly drained and its parent material is silty alluvium derived from sedimentary rock. This soil is considered to have a low runoff class and is occasionally flooded. This soil does not meet hydric criteria.

Chisca loam, 6 to 15 percent slopes (ChD)

The Chisca loam has slopes ranging from 6 to 15 percent and is typically found on ridges. The soil is well drained and its parent material is clayey residuum weathered from calcareous shale. This soil is considered to have a high runoff class and never flooded. This soil does not meet hydric criteria.

Chisca-Nella-Nectar complex, 10 to 45 percent slopes (CnF)

The Chisca-Nella-Nectar has slopes ranging from 10 to 45 percent and is typically found in mixed hardwoods and pine. It is a well-drained, very slowly permeable soil formed in clayey alkaline shale residuum. This soil does not meet hydric criteria.

Decatur silt loam, 2 to 6 percent slopes (DaB)

This gently sloping, very deep soil has slopes ranging from 2 to 6 percent and is found on broad convex ridges that have complex slopes. The Decatur silt loam consists of clayey residuum derived from weathered limestone. Typically, the surface layer is dark reddish brown silt loam with a dark red silty clay subsoil. The Decatur silt loam is gently sloping to sloping and is considered well drained, not flooded, and not ponded. This soil does not meet hydric criteria.

Decatur silty clay loam, 6 to 10 percent slopes, eroded (DaC2)

This sloping, very deep soil has slopes ranging from 6 to 10 percent and is found on interfluves and ridges with uneven side slopes. The soil is derived from residuum weathered from limestone. The Decatur silty clay loam is considered to be well drained, eroded, not flooded, and non-saline to very slightly saline. This soil does not meet hydric criteria.

Emory silt loam, 0 to 2 percent slopes, ponded (EmA)

The Emory silt loam has slopes ranging from 0 to 2 percent and is typically located in upland depressions. The soil consists of alluvium derived from sedimentary rock. The soil is considered to be well drained, not flooded, and occasionally ponded. This soil does not meet hydric criteria.

Fullerton gravelly silt loam, 6 to 15 percent slopes (FaD)

The Fullerton component makes up 80 percent of the map unit with slopes of 6 to 15 percent. The parent material consists of loamy creep deposits derived from cherty limestone over clayey residuum weathered from cherty limestone. The natural drainage class is well drained and water movement in the most restrictive layer is moderately high. This soil is not flooded or ponded. This soil does not meet hydric criteria.

Fullerton-Bodine complex, 15 to 45 percent slopes (FbF)

The Fullerton component makes up 45 percent of the map unit. Slopes are 10 to 45 percent. This component is on high hills. The parent material consists of residuum weathered from limestone and dolomite. The natural drainage class is well drained with water movement in the most restrictive layer is moderately high. This soil is not flooded or ponded and it does not meet hydric criteria.

The Bodine component makes up 35 percent of the map unit. Slopes are 10 to 45 percent and parent material consists of residuum weathered from cherty limestone. The natural drainage class is somewhat excessively drained and the water movement in the most restrictive layer is high. This soil is not flooded or ponded and does not meet hydric criteria.

Pruitton and Sullivan silt loams, 0 to 2 percent slopes, occasionally flooded (PUA)

The Pruitton component makes up 45 percent of this map unit while the Sullivan component makes up about 40 percent. Slopes of both components are 0 to 2 percent. They are also both found on flood plains with parent material consisting of loamy alluvium derived from sedimentary rock. Their natural drainage class is well drained and the water movement in the most restrictive layer is high. This soil is occasionally flooded but not ponded, and does not meet hydric criteria.

Tupelo-Colbert complex, 0 to 4 percent slopes (TuB)

The Tupelo component makes up 55 percent of the map unit. Slopes are 0 to 4 percent with parent material consisting of clayey alluvium derived from sedimentary rock. The natural drainage class is somewhat poorly drained and the water movement in the most restrictive layer is moderately low. This soil is not flooded or ponded and does not meet hydric criteria.

The Colbert component makes up 35 percent of the map unit. Slopes are 0 to 4 percent with this soil being found on ridges. The parent material consists of residuum weathered from argillaceous limestone. The natural drainage class is moderately well drained and the water movement in the most restrictive layer is low. This soil is not flooded or ponded and does not meet hydric criteria.



This map and all data contained within are supplied as is with no warranty. Cardno Inc. expressly disclaims responsibility for damages or liability from any claims that may arise out of the use or misuse of this map. It is the sole responsibility of the user to determine if the data on this map meets the user's needs. This map was not created as survey data, nor should it be used as such. It is the user's responsibility to obtain proper survey data, prepared by a licensed surveyor, where required by law.

3-2: Soils Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 8/3/2018 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_SOILS MAP.mxd
GIS Analyst: samuel.waltman



Data Source:
Bing Maps Aerial

2

Image:
WGS 1984

3-2: Soils Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 630 1,260 Feet

0 200 400 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 8/3/2018 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_SOILS MAP.mxd
GIS Analyst: samuel.waltman



Data Source: Bing Maps Aerial

3

Image: WGS 1984

3-2: Soils Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,250 2,500 Feet

0 420 840 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 8/3/2018 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_SOILS MAP.mxd

GIS Analyst: samuel.waltman

Data Source:
Bing Maps Aerial

4

Image:
WGS 1984

3-2: Soils Within the Project Boundaries

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,200 2,400 Feet

0 410 820 Meters

Cardno
Shaping the Future

5113 Southwest Parkway, Austin, TX 78735 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 8/3/2018 Date Revised: 1/24/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_SOILS MAP.mxd
GIS Analyst: samuel.waltman

4 Assessment Methodology

Cardno conducted desktop reviews of the Project area utilizing local and federal GIS data to identify potential habitat for listed species, wetlands, hydric soils, floodplains, and cultural resources that could affect the Project development process.

Federal and state resources were reviewed as a precursor to field site assessments, to identify potential habitat that may be found for listed species in the Project area. Results of the threatened and endangered species review are provided in **Section 5.2.**

Cardno's cultural resource specialists reviewed information regarding known archeological and historic sites, as well as prior cultural resources studies, available through the Alabama Online Cultural Resources Database (March 29, 2016). Cardno also reviewed USGS topographic maps, current, and historic aerial imagery for evidence of historic use within the Study A, B, and D portions of the Project area. The results of this literature review are provided in **Section 5.6**

An environmental permit matrix was created based upon information gathered through initial site investigations, as well as research of federal, state, and local websites and communication with appropriate agencies. The environmental permitting matrix details the local, state, and federal environmental permits that may be required for the development of the Project and is provided in **Appendix D**.

The delineation of WOUS, including wetlands was conducted during four site visits to different portions of the Project from June 2016 to November 2018. Cardno scientists performed all wetland delineation surveys in accordance with the USACE Wetland Delineation Manual (USACE Manual; Environmental Laboratory 1987) in conjunction with the Eastern Mountains and Piedmont Regional Supplement to the USACE Delineation Manual (USACE 2012) (**Appendix A**). Cardno also completed TVA rapid assessment datasheets (**Appendix G**) on all wetlands and classified them based on function and value in compliance with Executive Order 11990 – Protection of Wetlands. Streams were also classified and Cardno scientists completed TVA hydrologic determination field data sheets (**Appendix J**). The results of the delineation are provided in **Sections 5.3 and 5.4**.

Wetlands are collectively defined by the USACE (Environmental Laboratory 1987) and the U.S. Environmental Protection Agency (EPA; Federal Register 1980) as those areas that are inundated or saturated by surface or groundwater at a frequency or duration sufficient to support and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. An area is a wetland if it meets the wetland hydrology, hydrophytic vegetation, and hydric soil criteria established in the USACE Manual.

Cardno scientists collected all pertinent field data information on USACE Eastern Mountain and Piedmont Region wetland forms (**Appendix A**).

Hydrophytic Vegetation

Hydrophytic vegetation is defined as "the sum total of macrophytic plant life that occurs in areas where the frequency and duration of inundation or soil saturation produce permanently or periodically saturated soils of sufficient duration to exert a controlling influence on the plant species present" (Environmental Laboratory 1987). Dominant vegetation was identified and categorized in accordance with the regional indicator status in the national list of plant species that occur in wetlands (Lichvar et. al. 2016). The indicator status of a plant species is expressed in terms of the estimated probability of that species to occur in wetland conditions within a given region. **Table 4-1** lists the plant indicator status categories. A vegetative community would be determined to be hydrophytic if more than 50 percent of the dominant species present were FAC, FACW, or OBL.

Table 4-1 Plant Indicator Status Categories

Category	Indicator	Frequency of Occurrence in Wetlands (percent)
Obligate Wetland Plants	OBL	Plants that occur almost always (estimated probability >99%) in wetlands under natural conditions, but which may also occur rarely (estimated probability <1%) in non-wetlands. Examples: *Carya aquatica, Persicarian punctata*.
Facultative Wetland Plants	FACW	Plants that occur usually (estimated probability 67-99%) in wetlands, but also occurring in both wetlands and non-wetlands. Examples: *Spartina patens; Panicum dichotomiflrum*.
Facultative Plants	FAC	Plants with a similar likelihood (estimated probability of 33-67%) of occurring in both wetlands and non-wetlands. Examples: *Stenotaphrum secundatum; Rumex cripsus*.
Facultative Upland Plants	FACU	Plants that occur sometimes (estimated probability 1-33%) in wetlands, but occur more often (estimated probability 67-99%) in non-wetlands. Examples: *Cirsium vulgare; Rubus trivialis.*
Obligate Upland Plants	UPL	Plants that occur rarely (estimated probability <1%) in wetlands, but almost always (>99% estimated probability) in non-wetlands. Examples: *Geranium carolinianum.*

Wetland Hydrology

Wetland hydrology includes all hydrologic characteristics of areas that are periodically inundated or have soils saturated to the surface at some time during the growing season. Areas with evident characteristics of wetland hydrology are those where the presence of water has an overriding influence on characteristics of vegetation and soils due to anaerobic and reducing conditions, respectively (Environmental Laboratory 1987).

Hydric Soils

Hydric soils are defined as soils that are saturated, flooded, or ponded long enough during the growing season to develop anaerobic conditions in the upper stratum. In general, hydric soils are flooded, ponded, or saturated for a week or more during the growing season when soil temperatures are above 32 degrees Fahrenheit. The anaerobic conditions created by repeated or prolonged saturation or flooding result in permanent changes in soil color and chemistry, and are used to differentiate hydric from non-hydric soils (Environmental Laboratory 1987).

At each recorded data point, a pit up to 12-inches deep was excavated for evaluation. Soils were surveyed for horizon profile, matrix, value, chroma, texture, and concretions.

Hydric soils were determined to be present if one primary hydric soil indicator was present. Background soils information of the Project area was obtained from the USDA NRCS Web Soil Survey.

4.1 Mapping

All wetlands and other water features were recorded using a sub-meter Global Positioning System (GPS) device. The GPS was programmed to record points with a minimum of four satellites and a Position Dilution of Precision (PDOP) value no greater than 6.0. Water features were delineated by collecting GPS points along the perimeter of the wetland or ordinary high water mark with suitable frequency to represent the feature within the Project area.

4.2 Photographs

Photographs are the visual documentation of site conditions as they existed during the field survey. Representative photos were taken at wetland and upland areas. For all other features, a minimum of one photo was taken, unless the area was large and required additional representation. The photographic log is provided in **Appendix B.**

5 Results of Findings

5.1 Permitting Matrix

Appendix D provides the results of Cardno's permitting investigation and includes relevant environmental permits, descriptions, regulations, lead time, and cost to prepare applications and reports.

5.2 Threatened and Endangered Species Review

Cardno conducted desktop environmental assessments for listed species within the Project area. **Table 5-1** and **Appendix H** list the species that were identified by the USFWS IPaC database, TVA Natural Heritage Database, and the Alabama Natural Heritage T&E list for Colbert County as having the potential to occur within or be affected by the Project. Species included in **Table 5-1** from the TVA Database were searched for aquatic species within ten, plant species within five, and terrestrial species within three miles of the Project.

Table 5-1 IPaC Federally Listed Species, Alabama Natural Heritage, and TVA Natural Heritage Database T&E Listed Species Potentially Affected by Project

Group	Common Name	Scientific Name	Federal Status	State Status
Mammals	Indiana bat [2]	*Myotis sodalis*	Endangered	SP
	Gray bat [1,2,3]	*Myotis grisescens*	Endangered	SP
	Northern long-eared bat [2]	*Myotis septentrionalis*	Threatened	SP
	Tricolored Bat [1,2,3]	*Perimyotis subflavus*	N/A	SLNS
Birds	Bald Eagle [4]	*Haliaeetus leucocephalus*	N/A	SP
	Red-cockaded Woodpecker [4]	*Picoides borealis*	N/A	SP
Mussels	Pink mucket [1,2,3]	*Lampsilis abrupta*	Endangered	SP
	Rough pigtoe [1,2,3]	*Pleurobema plenum*	Endangered	SP
	Dromedary pearlymussel [1,2,3]	*Dromus dromas*	Endangered	SP
	Fanshell [1,2,3]	*Cyprogenia stegaria*	Endangered	SP
	Orangefoot pimpleback (pearlymussel) [1,2, 3]	*Plethobasus cooperianus*	Endangered	SP
	Ring pink mussel [1,2,3]	*Obovaria retusa*	Endangered	SP
	Sheepnose mussel [1,2,3]	*Plethobasus cyphyus*	Endangered	SP
	Spectaclecase [1,2,3]	*Cumberlandia monodonta*	Endangered	SP
	White wartyback [1,2,3]	*Plethobasus cicatricosus*	Endangered	SP
	Clubshell [1,2,3]	*Pleurobema clava*	Endangered	SP
	Cumberland Monkeyface [1,2,3]	*Quadrula intermedia*	Endangered	SP
	Birdwing Pearlymussel [1,2,3]	*Lemiox rimosus*	Endangered	SP

Table 5-1 IPaC Federally Listed Species, Alabama Natural Heritage, and TVA Natural Heritage Database T&E Listed Species Potentially Affected by Project

Group	Common Name	Scientific Name	Federal Status	State Status
	Cumberlandian Combshell [1,2,3]	*Epioblasma brevidens*	Endangered	SP
	Anthony's River Snail [1,2,3]	*Athearnia anthonyi*	Endangered	SP
	Oyster mussel [1,2,3]	*Epioblasma capsaeformis*	Endangered	SP
	Pale Lilliput [1,2]	*Toxolasma cylindrellus*	Endangered	SP
	Pyramid Pigtoe [1,2,3]	*Pleurobema rubrum*	NA	SP
	Slabside Pearlymussel [1,2,3]	*Pleuronaia dolabelloides*	Endangered	SP
	Shiny Pigtoe [1,2,3]	*Fusconaia cor*	Endangered	SP
	Smooth Rabbitsfoot [1,2,3]	*Quadrula cylindrica cylindrical*	Threatened	SP
	Tuberculed Blossom Pearlymussel [1,2]	*Epioblasma torulosa torulosa*	Endangered	SP
	Yellow-blossom Pearlymussel [1,2,3]	*Epioblasma florentina florentina*	Endangered	SP
Amphibians	Hellbender[4]	*Cryptopbranchus alleganiensis*	N/A	SP
Fish	Alabama cavefish [1,2]	*Speoplatyrhinus poulsoni*	Endangered	SP
	Snail Darter [1,2]	*Percina tanasi*	Threatened	SP
	Spotfin Chub [1,2,3]	*Erimonax monachus*	Threatened	SP
	Southern Cavefish[1,2,3]	*Typhlichthys subterraneus*	N/A	SP
Crustacean	Alabama Blind Cave Shrimp[4]	*Palaemonias alabamae*	N/A	SP
Plants	Three-flowered Hawthorn [1,2,3]	*Crataegus triflora*	NA	SLNS
	Dutchman's Breeches [1,2,3]	*Dicentra cucullaria*	NA	SLNS
	False Rue-anemone [1,2,3]	*Enemion biternatum*	NA	SLNS
	American Columbo [1,2,3]	*Frasera caroliniensis*	NA	SLNS
	Alabama Glade-cress [1,2]	*Leavenworthia alabamica*	NA	SLNS
	Lyre-Leaf Bladderpod[1,2,3]	*Lesquerella lyrata*	N/A	SLNS
	Leafy Prairie-clover[1,2,3]	*Dalea foliosa*	N/A	SLNS

[1] Indicates species which were identified from information provided by the TVA Regional Natural Heritage Database.
[2] Indicates species which were identified from information provided by the USFWS IPaC Database.
[3] Indicates species which were identified from information provided by the Alabama Natural Heritage Program Database
[4] Indicates species which were identified from information provided by the TVA Regional Natural Heritage County List.

SP – State Protected, SLNS – State Listed No Status

No critical habitat was identified within the Project area by the IPaC database. Although Cardno scientists did not conduct 'in water' surveys for listed fish or mussel species, it was determined that habitat could exist for these within the portions of Mulberry Creek and Stream S-D-8 that run along the southeast border and through the Project, respectively. Although the Alabama cavefish is listed by the IPaC database as having the potential to occur within the Project area, it is currently only known to exist within Key Cave in Lauderdale County, Alabama (USFWS 2017). The Project will not impact either Mulberry Creek or Stream S-D-8, and therefore we have concluded that impact to listed aquatic species will not occur as a result of the solar development.

Cardno scientists documented potential bat habitat during their onsite assessment of the Project (**Figure 5-1**). Seven potential roosting trees (trees with loose bark or hollows) were identified along Mulberry Creek, and one potential vertical karst feature/rocky outcrop was documented within the Project near Mulberry Creek (**Table 5-2**). Although the identified potential vertical karst feature could provide summer roosting habitat, it is unlikely that this feature provides a winter hibernaculum, due to its location within the high banks of Mulberry Creek, and the absence of observed guano stains at the time of field site visits. This feature was not investigated further. Cardno investigated for bat habitat as defined in USFWS 2018 Range-wide Indiana Bat Summer Survey Guidelines (also applicable to northern long-eared bat). Cardno scientists traversed the area at a casual pace looking for suitable habitat. Upon identifying potential habitat the team logged the location using GPS, marked potential habitat trees with red flagging tape, photographed the location and completed a Phase 1 Habitat Assessment form. The Phase 1 Habitat Assessment forms for potential bat habitat areas are included in Appendix E of this document. Approximately 200+ acres of significant potential roosting and/or foraging habitat may exist along the Mulberry Creek riparian corridor. No bats were identified during the surveys. Cardno recommends final consultation and concurrence with USFWS.

In addition to surveying for bat habitat, Cardno scientists contacted the Auburn University Museum of Natural History, ANHP which maintains a database of rare species and natural communities and includes information regarding bats and threatened and endangered species. Consultation with the ANHP did not identify any bat or threatened or endangered species habitat or occurrences within the Project boundary or within 1 mile of the Project. Further, eight caves were identified within the TVA Natural Heritage Database search within three miles of the Project. None of these caves were within the proposed Project boundary.

Table 5-2 Potential bat roosting trees and Potential Vertical Karst Feature/Rocky Outcrop

Feature ID	Latitude	Longitude
A (Tree)	34.748865	-87.908016
B (Tree)	34.756037	-87.900488
C (Tree)	34.756375	-87.900699
D (Tree)	34.750826	-87.916964
E (Tree)	34.758438	-87.902841
F (Tree)	34.763275	-87.902947
G (Tree)	34.748925	-87.910999
Vertical Karst Feature/Rocky Outcrop	34.755393	-87.902104



Data Source:
Bing Maps Aerial

Image:
WGS 1984

5-1: Potential Bat Roost Habitat

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,000 2,000 Feet

0 340 680 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 3/19/2019 Date Revised: 3/19/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Bat Map_Stelly_3.05.19.mxd
GIS Analyst: samuel.waltman

No federally listed plant species were identified within or near the Project after a search of the USFWS IPaC database; however, five species were documented within the TVA natural heritage database within a buffered search of the Project boundary. Although presence/absence surveys for the listed plant species were not completed, it is unlikely that suitable habitat exists onsite, or suitable habitat exists within heavily wooded and mesic areas that will not be impacted by the Project. Several of these species are dependent upon rich deciduous forest and/or limestone or cedar glades that were not identified onsite during vegetation surveys.

5.3 Wetlands

Vegetation Community Types

Cardno scientists identified three types of wetland vegetative communities within the Project area: herbaceous wetland, scrub-shrub wetland, and forested wetland. A significant portion of the property is active or recently active agricultural land currently producing corn, wheat, or soybean. Community identification was based on soils, hydrology and an emphasis on dominant vegetation. **Appendix A** provides datasheets which include data point-specific vegetative community species data.

Hydrology

The majority of the Project area is relatively well drained by overland flow, ephemeral agricultural drainages, and culverts which lead to ponded areas or to larger water bodies including Mulberry Creek and other waters that have nexus to the Tennessee River. Multiple depressions and/or ponded areas were identified by reviews of aerial imagery. Cardno scientists inspected these areas and at the time of the onsite investigations, only 10 of these areas (including the nine ponds) were found to be holding water.

Soils

Soils were delineated with the X-Rite Munsell M50215B Soil Book of Color, and exhibited a hue, lightness, and chroma ranging from 5 YR (3/3) to 10YR (5/3) throughout the Project area. The datasheets presented in Appendix A provide soils color data for each soil pit.

5.3.1 Parcels

Cardno scientists investigated the entire Project for wetlands that exhibited the three USACE criteria (hydrophytic vegetation, wetland hydrology and hydric soils). Cardno's onsite investigations identified **31** wetlands (**Table 5-3**) totaling **37.6** acres. Agricultural, unconsolidated bottom, herbaceous, scrub-shrub, and forested wetlands were observed within the Project.

Table 5-3 Delineated Wetlands Muscle Shoals Property

Wetland ID	Type	Acreage	Jurisdictional	TVA Ram Category
WET-B-1*	PEM	0.22	No	1
WET-B-2*	PEM	8.48	No	2
WET-B-3*	PFO	1.06	No	2
WET-C-1	PEM	0.23	No	1
WET-C-2	PSS	0.28	No	1
WET-C-3	PFO	1.43	No	2

Wetland ID	Type	Acreage	Jurisdictional	TVA Ram Category
WET-D-1	PEM	0.58	Yes	1
WET-D-2	PEM	0.49	Yes	1
WET-D-3	PEM	0.02	No	2
WET-D-4	PEM	0.29	No	2
WET-D-5	PEM	0.01	No	2
WET-D-6	PEM	0.08	No	2
WET-D-7	PEM	0.08	No	2
WET-D-8	PEM	0.01	No	2
WET-D-9	PEM	0.81	No	1
WET-D-10	PEM	1.58	No	1
WET-D-11	PUB(x)	0.23	No	n/a
WET-D-12	PUB(x)	0.20	No	n/a
WET-D-13	PUB(x)	0.28	No	n/a
WET-E-1	PUB(x)	0.40	No	n/a
WET-E-2	PUB(x)	2.47	Yes	n/a
WET-E-3	PUB(x)	0.45	No	n/a
WET-E-4	PUB(x)	0.30	No	n/a
WET-E-5	PUB(x)	0.98	No	n/a
WET-E-6	PEM	0.18	Yes	2
WET-E-7	PSS	0.27	No	2
WET-E-8	PFO	1.77	No	2
WET-E-9	PEM	4.19	No	2
WET-E-10	PSS	2.24	No	2
WET-E-11	PUB(x)	7.36	No	n/a
WET-E-12	PUB(x)	0.63	No	n/a
Total		**37.60**		
Total Non-jurisdictional		**33.88**		
Total Jurisdictional		**3.72**		

* Indicates features from studies for which AJD applications have been submitted

5.3.2 TVA TLine

Cardno scientists investigated the TVA TLine in January 2019 for wetlands that exhibited the three USACE criteria (hydrophytic vegetation, wetland hydrology and hydric soils). Cardno's onsite investigations identified **2** wetlands (**Table 5-4**) totaling **1.93** acres. Only herbaceous wetlands were identified within the TVA TLine ROW.

Table 5-4 Delineated Wetlands TVA Transmission Line

Wetland ID	Type	Acreage	Jurisdictional	TVA Ram Category
WET-F-1	PEM	0.15	Yes	3
WET-F-2	PEM	1.78	Yes	3
Total		**1.93**		
Total Non-jurisdictional		**0**		
Total Jurisdictional		**1.93**		

5.4 Waterbodies

5.4.1 Parcels

Twenty-nine ephemeral drainages, **9** intermittent streams, **4** perennial streams (Mulberry Creek, a tributary to Mulberry Creek, Malone Creek, and a tributary to Malone Creek) and **10** ponded areas (recorded as PUB(x) wetlands above) were identified to be located within the Project boundaries (**Appendix C**).

Table 5-5 Delineated Streams (Parcels)

Stream ID	Flow Type	Stream Length (feet)	Water Depth (Inches)	Width at Bankfull (ft)	Substrate	Jurisdictional
S-A-1*	Ephemeral	191.00	0	2.5	Organic	No
S-A-2*	Ephemeral	2,182.00	0	4	Organic	Yes
S-A-3*	Ephemeral	178.00	0	2	Organic	No
S-A-4 (Mulberry Creek)*	Perennial	4,365.00	6	17	Cobble/Organic	Yes
S-B-1*	Ephemeral	532.00	0	2.5	Organic	No
S-B-2*	Ephemeral	435.00	0	3	Organic	No
S-B-3*	Ephemeral	407.00	0	3	Organic	No
S-C-1	Ephemeral	2,588.00	0	2.5	Organic	No
S-C-2	Ephemeral	561.00	0	3.5	Organic	No
S-C-3	Ephemeral	477.00	0	3.5	Organic/ag field	No
S-C-4	Ephemeral	681.00	0	1.5	Organic/ag field	No
S-C-5	Ephemeral	567.00	0	2.5	Organic	No
S-C-6	Ephemeral	511.00	0	3.5	Organic	No
S-C-7	Ephemeral	661.00	0	1.5	Organic	No
S-D-1	Intermittent	221.10	0	2	Organic	Yes

Stream ID	Flow Type	Stream length (feet)	Water Depth (Inches)	Width at Bankfull (ft)	Substrate	Jurisdictional
S-D-2	Intermittent	4,220.60	0	2	Organic	Yes
S-D-3	Ephemeral	63.20	0	1	Organic	Yes
S-D-4	Ephemeral	465.30	0	1	Organic	Yes
S-D-5	Ephemeral	294.40	0	1	Organic	No
S-D-7	Ephemeral	409.80	0	2	Organic	Yes
S-D-8	Perennial	402.90	6	4	Cobble/Organic	Yes
S-D-9	Ephemeral	526.60	0	2	Organic	Yes
S-D-10	Ephemeral	345.20	0	1	Organic	No
S-D-11	Ephemeral	526.90	0	1	Organic	No
S-D-12	Ephemeral	159.90	0	1	Organic/Ag Field	No
S-D-13	Intermittent	2,034.50	0	2	Organic	Yes
S-D-14	Intermittent	136.70	0	1	Organic	Yes
S-D-15	Ephemeral	1,414.20	0	0.5	Organic	Yes
S-D-16	Ephemeral	290.00	0	0.5	Ag Field	Yes
S-E-1	Intermittent	5,490.30	0.25	8.0	Organic	Yes
S-E-2	Ephemeral	534.20	0.5	2.0	Organic	Yes
S-E-3	Intermittent	997.20	0	0.5	Ag Field	Yes
S-E-4	Ephemeral	204.40	0	8.0	Organic/Cobble	Yes
S-E-5	Intermittent	127.70	0	0.5	Organic	Yes
S-E-6 (Mulberry Creek)	Perennial	6,252.60	1.0	14.0	Organic/Cobble	Yes
S-E-7	Intermittent	202.30	0	0.5	Organic	Yes
S-E-8	Ephemeral	1,285.60	0	0.5	Organic	No
S-E-9	Intermittent	553.80	0.5	8.0	Organic/Cobble	Yes
S-E-10	Ephemeral	1,088.30	0.25	0.5	Ag Field	No
S-E-11	Ephemeral	2,122.60	0	6.0	Organic	Yes
S-E-12	Ephemeral	2,024.50	0	3.0	Organic	Yes
S-E-13	Perennial	183.40	0.5	6.0	Organic/Cobble	Yes
S-E-14	Perennial	110.10	0.5	12.0	Organic/Cobble	Yes
Total		**47,023.7**				
Total Non-jurisdictional		**11,489.3**				
Total Jurisdictional		**35,535.0**				

* - Indicates features from studies for which AJD applications have been submitted

5.4.2 TVA TLine

Two ephemeral drainages and two perennial streams (Mulberry Creek and Cane Creek) were identified to be located within the TVA Line ROW.

Table 5-6 Delineated Streams (TVA TLine)

Stream ID	Flow Type	Length within ROW (feet)	Water Depth (Inches)	Top of Bank at Bankfull (ft)	Substrate	Jurisdictional
S-F-1*	Ephemeral	141	0	4	Organic	Yes
S-F-2 (Mulberry Creek)*	Perennial	142	20	64	Cobble/Organic	Yes
S-F-3*	Ephemeral	377	0	5	Organic	Yes
S-F-4 (Cane Creek)*	Perennial	236	48	540	Cobble/Organic	Yes
S-F-5 (Cane Creek)*	Perennial	202	40	162	Cobble/Organic	Yes
S-F-6 (Cane Creek)*	Perennial	190	40	200	Cobble/Organic	Yes
Total		**1288.0**				
Total Non-jurisdictional		**0**				
Total Jurisdictional		**1288.0**				

* Indicates features from studies for which AJD applications have been submitted

5.5 Jurisdictional Summary

Cardno scientists identified **31** ephemeral drainages, **9** intermittent streams, **5** perennial streams (Mulberry Creek, a tributary to Mulberry Creek, Malone Creek, Cane Creek, and a tributary to Malone Creek) and **33** wetlands, including **10 excavated** ponded areas within the Project boundaries. All perennial and intermittent streams, as well as **15** ephemeral streams, **5** wetlands, and **one** ponded area may possess a hydrological connection to a TNW (Tennessee River). Therefore, it is Cardno's opinion that these delineated features may likely be classified as jurisdictional under USACE guidance. Twenty of the identified ephemeral streams did not exhibit flow during field investigations. **Twenty-one** of the identified wetlands, as well as **9** excavated ponded areas appeared to be isolated in nature. It is Cardno's opinion that these drainages/streams and wetlands lack adequate connectivity to a TNW, and would most likely be classified as non-jurisdictional under USACE guidance.

5.6 Cultural Resources

Cardno's cultural resource specialists reviewed information regarding known archeological and historic sites, as well as prior cultural resources studies, available through the Alabama Online Cultural Resources Database (July 18, 2018). USGS topographic maps, current, and historic aerial imagery were also reviewed for evidence of historic use of the Study A, B, and D portions of the Project area. The results of the Cultural review identified one site within portions of the Project area and is presented below. Cardno has not completed a Cultural review for the remaining parcels (Study C and E), but recommends doing so in order to adequately address the Cultural resources that may occur within this portion of the Project area.

Based on Alabama State Site File data, none of the four Study areas have been subject to a formal cultural resource survey; however, formal cultural resources surveys have been conducted within one mile of sites A, B, and D by the University of Alabama. The results of the Cultural reviews on sites A, B, and D are presented in **Table 5.7** and **Table 5.8**.

Table 5-7 Archaeological Sites Recorded within the A, B, and D Study Areas

Study	Site	Site Type	NRHP Eligibility	Within Study Area	Comment
Study A	1CT459	Prehistoric artifact scatter	Unevaluated	Yes	Highly eroded, cultivated field

Table 5-8 Archaeological Sites Recorded within One Mile A, B, and D Study Areas

Study	Site	Site Type	NRHP Eligibility	Within Study Area	Comment
Study B	1CT26	Prehistoric artifact scatter	Unevaluated	No	Within rock shelter
Study B	1CT459	Prehistoric (Paleoindian or Early Archaic) artifact scatter	Unevaluated	No	
Study B	1CT369	Prehistoric lithic scatter	Ineligible	No	
Study B	1CT370	Prehistoric lithic scatter	Ineligible	No	
Study B	1CT30	Prehistoric surface scatter	Unevaluated	No	
Study B	1CT139	Prehistoric artifact scatter, shell midden	Unevaluated	No	Inundated
Study B	1CT583	Prehistoric artifact scatter, midden	Unevaluated	No	Intermittently inundated, possibly eligible
Study B	1CT27	Prehistoric artifact scatter, midden	Unevaluated	No	Inundated
Study D	1CT318	Unknown aboriginal lithic scatter	Ineligible	No	
Study D	1CT319	Unknown aboriginal lithic scatter	Ineligible	No	

E.R. Hall (Study A)

One archaeological site (1CT459) has been recorded within the Study area (**Table 5-7 and Figure 5-2**). Site 1CT459 (Hall Sterling) is a prehistoric artifact scatter located in a cultivated field reported by Teresa Paglione, Cultural Resource Specialist with the NRCS, based on surface inspection. The site was described as:

… a diffuse lithic scatter on the surface of a highly eroded, cultivated field on the west bank of Mulberry Creek. Portions of the site may extend into wooded areas along creek bank and in access road that borders the cotton field. Although cultivated and eroded, lower portions of the site may be protected under sediments that have been deposited in woods and road (coming off the field). White, pink, red and grey chert flakes, two pre-cores, a bifacial "blank" (very roughed out biface), a broken fluted Clovis and a Kirk Corner Notched

pp/k were observed on the surface (100% ground visibility). The worked lithics were collected; the rest were left in the field.

The site is currently unevaluated for NRHP eligibility, but the projectile point types suggest very early prehistoric habitation(s) dating to the Paleoindian and/or Early Archaic periods.

An approximately 1,282-acre parcel in sections 26, 27, 24, and 35 of Township 3 South, Range 13 West between Mulberry Creek and the Tennessee River to the immediate east of the proposed Study area was the subject of a cultural resources survey in 1989 (Hollis et al. 1989). That survey located ten prehistoric lithic scatters, one of which (1CT246) was recommended for further testing. Eight historic domestic home sites, six with remains of standing structures, were identified, but none was recommended for further investigation at the time of the survey. One cemetery was mapped; while the cemetery was not considered eligible for the National Register of Historic Places (NRHP), avoidance was recommended in accordance with state laws protecting human burials.

Just to the southeast of the Study area, on the other side of Mulberry Creek, is the Watkins Cemetery, owned by Colbert County (Parcel 0608330000002000). As of December 29, 2015, the Watkins Cemetery was not listed in the Alabama Historic Commission's (AHC) Alabama Historic Cemetery Register. Avoidance of this resource is recommended.

Examination of current aerial photographs and county property records (Colbert County Parcel 0608330000001000) shows that there are currently no standing structures within the Study area. There are several potentially historic (i.e., over 50 years of age) structures, including residences and agricultural buildings, along Mulberry Lane, which in part forms the eastern boundary of the Study area. Examination of historic maps suggests potential for historic roadways along both the east and north Study area boundaries (Bacon 1896, 1908). The former Memphis & Charleston Railroad (completed 1857) and Old Lee Highway are located approximately 0.3 miles to the south.

As of November 19, 2015, there were 20 properties in Colbert County listed on the Alabama Register of Landmarks and Heritage, none of which are in or within one mile of the Study area. As of October 26, 2015, there were 28 properties in Colbert County listed on the NRHP, none of which are in or within one mile of the Study area.

Locations of note more than one mile away from the Study area, but relevant to understanding the prehistoric and historic use of the general vicinity include:

- The Trail of Tears National Historic Trail follows the course of the Tennessee River, approximately 1.4 miles to the east and north.
- Civil War skirmishes are reported to have taken place at or near Barton Cemetery, approximately 1.5 miles to the southeast.
- The Chickasaw Indian Agency at Malone Creek was located approximately 1.75 miles to the north.
- Koger's Island (1LU92), a Mississippi period archaeological site, is located approximately 2.75 miles to the north on an island in the Tennessee River.
- The National Park Service's Natchez Trace Parkway is located approximately 5.4 miles away, to the west of Cherokee.
- Barton Hill, a nineteenth-century plantation that has been designated as a National Historic Landmark, is approximately 4.6 miles to the west.

There are likely other prehistoric and historic sites of significance nearby, but this list does illustrate that the Study area is located in a region with a long record of human habitation.

Figure 5-2 Archeological Sites in Proximity to Study A (E.R. Hall).



It is likely that the AHC, as well as the SHPO, and/or the USACE will request a cultural resources survey of the Study area near Barton, Colbert County, Alabama, as part of the Nationwide permit process. Previous cultural resources surveys adjacent to the Study area located archaeological sites, one archaeological site has been recorded within the Study area, and review of historic maps and aerial photographs suggests that additional sites may be located in or adjacent to this parcel. The Study area appears to have a high potential for locating prehistoric archaeological sites, particularly along Mulberry Creek. There is also a high potential for locating historic archaeological sites, particularly in the northern and eastern portions of the parcel. Additionally, as the ER Hall boundary is currently drawn, there is the potential to encounter marked or unmarked burials associated with a known cemetery (Watkins Cemetery). This Study area is within the historic Chickasaw homelands, and one or more federally recognized tribes are likely to express an interest in the Project.

Carter Reid (Study B)

Local collectors have reported archaeological finds from the general area. However, no sites have been recorded within the Study area itself. The nearest archaeological site (1CT26) has been recorded approximately 0.06 miles away from the Study area's eastern boundary. Site 1CT26 is a small prehistoric artifact scatter (comprised of incised shell pendants) located in a rockshelter on a bluff above Mulberry

Creek. The site was identified in 1931 and has not been subjected to systematic survey, nor evaluated for eligibility for the National Register of Historic Places (NRHP).

In addition to site 1CT26, seven other archaeological sites have been identified within one mile of the Study (**Table 5-8**). Three sites are located within the Tennessee River to the northeast of the Project, and noted as inundated or intermittently inundated (CT139, CT583, CT27). Each consists of an observed artifact scatter and associated middens; these sites have not been evaluated for NRHP eligibility.

Site 1CT459 (Hall Sterling) is a prehistoric artifact scatter located in a cultivated field reported by Teresa Paglione, Cultural Resource Specialist with the NRCS, based on surface inspection. The site is currently unevaluated for NRHP eligibility, but recovered projectile point types suggest very early prehistoric habitation(s) dating to the Paleoindian and/or Early Archaic periods. Three other sites within one mile of the Project have been recorded as prehistoric lithic scatters. Sites 1CT369 and 1CT370 were identified by the University of Alabama during a cultural resources reconnaissance survey in 1996 (Meyer et al. 1996). Both sites are identified as prehistoric lithic scatters, heavily disturbed; both were recommended as ineligible for listing to the NRHP. Site 1CT30 was originally identified in 1933 and noted to be a small prehistoric surface scatter; this site has not been evaluated for NRHP eligibility.

In addition to these seven sites, an approximately 1,282-acre parcel in sections 26, 27, 24, and 35 of Township 3 South, Range 13 West between Mulberry Creek and the Tennessee River to the immediate east of the proposed Project was the subject of a cultural resources survey in 1989 (Hollis et al. 1989). That survey located ten prehistoric lithic scatters, one of which (1CT246) was recommended for further testing. Eight historic domestic home sites, six with remains of standing structures, were identified, but none was recommended for further investigation at the time of the survey. One cemetery was mapped; while the cemetery was not considered eligible for the NRHP, avoidance was recommended in accordance with state laws protecting human burials. Immediately east of the Project, between Mulberry Lane and Mulberry Creek, USGS topographic maps dated 1954 and 1988 indicate the presence of a cemetery. This is the mid-nineteenth-century Oates Cemetery, located on land owned and managed by the Tennessee Valley Authority. As of December 29, 2015, this unnamed cemetery was not listed in the Alabama Historic Commission's (AHC) Alabama Historic Cemetery Register. This cemetery is located outside of the Project (**Figure 5-3**).

Examination of current aerial photographs and county property records shows that while there are currently no standing structures within the Project, there are several potentially historic (i.e., over 50 years of age) structures within one mile, including residences and agricultural buildings. In the mid-nineteenth century, Section 28 was part of the Oates, or Newport, Plantation (Gibbs 2004). USDA soil survey maps of Colbert County dated 1908 and 1933 show buildings in and near the Project along Mulberry Lane. Examination of historic maps suggests potential for historic roadways along both the east and north proposed Project boundaries (Bacon 1896, 1908). The former Memphis & Charleston Railroad (completed 1857) and Old Lee Highway are located approximately 1.3 miles to the south.

As of June 23, 2016, there were 20 properties in Colbert County listed on the Alabama Register of Landmarks and Heritage, none of which are in or within one mile Project. As of October 26, 2015, there were 28 properties in Colbert County listed on the NRHP, none of which are in or within one mile of the Project.



Image: 2013 USA Topographic Map

County: Colbert, AL
Quad: Cherokee

Data Source: ESRI, ASSF

Figure 5-3: Archaeological Sites in Proximity to Study B (Carter Reid)

Colbert County, Alabama

0 1,000 2,000 Feet
0 330 660 Meters

Cardno
Shaping the Future

3905 Crescent Park Drive, Riverview, FL 33578 USA
Phone (+1) 813-664-4500 Fax (+1) 813-664-0440
www.cardno.com

Date Created: 9/20/2016 Date Revised: 9/20/2016 File Path: C:\Users\valerie.robbins\Documents\Archaeology\Alabama\Solar Site (Carter Reid)\CarterReid_cultural_topomap.mxd

Locations of note outside the Project, but relevant to understanding the prehistoric and historic use of the general vicinity, include:

> The Trail of Tears National Historic Trail follows the course of the Tennessee River, to the east and north.

> Civil War skirmishes are reported to have taken place at or near Barton Cemetery, approximately 2 miles to the southeast.

> The Chickasaw Indian Agency at Malone Creek was located approximately 0.6 miles to the north.

> Koger's Island (1LU92), a Mississippi period archaeological site, is located approximately 1.8 miles to the north on an island in the Tennessee River.

> The National Park Service's Natchez Trace Parkway is located approximately 5.4 miles away, to the west of Cherokee.

> Barton Hall, a nineteenth-century plantation that has been designated as a National Historic Landmark, is approximately 4 miles to the west.

There are likely other prehistoric and historic sites of significance nearby, but this list does illustrate that the Project is located in a region with a long record of human habitation.

It is likely that the AHC, as the SHPO, would require cultural resources survey of this Study area should the Project proceed under private development and not require a federal permit or oversight. Previous cultural resource surveys in proximity to the Project located archaeological sites and review of historic maps and aerial photographs suggests that historical sites may be located within or adjacent to the Project. There appears to be high potential for locating prehistoric archaeological sites due to the area's long record of human habitation. This Project is within the historic Chickasaw homelands, and one or more federally recognized tribes are likely to express an interest in the Project.

KH Properties (Study D)

Two previous cultural resource surveys have been conducted within one mile of the Study area. These were both conducted by the University of Alabama. One occurred in 1989 and was sponsored by the Northwest Alabama Council of Local Governments, and the other occurred in 1993 and was sponsored by the Tennessee Valley Authority.

There were no archaeological sites found within the Study area boundary, although two archaeological sites were recorded within one mile of the Muscle Shoals Study area. They are both unknown aboriginal lithic scatters collected from the surface in a cultivated field (**Figure 5-4**), and were recorded during a survey by the University of Alabama sponsored by the Tennessee Valley Authority. Due to disturbances caused by years of cultivation and erosion, no further work was recommended at the sites. They were determined ineligible for listing on the NRHP.

In the event that there is a need to acquire federal permits before the project can commence, the AHC and SHPO may request that a Phase I survey be conducted due to the lack of surveys that have been conducted in proximity of or within the Study area.



Grid: 1983 Cherokee

Data Source: ESRI, ASSF

Twp 03 S Rng 13 E 14 W

This map and all data contained within are supplied as is with no warranty. Cardno, Inc. expressly disclaims responsibility for damages or liability from any claims that may arise out of the use or misuse of this map. It is the sole responsibility of the user to determine if the data on this map meets the user's needs. This map was not created as survey data, nor should it be used as such. It is the user's responsibility to obtain proper survey data, prepared by a licensed surveyor, where required by law.

Previously Recorded Archaeological Sites and Surveys

First Solar Muscle Shoals Project

Colbert County, Alabama

0 1,300 2,600 Feet

0 440 880 Meters

Cardno
Shaping the Future

3905 Crescent Park Drive, Riverview, FL 33578 USA
Phone (+1) 813-664-4500 Fax (+1) 813-664-0440
www.cardno.com

Date Created: 7/15/2019 Date Revised: 7/15/2019 File Path: I:\Cultural Resources Group\Desktop\AL First Solar Muscle Shoals\GIS\Surveys\MapInfo\Shoals_SiteSurveys_topo.mxd
GIS Analyst: jm wilkinson

6 Conclusion and Recommendations

Cardno reviewed current and historic mapping, as well as local, state, and federal GIS data layers as part of a desktop investigation during its environmental assessment. No significant concerns were identified onsite that would affect construction of the proposed Project.

Cardno conducted a threatened and endangered species review during desktop environmental assessments of the Project area. There are four mammal species, twenty-two freshwater mussel species, four fish, one amphibian, one crustacean, and seven plant species listed by the U.S. Fish & Wildlife Service (USFWS) Information for Planning and Consultation (IPaC) database and the TVA Natural Heritage Database as having the potential to occur within or be affected by the Project. Although Cardno scientists did not conduct 'in water' surveys for listed mussels or fish during field site visits, it was determined that habitat could exist for these species within the portions of Mulberry Creek and Stream S-D-8 that create the southeast boundary and traverses through the Project, respectively. Cardno recommends avoiding impacts to any parts of these waterbodies as a result of Project activities. Although the Alabama cavefish is listed by the IPaC database as having the potential to occur within the Project area, it is currently only known to exist within Key Cave in Lauderdale County, Alabama (USFWS 2017). Cardno scientists also investigated for bat habitat as defined in USFWS 2018 Range-wide Indiana Bat Summer Survey Guidelines (also applicable to Northern Long-eared Bat) during field site assessments. Potential roosting trees (trees with loose bark or hollows) were identified, and one potential vertical karst feature/rocky outcrop was documented within the Project area near Mulberry Creek. Significant potential roosting and/or foraging habitat may exist along the Mulberry Creek riparian corridor. Although the identified potential vertical karst feature could provide summer roosting habitat, it is unlikely that this feature provides a winter hibernaculum, due to its location within the high banks of Mulberry Creek, and the absence of observed guano stains at the time of field site visits. No bats were identified during the surveys. Additionally, Cardno scientists consulted with the Auburn University Museum of Natural History, Alabama Natural Heritage Program (ANHP) to determine if any listed bat or other threatened and endangered species habitat or occurrences have been documented in proximity to the Project. No instances of state or federally listed threatened and endangered species were found to be within one mile of the Muscle Shoals properties. Consultation with USFWS is recommended should identified potential bat habitat or riparian area habitat be impacted during active bat season (Mid-April through October). Migratory bird nesting surveys are recommended if construction will occur during the nesting season and if scrub/shrub and trees will be cleared as part of the Project. Formal consultation with USFWS would be required for the potential impacts to listed bat species.

There are no regulations or permits that regulate isolated or federally non-jurisdictional streams for the state of Alabama. In compliance with Section 404 of the Clean Water Act (CWA), this report contains a delineation of potential WOUS that may fall under the jurisdiction of the USACE. Field delineations were conducted during four site visits to different portions of the Project area from June 2016 to January 2019, in which all potentially jurisdictional waters within the Project area were mapped and characterized.

Cardno scientists identified **31** ephemeral drainages, **9** intermittent streams, **5** perennial streams (Mulberry Creek, a tributary to Mulberry Creek, Malone Creek, and a tributary to Malone Creek) and **33** wetlands, including **10 excavated** ponded areas within the Project boundaries. All perennial and intermittent streams, as well as **14** ephemeral streams, **3** wetlands, and **one** ponded area may possess a hydrological connection to a TNW (Tennessee River). Therefore, it is Cardno's opinion that these delineated features may likely be classified as jurisdictional under USACE guidance. Twenty of the identified ephemeral streams did not exhibit flow during field investigations. Twenty-one of the identified wetlands, as well as nine of excavated ponded areas appeared to be isolated in nature. It is Cardno's opinion that these drainages/streams and wetlands lack adequate connectivity to a TNW, and would most likely be classified as non-jurisdictional under USACE guidance.

Because only the USACE may issue determinations on the jurisdictional status of the streams and wetlands identified within the Project, Cardno recommends avoiding these resources to the greatest extent practicable during initial design phases, until a jurisdictional determination has been issued by the Nashville District. If any of the identified streams or wetlands are deemed jurisdictional by the USACE, the Project may proceed under a NWP 51 and/or 12. Nationwide 51 requires a pre-construction notification to the USACE and allows for construction, expansion or modification of land-based renewable energy production facilities, including attendant features. Utility lines transferring energy to a distribution system, regional grid, or other facility are generally considered to be separate single and complete linear projects. If the only activity requiring USACE authorization is the construction of a utility line, then a NWP 12 may be used. As stated in the text of the NWPs, the discharge of dredged or fill material into wetlands and non-tidal WOUS must not cause the loss of greater than ½-acre of wetlands and non-tidal WOUS, including the loss of no more than 300 linear feet of stream bed. Permanent impacts which exceed the ½-acre threshold for NWPs will require an Individual Permit.

Cardno prepared an environmental permitting matrix that details the local, state, and federal environmental permits that may be required for the development of the Project based upon the information gathered through desktop and field investigations, as well as contact with appropriate agencies.

Cardno's cultural resource specialists reviewed information regarding known archeological and historic sites, as well as prior cultural resources studies, available through the Alabama Online Cultural Resources Database. Overall, the Study A, B, and D parcels in Colbert County, Alabama, have high potential to contain prehistoric and historic archaeological sites as well as historic structures. Study A (E.R. Hall) contained the only archaeological site (1CT459) within the total Project area. Site 1CT459 (Hall Sterling) is a prehistoric artifact scatter located in a cultivated field on the west band of Mulberry Creek. Study B and D parcels had no archaeological sites within the Project boundaries but had multiple prehistoric artifact sites located within one mile of the area. Since Cultural reviews to date have only been conducted for the Study A, B, and D portions of the Project area, Cardno recommends further review to adequately address the potential for Cultural resources to occur within the remaining Study C and E portion of the Project area.

It is likely that the AHC, as well as the SHPO, and/or the USACE would request a cultural resources survey of the Muscle Shoals parcels under consideration by First Solar in Colbert County, Alabama, as part of the Section 404 permit process. Cultural resources surveys of any of these parcels would be expected to identify prehistoric and historic archaeological sites, and possibly historic structures.

7 References

Bacon, Delius H. 1896. Map of Colbert County, Alabama. Rand McNally Co., Chicago.

Bacon, Delius H. 1908. Map of Colbert and Franklin Counties, Ala. Delos H. Bacon Publisher, Florence, Alabama.

Environmental Laboratory. 1987. "Corps of Engineers Wetlands Delineation Manual," Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

Federal Register. 1980. 40 CFR Part 230: Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material, Vol. 45, No. 249, pp. 85352-85353, U.S. Government Printing Office.

Federal Emergency Management Agency (FEMA), 2010. Flood Insurance Rate Map, Colbert County, AL and Incorporated Areas. Panels 89, 90, 100, and 275 of 550. State of Alabama Federal Emergency Management Agency. Available at: https://msc.fema.gov/portal. Accessed July 2018.

Gibbs, Lewis C., Jr., 2004. The Oats or Newport Plantation. Available online, http://www.algw.org/colbert/hist-oats-newport-plantation.htm

Griffith, G.E., Omernik, J.M., Comstock, J.A., Lawrence, S., Martin, G., Goddard, A., Hulcher, V.J., and Foster, T., 2001, Ecoregions of Alabama and Georgia, (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,700,000).

F Grossman, D. H., D. Faber-Langendoen, A. S. Weakley, M. Anderson, P. Bourgeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K. D. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998. International classification of ecological communities: terrestrial vegetation of the United States. Volume I. The National Vegetation Classification System: development, status, and applications. The Nature Conservancy, Arlington, Virginia, USA

Hollis, John M. Paul Pattreson, and Boyce N. Driskell. 1989 A Cultural Resource Survey for a Potential Industrial Development Site in Colbert County, Alabama. Prepared for Sirrine Environmental Consultants, Greenville, South Carolina. Prepared by the University of Alabama, Alabama State Museum of Natural History, Division of Archaeology, Moundville. NADB Document Number 4050824.

Leverett, R.T. 1996. Definitions and history. Pp. 3-17, In M.B. Davis (Ed.). Easter Old Growth Forests: Prospects for Rediscovery and Recovery. Island Press, Washington, DC.

Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. The National Wetland Plant List: 2016 wetland ratings. Phytoneuron 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X

Meyer, Jeffery M. and Catherine C. Meyer, 1996. Phase Ib Archaeological Reconnaissance Survey of the Western Portion of the Proposed Atlanta-Huntsville-Memphis Interstate Corridor, Northwest Alabama. Prepared by the University of Alabama Museums, Office of Archaeological Services.

Soil Survey Staff, 2018. Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at http://websoilsurvey.nrcs.usda.gov/. Accessed July 2018.

U.S. Department of Agriculture (USDA). 1908. Colbert County Soil Survey Map. U.S. Department of Agriculture, Washington, D.C.

USDA 1933. Soil Map of Colbert County, Alabama. U.S. Department of Agriculture, Washington, D.C.

U.S. Army Corps of Engineers (USACE). 2012. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region Version 2.0, ed. J. F. Berkowitz, J. S. Wakeley, R. W. Lichvar, C. V. Noble. ERDC/EL TR-12-9. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

U.S. Fish & Wildlife Service (USFWS) IPaC Trust Resources Report (generated July 2018)

USFWS Southwest Region. 2017. 5-Year Review, Alabama Cavefish (*Speoplatyrhinus poulsoni*). Mississippi and Alabama Ecological Services.

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX A

WETLAND DETERMINATION DATASHEETS

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - ER Hall City/County: Barton / Colbert County Sampling Date: 6/01/2016

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-A-1

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: T3S R13W

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): _____

Subregion (LRR or MLRA): MLRA 128 Lat: 34.749031 Long: -87.912201 Datum: WGS 1984

Soil Map Unit Name: Soil 1 NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	**Is the Sampled Area within a Wetland?** Yes _____ No X
Hydric Soil Present?	Yes _____ No X	
Wetland Hydrology Present?	Yes _____ No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-A-1

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Catalpa speciosa	20	Yes	FACU
2. Juglans nigra	20	Yes	UPL
3. Carpinus caroliniana	10	Yes	FAC
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 25 20% of total cover: 10

Sapling/Shrub Stratum (Plot size:)			
1. Liquidambar styraciflua	15	Yes	FAC
2. Ligustrum sinense	30	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 22.5 20% of total cover: 9

Herb Stratum (Plot size:)			
1. Toxicodendron radicans	15	Yes	FAC
2. Poa autumnalis	25	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	= Total Cover		

50% of total cover: 20 20% of total cover: 8

Woody Vine Stratum (Plot size:)			
1. Toxicodendron radicans	15	Yes	FAC
2. Parthenocissus quinquefolia	20	Yes	NA
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 15 20% of total cover: 6

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 9 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.66 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	
FACW species	0	x 2 =	
FAC species	6	x 3 =	18
FACU species	1	x 4 =	4
UPL species	1	x 5 =	5
Column Totals:	8 (A)		27 (B)

Prevalence Index = B/A = 3.375

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-A-1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
6	10YR 4/4							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: Rock

Depth (inches): 6

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - ER Hall City/County: Barton / Colbert County Sampling Date: 6/02/2016

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-A-2

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: T3S R13W

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): _____

Subregion (LRR or MLRA): MLRA 128 Lat: 34.749089 Long: -87.915283 Datum: WGS 1984

Soil Map Unit Name: _____ NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No _____	**Is the Sampled Area within a Wetland?** **Yes** _____ **No** X
Hydric Soil Present?	Yes _____	No X	
Wetland Hydrology Present?	Yes _____	No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? **Yes** _____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-A-2

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Aesculus glabra	5	Yes	FACU
2. Ligustrum sinense	5	Yes	FAC
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 5 20% of total cover: 2

Sapling/Shrub Stratum (Plot size:)			
1. Aesculus glabra	20	Yes	FACU
2. eupatorium altissimum	15	Yes	NA
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 17.5 20% of total cover: 7

Herb Stratum (Plot size:)			
1. Poa autumnalis	20	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	= Total Cover		

50% of total cover: 10 20% of total cover: 4

Woody Vine Stratum (Plot size:)			
1. Parthenocissus quinquefolia	30	Yes	NA
2. Hedera helix	10	Yes	FACU
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 20 20% of total cover: 8

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: .285 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species 2	x 3 = 6
FACU species 3	x 4 = 12
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** _____ **No** _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-A-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
8	10YR 3/2	100%	10YR 4/3	40%				

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: Rock

Depth (inches): 8

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - ER Hall City/County: Barton / Colbert County Sampling Date: 6/02/2016

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-A-3

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: T3S R13W

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): _____

Subregion (LRR or MLRA): MLRA 128 Lat: 34.74914 Long: -87.910176 Datum: WGS 1984

Soil Map Unit Name: _____ NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No _____ Hydric Soil Present? Yes _____ No _____ Wetland Hydrology Present? Yes _____ No _____	**Is the Sampled Area within a Wetland?** **Yes** _____ **No** _____

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☑ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No X Depth (inches): _____

Water Table Present? Yes _____ No X Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No X Depth (inches): _____

Wetland Hydrology Present? **Yes** _____ **No** _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants. Sampling Point: DP-A-3

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Acer negundo	20		FAC
2. Liquidambar styraciflua	15		FAC
3. Catalpa speciosa	15		FACU
4.			
5.			
6.			
7.			
8.			

= Total Cover

50% of total cover: 20% of total cover:

Sapling/Shrub Stratum (Plot size:)			
1. Acer negundo	15		FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			

= Total Cover

50% of total cover: 20% of total cover:

Herb Stratum (Plot size:)			
1. Toxicodendron radicans			FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

= Total Cover

50% of total cover: 20% of total cover:

Woody Vine Stratum (Plot size:)			
1. Toxicodendron radicans			FAC
2.			
3.			
4.			
5.			

= Total Cover

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: (A)

Total Number of Dominant Species Across All Strata: (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** _____ **No** _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-A-3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
5	7.5YR 4/3							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____

Remarks:

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - ER Hall City/County: Barton / Colbert County Sampling Date: 6/02/2016

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-A-4

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: T3S R13W

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): 5%

Subregion (LRR or MLRA): MLRA 128 Lat: 34.763112 Long: -87.904373 Datum: WGS 1984

Soil Map Unit Name: _____ NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No _____ Hydric Soil Present? Yes _____ No _____ Wetland Hydrology Present? Yes _____ No _____	**Is the Sampled Area within a Wetland?** **Yes** _____ **No** _____

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☑ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes _____ No X Depth (inches): _____

Water Table Present? Yes _____ No X Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No X Depth (inches): _____

Wetland Hydrology Present? **Yes** _____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-A-4

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus marilandica	50	Yes	NA
2. Celtis occidentalis	30	Yes	FACU
3.			
4.			
5.			
6.			
7.			
8.			
	80 = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size:)			
1. Toxicodendron radicans	30	Yes	FAC
2. Parthenocissus quinquefolia	20	Yes	NA
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	50 = Total Cover		
50% of total cover: 25	20% of total cover: 10		
Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: .25 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** _____ **No** _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-A-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-8	2.5YR 4/4	100						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☑ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - ER Hall City/County: Barton / Colbert County Sampling Date: 6/02/16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-A-5

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: T3S R13W

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): 10%

Subregion (LRR or MLRA): MLRA 128 Lat: 34.754441 Long: -87.909053 Datum: WGS 1984

Soil Map Unit Name: _____ NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No X	**Is the Sampled Area within a Wetland?** Yes _____ No X
Hydric Soil Present?	Yes _____	No X	
Wetland Hydrology Present?	Yes X	No _____	

Remarks:

Soil test-pit dug in wheat field, apparent saturation on aerial imagery and drainage patterns observed in person. However, no hydrophytic vegetation or hydric soil. Red Clay.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☑ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-A-5

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	_____ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	_____ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: _____)			
1. Triticum spp. (cultivated wheat)	100	Yes	NA
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	_____ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Woody Vine Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
5.			
	_____ = Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A)

Total Number of Dominant Species Across All Strata: _____ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____
FACW species	_____	x 2 =	_____
FAC species	_____	x 3 =	_____
FACU species	_____	x 4 =	_____
UPL species	_____	x 5 =	_____
Column Totals:	_____ (A)		_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** _____ **No** _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-A-5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	2.5YR 3/4	100	2.5YR 4/2	20				

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

Red clay with slight redox features.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - Carter Reid City/County: Colbert County Sampling Date: 8/29/16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-B-1

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range:

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 0

Subregion (LRR or MLRA): MLRA 128 Lat: 34.7711014909 Long: -87.91047818180 Datum: WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam NWI classification:

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil X, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No X

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	**Is the Sampled Area within a Wetland?** Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:

Ponded area behind berm in soy field, tilled soils. Standing water, muck presence.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☑ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☑ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes X No _____ Depth (inches): 6

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-B-1

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size:)			
1. Tripsacum dactyloides	60	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	60 = Total Cover		

50% of total cover: 30 20% of total cover: 12

Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ___ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ___ 3 - Prevalence Index is ≤3.0[1]
- ___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** _____

Remarks: (If observed, list morphological adaptations below).

Common grass found in swamps, ditches, hammocks, ect.

SOIL

Sampling Point: DP-B-1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	5YR 4/4	100	5YR 2.5/1	5			clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☑ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** _____

Remarks:

Tilled soil, heavy red clay. Ponded water behind burm, 6". Last rain reportedly 2" 3 days ago (farmer).

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - Carter Reid City/County: Colbert County Sampling Date: 8/29/16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-B-2

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave (below) Slope (%): 8

Subregion (LRR or MLRA): MLRA 128 Lat: 34.77059939090 Long: -87.91390271820 Datum: WGS 1984

Soil Map Unit Name: Emory silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No X	**Is the Sampled Area within a Wetland?** Yes _____ No X
Hydric Soil Present?	Yes _____	No X	
Wetland Hydrology Present?	Yes _____	No X	

Remarks:

Upland forested buffer surrounding pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-B-2

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Ulmus americana	20	Yes	FAC
2. Celtis occidentalis	40	Yes	FACU
3. Carya tomentosa	15	Yes	UPL
4.			
5.			
6.			
7.			
8.			
	75	= Total Cover	

50% of total cover: 37.5 20% of total cover: 15

Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 20% of total cover:

Herb Stratum (Plot size:)			
1. Campsis radicans	20	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	20	= Total Cover	

50% of total cover: 10 20% of total cover: 4

Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (If observed, list morphological adaptations below).

Upland forested buffer on north side of pond, probable historical man-made berm.

SOIL

Sampling Point: DP-B-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	5YR 4/4	100						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - Carter Reid City/County: Colbert County Sampling Date: 8/29//16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-B-3

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range:

Landform (hillslope, terrace, etc.): Bowl Local relief (concave, convex, none): Concave Slope (%): 0

Subregion (LRR or MLRA): MLRA 128 Lat: 34.77038427270 Long: -87.91440090000 Datum: WGS 1984

Soil Map Unit Name: NA, "W" NWI classification:

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	**Is the Sampled Area within a Wetland?** Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:

Ponded, highly vegetated area. Heavy red clays throughout.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☑ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☑ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present? Yes X No _____ Depth (inches): 8

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-B-3

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size:)			
1. Persicaria pensylvanica	100	Yes	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	100 = Total Cover		

50% of total cover: 50 20% of total cover: 20

Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A)

Total Number of Dominant Species Across All Strata: _____ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species		x 4 =	
UPL species		x 5 =	
Column Totals:	(A)		(B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

☑ 1 - Rapid Test for Hydrophytic Vegetation

☐ 2 - Dominance Test is >50%

☐ 3 - Prevalence Index is ≤3.0[1]

☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** _____

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-B-3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	5YR 4/4	100	5YR 3/2	10	C	M	Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☑ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** _____

Remarks:

TF2. Red Parent Material. For testing in LRRs with red parent material. In parent material with hue of 7.5YR or redder, a layer at least 10 cm (4 inches) thick with a matrix value and chroma of 4 or less and 2 percent or more redox depletions and/or redox concentrations occurring as soft masses and/or pore linings. The layer is entirely within 30 cm (12 inches) of the soil surface. The minimum thickness requirement is 5 cm (2 inches) if the layer is the mineral surface layer.

This indicator also occurs on “Red River” flood plains, such as those along the Chattahoochee, Congaree, Red, and Tennessee Rivers. The most noticeable redox features in red materials are redox depletions and soft manganese masses that are black or dark reddish black.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - Carter Reid City/County: Colbert County Sampling Date: 8/29/16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-B-4

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: _____

Landform (hillslope, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): _____

Subregion (LRR or MLRA): MLRA 128 Lat: 34.76968319090 Long: -87.91425270000 Datum: WGS 1984

Soil Map Unit Name: NA, "W" NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No _____	**Is the Sampled Area within a Wetland?** Yes X No _____
Hydric Soil Present?	Yes X No _____	
Wetland Hydrology Present?	Yes X No _____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☑ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? Yes X No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: DP-B-4

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Salix nigra	50	Yes	OBL
2. Celtis laevigata	10	No	FACW
3.			
4.			
5.			
6.			
7.			
8.			
	60 = Total Cover		
50% of total cover: 30	20% of total cover: 12		

Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Herb Stratum (Plot size:)			
1. Tripsacum dactyloides	35	Yes	FAC
2. Scirpus cyperinus	10	Yes	OBL
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	45 = Total Cover		
50% of total cover: 22.5	20% of total cover: 9		

Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

- ___ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ___ 3 - Prevalence Index is ≤3.0[1]
- ___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (If observed, list morphological adaptations below).

SOIL

Sampling Point: DP-B-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	5YR 4/4	100	5YR 2.5/1	5	C	M	Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☑ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** _____

Remarks:

TF2. Red Parent Material. For testing in LRRs with red parent material. In parent material with hue of 7.5YR or redder, a layer at least 10 cm (4 inches) thick with a matrix value and chroma of 4 or less and 2 percent or more redox depletions and/or redox concentrations occurring as soft masses and/or pore linings. The layer is entirely within 30 cm (12 inches) of the soil surface. The minimum thickness requirement is 5 cm (2 inches) if the layer is the mineral surface layer.

This indicator also occurs on “Red River” flood plains, such as those along the Chattahoochee, Congaree, Red, and Tennessee Rivers. The most noticeable redox features in red materials are redox depletions and soft manganese masses that are black or dark reddish black.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: First Solar - Carter Reid City/County: Colbert County Sampling Date: 8/29/16

Applicant/Owner: First Solar, Inc State: AL Sampling Point: DP-B-5

Investigator(s): Sam Waltman, Jonathan Hess Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave (below) Slope (%): 5

Subregion (LRR or MLRA): MLRA 128 Lat: 34.771751 Long: -87.916823 Datum: WGS 1984

Soil Map Unit Name: NA, "W" NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No X	**Is the Sampled Area within a Wetland?** Yes _____ No X
Hydric Soil Present?	Yes _____	No X	
Wetland Hydrology Present?	Yes _____	No X	

Remarks:

Upland forested area surrounding western side of pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15) **(LRR U)**
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants. Sampling Point: DP-B-5

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1. Ulmus americana	25	Yes	FAC
2. Celtis occidentalis	35	Yes	FACU
3. Carya tomentosa	15	Yes	UPL
4.			
5.			
6.			
7.			
8.			
	75	= Total Cover	

50% of total cover: 37.5 20% of total cover: 15

Sapling/Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
	= Total Cover		

50% of total cover: 20% of total cover:

Herb Stratum (Plot size:)			
1. Campsis radicans	20	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	20	= Total Cover	

50% of total cover: 10 20% of total cover: 4

Woody Vine Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vine – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (If observed, list morphological adaptations below).

Upland forested buffer on north side of pond, probable historical man-made berm.

SOIL

Sampling Point: DP-B-5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	5YR 4/4	100						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Organic Bodies (A6) **(LRR P, T, U)**
- ☐ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ☐ Muck Presence (A8) **(LRR U)**
- ☐ 1 cm Muck (A9) **(LRR P, T)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Coast Prairie Redox (A16) **(MLRA 150A)**
- ☐ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) **(LRR P, S, T, U)**
- ☐ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ☐ Thin Dark Surface (S9) **(LRR S, T, U)**
- ☐ Loamy Mucky Mineral (F1) **(LRR O)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Marl (F10) **(LRR U)**
- ☐ Depleted Ochric (F11) **(MLRA 151)**
- ☐ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ☐ Umbric Surface (F13) **(LRR P, T, U)**
- ☐ Delta Ochric (F17) **(MLRA 151)**
- ☐ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 1 cm Muck (A9) **(LRR O)**
- ☐ 2 cm Muck (A10) **(LRR S)**
- ☐ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ☐ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ☐ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** X

Remarks:

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-1
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): pond Local relief (concave, convex, none): concave Slope (%): 0%
Subregion (LRR or MLRA): LRRN Lat: 34.769427 Long: -87.931737 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [✓]	No [ ]	**Is the Sampled Area within a Wetland?** Yes [✓] No [ ]
Hydric Soil Present?	Yes [✓]	No [ ]	
Wetland Hydrology Present?	Yes [✓]	No [ ]	

Remarks:
Pit point is located within a PEM wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [✓] Surface Water (A1)
- [✓] High Water Table (A2)
- [✓] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [✓] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [✓] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [✓] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [✓] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [✓] No [ ] Depth (inches): 6"
Water Table Present? Yes [✓] No [ ] Depth (inches): 1"
Saturation Present? (includes capillary fringe) Yes [✓] No [ ] Depth (inches): 0-16"

Wetland Hydrology Present? Yes [✓] No [ ]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Pit point was located adjacent to a shallow pond which was surrounded by a a created levee/berm.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-1

	Absolute % Cover	Dominant Species?	Indicator Status
Tree Stratum (Plot size: 30' x 30')			
1. Salix nigra	10%	Y	OBL
2.			
3.			
4.			
5.			
6.			
	10% = Total Cover		
50% of total cover: 5%	20% of total cover: 2%		
Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 30' x 30')			
1. Lemna minor	80%	Y	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	80% = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☑ No ☐

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located adjacent to a pond surrounded by a levee.

SOIL

Sampling Point: DP-C-1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	10YR 5/2	100%	10YR 5/1	20%	D	M	mucky	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☑ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☑ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☑ **No** ☐

Remarks: Wetland hydrology indicators were present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-2
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): shoulder Local relief (concave, convex, none): convex Slope (%): 2%
Subregion (LRR or MLRA): LRRN Lat: 34.769408 Long: -87.931949 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [ ]	No [✓]	**Is the Sampled Area within a Wetland?** Yes [ ] No [✓]
Hydric Soil Present?	Yes [ ]	No [✓]	
Wetland Hydrology Present?	Yes [ ]	No [✓]	

Remarks:
Pit point is located within an upland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes [ ]	No [✓]	Depth (inches): _____
Water Table Present?	Yes [ ]	No [✓]	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes [ ]	No [✓]	Depth (inches): _____

Wetland Hydrology Present? Yes [ ] No [✓]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were not present at pit point.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-2

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1. Liquidambar styraciflua	30%	Y	FAC
2. Quercus alba	20%	N	FACW
3.			
4.			
5.			
6.			
	50% = Total Cover		

50% of total cover: 25% 20% of total cover: 10%

Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: 20% of total cover:

Shrub Stratum (Plot size: 30' x 30')			
1. Ligustrum sinense	50%	Y	FACU
2.			
3.			
4.			
5.			
6.			
	50% = Total Cover		

50% of total cover: 25% 20% of total cover: 10%

Herb Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	= Total Cover		

50% of total cover: 20% of total cover:

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species 20%	x 2 = 40
FAC species 30%	x 3 = 90
FACU species 50%	x 4 = 200
UPL species	x 5 =
Column Totals: 100% (A)	330 (B)

Prevalence Index = B/A = 3.3

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☐ No ☑

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located on an upland shrub scrub/forested hill.

SOIL Sampling Point: DP-C-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	7.5YR 4/4	100%					silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☐ **No** ☑

Remarks: Hydric soil indicators were not present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-3
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): shoulder Local relief (concave, convex, none): convex Slope (%): 2%
Subregion (LRR or MLRA): LRRN Lat: 34.769050 Long: -87.931422 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: PEM1Ch
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [ ]	No [✓]	**Is the Sampled Area within a Wetland?** Yes [ ] No [✓]
Hydric Soil Present?	Yes [ ]	No [✓]	
Wetland Hydrology Present?	Yes [ ]	No [✓]	

Remarks:
Pit point is located within an upland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [ ] No [✓] Depth (inches): _____
Water Table Present? Yes [ ] No [✓] Depth (inches): _____
Saturation Present? (includes capillary fringe) Yes [ ] No [✓] Depth (inches): _____

Wetland Hydrology Present? Yes [ ] No [✓]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were not present at pit point.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-3

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus phellos	40%	Y	FAC
2. Liquidambar styraciflua	20%	N	FAC
3. Celtis laevigata	20%	N	FACW
4.			
5.			
6.			
	80% = Total Cover		
50% of total cover: 40%	20% of total cover: 16%		

Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Shrub Stratum (Plot size: 30' x 30')			
1. Ligustrum sinense	25%	Y	FACU
2.			
3.			
4.			
5.			
6.			
	25% = Total Cover		
50% of total cover: 12.5%	20% of total cover: 5%		

Herb Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species 20%	x 2 = 40
FAC species 60%	x 3 = 180
FACU species 25%	x 4 = 100
UPL species	x 5 =
Column Totals: 105% (A)	320 (B)

Prevalence Index = B/A = 3.04

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☐ No ☑

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located in an forested depression.

SOIL Sampling Point: DP-C-3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	7.5YR 3/4	100%					silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☐ **No** ☑

Remarks: Hydric soil indicators were not present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-4
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): depression Local relief (concave, convex, none): concave Slope (%): 0%
Subregion (LRR or MLRA): LRRN Lat: 34.769540 Long: -87.930868 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [✓], Soil [ ], or Hydrology [✓] significantly disturbed? Are "Normal Circumstances" present? Yes [ ] No [✓]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [✓]	No [ ]	**Is the Sampled Area within a Wetland?** Yes [✓] No [ ]
Hydric Soil Present?	Yes [✓]	No [ ]	
Wetland Hydrology Present?	Yes [✓]	No [ ]	

Remarks:
Pit point is located within a PSS wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [✓] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [✓] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [ ] No [✓] Depth (inches): _____
Water Table Present? Yes [ ] No [✓] Depth (inches): _____
Saturation Present? (includes capillary fringe) Yes [ ] No [✓] Depth (inches): _____

Wetland Hydrology Present? Yes [✓] No [ ]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-4

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling Stratum (Plot size: 30' x 30')			
1. Salix nigra	40%	Y	OBL
2.			
3.			
4.			
5.			
6.			
	40% = Total Cover		

50% of total cover: 20% 20% of total cover: 8%

Shrub Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species _____	x 3 = _____
FACU species _____	x 4 = _____
UPL species _____	x 5 = _____
Column Totals: _____ (A)	_____ (B)

Prevalence Index = B/A = _____

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☑ No ☐

Remarks: (Include photo numbers here or on a separate sheet.)

Vegetation (Salix nigra) was recently chopped/disturbed and covered the ground. Area may undergo regular clearing.

SOIL

Sampling Point: DP-C-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	7.5YR 4/3	90%	7.5YR 5/8	10%	C	PL	silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☑ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☑ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☑ **No** ☐

Remarks: Hydric soil indicators were present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-5
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): shoulder Local relief (concave, convex, none): convex Slope (%): 2%
Subregion (LRR or MLRA): LRRN Lat: 34.769538 Long: -87.931017 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [ ]	No [✓]	**Is the Sampled Area within a Wetland?** Yes [ ] No [✓]
Hydric Soil Present?	Yes [ ]	No [✓]	
Wetland Hydrology Present?	Yes [ ]	No [✓]	

Remarks:
Pit point is located within an upland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [ ] No [✓] Depth (inches): _____
Water Table Present? Yes [ ] No [✓] Depth (inches): _____
Saturation Present? (includes capillary fringe) Yes [ ] No [✓] Depth (inches): _____

Wetland Hydrology Present? Yes [ ] No [✓]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were not present at pit point. Pit point was located on a man-made levee/berm.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-5

	Absolute % Cover	Dominant Species?	Indicator Status
Tree Stratum (Plot size: 30' x 30')			
1. Celtis laevigata	10%	Y	FACW
2.			
3.			
4.			
5.			
6.			
	10% = Total Cover		
50% of total cover: 5%	20% of total cover: 2%		
Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 30' x 30')			
1. Ligustrum sinense	60%	Y	FACU
2.			
3.			
4.			
5.			
6.			
	60% = Total Cover		
50% of total cover: 30%	20% of total cover: 12%		
Herb Stratum (Plot size: 30' x 30')			
1. Rubus trivialis	20%	Y	FACU
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	20% = Total Cover		
50% of total cover: 10%	20% of total cover: 4%		
Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 33.33% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species 10%	x 2 = 20
FAC species	x 3 =
FACU species 80%	x 4 = 320
UPL species	x 5 =
Column Totals: 90% (A)	340 (B)

Prevalence Index = B/A = 3.77

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☐ No ☑

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located on a berm/levee.

SOIL Sampling Point: DP-C-5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	7.5YR 3/4	100%					silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☐ **No** ☑

Remarks: Hydric soil indicators were not present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-6
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): depression Local relief (concave, convex, none): concave Slope (%): 0%
Subregion (LRR or MLRA): LRRN Lat: 34.771354 Long: -87.917780 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: PFO1F
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [✓]	No [ ]	**Is the Sampled Area within a Wetland?** Yes [✓] No [ ]
Hydric Soil Present?	Yes [✓]	No [ ]	
Wetland Hydrology Present?	Yes [✓]	No [ ]	

Remarks:
Pit point is located within a PFO wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [✓] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [✓] Drift Deposits (B3)
- [✓] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [✓] Drainage Patterns (B10)
- [✓] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [ ] No [✓] Depth (inches): _____
Water Table Present? Yes [ ] No [✓] Depth (inches): _____
Saturation Present? (includes capillary fringe) Yes [ ] No [✓] Depth (inches): _____

Wetland Hydrology Present? Yes [✓] No [ ]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were present at pit point.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-6

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1. Acer negundo	50%	Y	FAC
2. Salix nigra	20%	N	OBL
3. Platanus occidentalis	20%	N	FACW
4.			
5.			
6.			
	90% = Total Cover		
50% of total cover: 45%	20% of total cover: 18%		

Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Shrub Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Herb Stratum (Plot size: 30' x 30')			
1. Polygonum pennsylvania	40%	Y	OBL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	40% = Total Cover		
50% of total cover: 20%	20% of total cover: 8%		

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☑ No ☐

Remarks: (Include photo numbers here or on a separate sheet.)

A dominance of hydrophytic vegetation was present at pit point.

SOIL

Sampling Point: DP-C-6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	5YR 4/4	78%	5YR 6/3	20%	D	M	silty clay	
			5YR 5/8	2%	C	PL	silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☑ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☑ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☑ **No** ☐

Remarks: Hydric soil indicators were present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Muscle Shoals/Colbert Sampling Date: 11/16/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-7
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): shoulder Local relief (concave, convex, none): convex Slope (%): 2%
Subregion (LRR or MLRA): LRRN Lat: 34.771253 Long: -87.918106 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: PFO1F
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [ ]	No [✓]	**Is the Sampled Area within a Wetland?** Yes [ ] No [✓]
Hydric Soil Present?	Yes [ ]	No [✓]	
Wetland Hydrology Present?	Yes [ ]	No [✓]	

Remarks:
Pit point is located within an upland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes [ ] No [✓] Depth (inches): _____
Water Table Present? Yes [ ] No [✓] Depth (inches): _____
Saturation Present? (includes capillary fringe) Yes [ ] No [✓] Depth (inches): _____

Wetland Hydrology Present? Yes [ ] No [✓]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were not present at pit point.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-7

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1. Platanus occidentalis	30%	Y	FAC
2. Acer negundo	20%	N	FACW
3.			
4.			
5.			
6.			
	50% = Total Cover		

50% of total cover: 25% 20% of total cover: 10%

Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: 20% of total cover:

Shrub Stratum (Plot size: 30' x 30')			
1. Ligustrum sinense	70%	Y	FACU
2.			
3.			
4.			
5.			
6.			
	70% = Total Cover		

50% of total cover: 35% 20% of total cover: 14%

Herb Stratum (Plot size: 30' x 30')			
1. Rubus trivialis	20%	Y	FACU
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	20% = Total Cover		

50% of total cover: 10% 20% of total cover: 4%

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: 20% of total cover:

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 33.33% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species 20%	x 2 = 40
FAC species 30%	x 3 = 90
FACU species 90%	x 4 = 360
UPL species	x 5 =
Column Totals: 140% (A)	490 (B)

Prevalence Index = B/A = 3.5

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☐ No ☑

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located within an upland forest.

SOIL

Sampling Point: DP-C-7

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	5YR 3/4	100%					silty clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☐ **No** ☑

Remarks:

Hydric soil indicators were not present at pit point.

WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: First Solar - Muscle Shoals City/County: Barton/Colbert Sampling Date: 11/17/17
Applicant/Owner: First Solar, Inc. State: AL Sampling Point: DP-C-8
Investigator(s): Kristen Ramsey; Justin Stelly Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 0%
Subregion (LRR or MLRA): LRRN Lat: 34.761428 Long: -87.919313 Datum: WGS1984
Soil Map Unit Name: EmA—Emory silt loam, 0 to 2 percent slopes, ponded NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes [✓] No [ ] (If no, explain in Remarks.)
Are Vegetation [ ], Soil [ ], or Hydrology [ ] significantly disturbed? Are "Normal Circumstances" present? Yes [✓] No [ ]
Are Vegetation [ ], Soil [ ], or Hydrology [ ] naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes [ ]	No [✓]	**Is the Sampled Area within a Wetland?** Yes [ ] No [✓]
Hydric Soil Present?	Yes [ ]	No [✓]	
Wetland Hydrology Present?	Yes [ ]	No [✓]	

Remarks:
Pit point is not located within a wetland.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- [ ] Surface Water (A1)
- [ ] High Water Table (A2)
- [ ] Saturation (A3)
- [ ] Water Marks (B1)
- [ ] Sediment Deposits (B2)
- [ ] Drift Deposits (B3)
- [ ] Algal Mat or Crust (B4)
- [ ] Iron Deposits (B5)
- [ ] Inundation Visible on Aerial Imagery (B7)
- [ ] Water-Stained Leaves (B9)
- [ ] Aquatic Fauna (B13)
- [ ] True Aquatic Plants (B14)
- [ ] Hydrogen Sulfide Odor (C1)
- [ ] Oxidized Rhizospheres on Living Roots (C3)
- [ ] Presence of Reduced Iron (C4)
- [ ] Recent Iron Reduction in Tilled Soils (C6)
- [ ] Thin Muck Surface (C7)
- [ ] Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- [ ] Surface Soil Cracks (B6)
- [ ] Sparsely Vegetated Concave Surface (B8)
- [ ] Drainage Patterns (B10)
- [ ] Moss Trim Lines (B16)
- [ ] Dry-Season Water Table (C2)
- [ ] Crayfish Burrows (C8)
- [ ] Saturation Visible on Aerial Imagery (C9)
- [ ] Stunted or Stressed Plants (D1)
- [ ] Geomorphic Position (D2)
- [ ] Shallow Aquitard (D3)
- [ ] Microtopographic Relief (D4)
- [ ] FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes [ ]	No [✓]	Depth (inches): _____
Water Table Present?	Yes [ ]	No [✓]	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes [ ]	No [✓]	Depth (inches): _____

Wetland Hydrology Present? Yes [ ] No [✓]

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland hydrology indicators were not present at pit point.

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: DP-C-8

Tree Stratum (Plot size: 30' x 30')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Sapling Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Shrub Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Herb Stratum (Plot size: 30' x 30')			
1. Cynodon dactylon	80%	Y	FACU
2. Setaria pumlia	10%	N	FAC
3. Sorghastrum nutans	5%	N	FACU
4. Allium canadense	5%	N	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	100% = Total Cover		

50% of total cover: 50% 20% of total cover: 20%

Woody Vine Stratum (Plot size: 30' x 30')			
1.			
2.			
3.			
4.			
5.			
	= Total Cover		

50% of total cover: _____ 20% of total cover: _____

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species 10%	x 3 = 30
FACU species 90%	x 4 = 360
UPL species _____	x 5 = _____
Column Totals: 100% (A)	390 (B)

Prevalence Index = B/A = 3.9

Hydrophytic Vegetation Indicators:

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is ≤3.0[1]
- ☐ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ☐ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ☐ No ☑

Remarks: (Include photo numbers here or on a separate sheet.)

Pit point located within a grassy clearing between two pine stands.

SOIL

Sampling Point: DP-C-8

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16"	5YR 4/4	100%					silt loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) **(LRR N)**
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1) **(LRR N, MLRA 147, 148)**
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ☐ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ☐ Umbric Surface (F13) **(MLRA 136, 122)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ☐ Red Parent Material (F21) **(MLRA 127, 147)**

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) **(MLRA 147)**
- ☐ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ☐ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ☐ **No** ☑

Remarks: Hydric soil indicators were not present at pit point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-1**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 3.0% / 1.7 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.783886 **Long.:** -87.970221 **Datum:** WGS 1984

Soil Map Unit Name: Barfield-Rock outcrop complex, 2 to 35 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

drift deposits from stormwater runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-1

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	80	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	80	= Total Cover		
Herb Stratum (Plot size:)				
1. Parthenocissus quinquefolia	30	☑	66.7%	FACU
2. Toxicodendron radicans	15	☑	33.3%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	45	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	110	x 4 =	440	
UPL species	0	x 5 =	0	
Column Totals:	125	(A)	485	(B)

Prevalence Index = B/A = 3.880

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR 4/4	70					Loam	
0-16	7.5YR 4/6	30					Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-2

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.784176 **Long.:** -87.969067 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Open area in the forest with thick stands of upland veg.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-2

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus occidentalis	90	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	90	= Total Cover		
Herb Stratum (Plot size:)				
1. Solidago altissima	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	10	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	10	x 4 =	40	
UPL species	90	x 5 =	450	
Column Totals:	100	(A)	490	(B)

Prevalence Index = B/A = 4.900

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-3

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.785788 **Long.:** -87.969992 **Datum:** WGS 1984

Soil Map Unit Name: Chisca loam, 6 to 15 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉	
Wetland Hydrology Present?	Yes ○ No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	
Water Table Present?	Yes ○ No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-3

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Celtis laevigata	40	☑	57.1%	FACW
2. Ligustrum sinense	30	☑	42.9%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Acer negundo	15	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	15	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	33.3%	FACU
2. Campsis radicans	20	☑	33.3%	FAC
3. Toxicodendron radicans	20	☑	33.3%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	60	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	40	x 2 =	80	
FAC species	55	x 3 =	165	
FACU species	50	x 4 =	200	
UPL species	0	x 5 =	0	
Column Totals:	145	(A)	445	(B)

Prevalence Index = B/A = 3.069

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-4**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.787810 **Long.:** -87.970757 **Datum:** WGS 1984

Soil Map Unit Name: Tupelo-Colbert complex, 0 to 4 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-4

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Persicaria pensylvanica	50	☑	55.6%	FACW
2. Cyperus esculentus	40	☑	44.4%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	90	x 2 =	180	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	180	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR 4/2	90	7.5YR 5/8	10	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-5

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.787844 **Long.:** -87.970904 **Datum:** WGS 1984

Soil Map Unit Name: Tupelo-Colbert complex, 0 to 4 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-5

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	20	☑	33.3%	UPL
2. Rumex crispus	20	☑	33.3%	FAC
3. Ambrosia trifida	20	☑	33.3%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	40	x 3 =	120	
FACU species	0	x 4 =	0	
UPL species	20	x 5 =	100	
Column Totals:	60	(A)	220	(B)

Prevalence Index = B/A = 3.667

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-6

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Swale **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.784149 **Long.:** -87.965276 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-6

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Sorghum halepense	60	☑	60.0%	FACU
2. Ambrosia trifida	20	☑	20.0%	FAC
3. Daucus carota	20	☑	20.0%	UPL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:		
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	60	x 4 =	240	
UPL species	20	x 5 =	100	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-7

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Swale **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.784094 **Long.:** -87.964290 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-7

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Sorghum halepense	30	☑	35.3%	FACU
2. Solidago altissima	15	☑	17.6%	FACU
3. Ambrosia trifida	15	☑	17.6%	FAC
4. Daucus carota	15	☑	17.6%	UPL
5. Oxalis stricta	10	☐	11.8%	FACU
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	85	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:		
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	55	x 4 =	220	
UPL species	15	x 5 =	75	
Column Totals:	85	(A)	340	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-7

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5YR	4/6	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-8**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.789613 **Long.:** -87.968133 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-8

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Panicum repens	40	☑	50.0%	FACW
2. Persicaria pensylvanica	20	☑	25.0%	FACW
3. Cyperus esculentus	20	☑	25.0%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	80	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	80	x 2 =	160	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	160	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-8

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	80	7.5YR	5/8	20	C	PL	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-9

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.789719 **Long.:** -87.968150 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:**

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-9

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	40	☑	66.7%	UPL
2. Rumex crispus	20	☑	33.3%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	0	x 4 =	0	
UPL species	40	x 5 =	200	
Column Totals:	60	(A)	260	(B)

Prevalence Index = B/A = 4.333

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-9

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-9.1**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.789437 **Long.:** -87.965175 **Datum:** WGS 1984

Soil Map Unit Name: Emory silt loam, 0-2 percent slopes, frequently flooded. **NWI classification:** PFO1A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-9.1

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	80	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	80	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	15	☑	60.0%	FACU
2. Toxicodendron radicans	10	☑	40.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	25	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	95	x 4 =	380	
UPL species	0	x 5 =	0	
Column Totals:	105	(A)	410	(B)

Prevalence Index = B/A = 3.905

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-9.1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-10**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 5.0% / 2.9 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.789052 **Long.:** -87.971304 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-10

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Ulmus alata	10	☑	33.3%	FACU
2. Celtis laevigata	10	☑	33.3%	FACW
3. Morus rubra	10	☑	33.3%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	30		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Ligustrum sinense	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	10		= Total Cover	
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	60		= Total Cover	
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0		= Total Cover	
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 16.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	110	(A)	420	(B)

Prevalence Index = B/A = 3.818

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-10

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-11**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 5.0% / 2.9 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.789766 **Long.:** -87.971190 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-11

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	95	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	95	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	95	x 4 =	380	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	380	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-11

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-12**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.790651 **Long.:** -87.969758 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-12

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Panicum repens	100	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	100	x 2 =	200	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	200	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-12

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	80	7.5YR	5/8	20	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-13**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.790672 **Long.:** -87.969662 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-13

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	100	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-13

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-14**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.790336 **Long.:** -87.970632 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-14

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Persicaria pensylvanica	40	☑	50.0%	FACW
2. Panicum repens	20	☑	25.0%	FACW
3. Cyperus esculentus	20	☑	25.0%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	80	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	80	x 2 =	160	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	160	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-14

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	90	7.5YR	5/8	10	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 11-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-15**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.790077 **Long.:** -87.970531 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-15

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Ambrosia trifida	50	☑	55.6%	FAC
2. Solidago altissima	30	☑	33.3%	FACU
3. Glycine max	10	☐	11.1%	UPL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	50	x 3 =	150	
FACU species	30	x 4 =	120	
UPL species	10	x 5 =	50	
Column Totals:	90	(A)	320	(B)

Prevalence Index = B/A = 3.556

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-15

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-16**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.792583 **Long.:** -87.969288 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-16

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	85	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size:)				
1. Campsis radicans	30	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	30	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	30	x 3 =	90	
FACU species	85	x 4 =	340	
UPL species	0	x 5 =	0	
Column Totals:	115	(A)	430	(B)

Prevalence Index = B/A = 3.739

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-16

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-17**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.791108 **Long.:** -87.971287 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-17

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Ulmus americana	10	☐	10.5%	FACW
2. Ligustrum sinense	85	☑	89.5%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	95	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Ligustrum sinense	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	20	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	66.7%	FACU
2. Toxicodendron radicans	10	☑	33.3%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	10	x 3 =	30	
FACU species	125	x 4 =	500	
UPL species	0	x 5 =	0	
Column Totals:	145	(A)	550	(B)

Prevalence Index = B/A = 3.793

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-17

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-18**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.790974 **Long.:** -87.971541 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-18

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Panicum repens	30	☑	46.2%	FACW
2. Persicaria pensylvanica	20	☑	30.8%	FACW
3. Cyperus esculentus	15	☑	23.1%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	65	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	65	x 2 =	130	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	65	(A)	130	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-18

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	90	7.5YR	5/8	10	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-19**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.791030 **Long.:** -87.971536 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):
Water Table Present?	Yes ○	No ◉	Depth (inches):
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-19

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Ambrosia trifida	75	☑	78.9%	FAC
2. Solidago altissima	20	☑	21.1%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	95	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	75	x 3 =	225	
FACU species	20	x 4 =	80	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	305	(B)

Prevalence Index = B/A = 3.211

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-19

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-20**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.791543 **Long.:** -87.971179 **Datum:** WGS 1984

Soil Map Unit Name: Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-20

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	95	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	95	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	95	x 4 =	380	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	380	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-20

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-21**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793456 **Long.:** -87.969178 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Two Celtis trees in the center of the open wetland.....PEM?

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☑ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-21

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	30	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	30	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Campsis radicans	85	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	85	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	30	x 2 =	60	
FAC species	85	x 3 =	255	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	115	(A)	315	(B)

Prevalence Index = B/A = 2.739

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-21

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	85	7.5YR	2.5/1	15	C	M	Loam	iron-manganese masses.

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☑ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-22**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 3.0% / 1.7 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793396 **Long.:** -87.967666 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-22

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	80	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	80	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	20	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-22

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-23

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793330 **Long.:** -87.966132 **Datum:** WGS 1984

Soil Map Unit Name: Emory silt loam, 0-2 percent slopes, frequently flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-23

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Persicaria pensylvanica	80	☑	88.9%	FACW
2. Cyperus esculentus	10	☐	11.1%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	90	x 2 =	180	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	180	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-23

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	90	7.5YR	5/8	10	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-24**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793471 **Long.:** -87.965713 **Datum:** WGS 1984

Soil Map Unit Name: Emory silt loam, 0-2 percent slopes, frequently flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☑ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-24

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Campsis radicans	10	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	10	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	10	(A)	30	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-24

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	85	7.5YR	5/8	15	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-25**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793351 **Long.:** -87.965801 **Datum:** WGS 1984

Soil Map Unit Name: Emory silt loam, 0-2 percent slopes, frequently flooded. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-25

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	95	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	95	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	95	x 4 =	380	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	380	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-25

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-26**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 3.0% / 1.7 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.792365 **Long.:** -87.967135 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

On a slope where stormwater runoff flows during rain events.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-26

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	100	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-26

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-27**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 3.0% / 1.7 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.786319 **Long.:** -87.952654 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-27

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Pinus echinata	20	☑	66.7%	UPL
2. Juniperus virginiana	10	☑	33.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	30	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Campsis radicans	10	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	50	x 4 =	200	
UPL species	20	x 5 =	100	
Column Totals:	80	(A)	330	(B)

Prevalence Index = B/A = 4.125

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-27

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-28**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.786558 **Long.:** -87.944455 **Datum:** WGS 1984

Soil Map Unit Name: Pruitton and Sullivan silt loams, 0-2 percent slopes, occasionally flooded **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-28

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Carya tomentosa	60	☑	75.0%	UPL
2. Acer negundo	10	☐	12.5%	FAC
3. Celtis laevigata	10	☐	12.5%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	35	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	35	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Lonicera japonica	60	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	60	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	70	x 3 =	210
FACU species	35	x 4 =	140
UPL species	60	x 5 =	300
Column Totals:	175 (A)		670 (B)

Prevalence Index = B/A = 3.829

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-28

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-29**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 17.0% / 9.6 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.787089 **Long.:** -87.945555 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton-Bodine complex, 15 to 45 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:
recently cleared trees and shrubs.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-29

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Rubus occidentalis	20	☑	66.7%	UPL
2. Ambrosia trifida	10	☑	33.3%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	30	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Lonicera japonica	60	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	60	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	70	x 3 =	210	
FACU species	0	x 4 =	0	
UPL species	20	x 5 =	100	
Column Totals:	90	(A)	310	(B)

Prevalence Index = B/A = 3.444

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-29

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-30**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.786900 **Long.:** -87.947733 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-30

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Ulmus americana	40	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	40	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	30	☑	50.0%	FACU
2. Toxicodendron radicans	30	☑	50.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	60	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	40	x 2 =	80	
FAC species	30	x 3 =	90	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	130	(A)	410	(B)

Prevalence Index = B/A = 3.154

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-30

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-31

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.787151 **Long.:** -87.949692 **Datum:** WGS 1984

Soil Map Unit Name: Emory silt loam, 0-2 percent slopes, frequently flooded. **NWI classification:** PEM1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-31

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Eleocharis bifida	80	☑	80.0%	FACW
2. Cyperus esculentus	20	☑	20.0%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	100	x 2 =	200	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	200	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-31

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	85	7.5YR	6/8	15	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-32

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 6.0% / 3.4 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.786915 **Long.:** -87.949483 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-32

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-32

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-33**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Depression **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.792999 **Long.:** -87.945313 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-33

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Eleocharis bifida	80	☑	80.0%	FACW
2. Cyperus esculentus	20	☑	20.0%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	100	x 2 =	200	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	200	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-33

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR 4/2	90	7.5YR 5/8	10	C	PL	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☑ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-34**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.793007 **Long.:** -87.945220 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-34

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Quercus alba	30	☑	50.0%	FACU
2. Celtis laevigata	30	☑	50.0%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	60	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	20	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	15	☑	100.0%	FAC
2. Toxicodendron radicans	0	☐	0.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	15	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	30	x 2 =	60	
FAC species	15	x 3 =	45	
FACU species	50	x 4 =	200	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	305	(B)

Prevalence Index = B/A = 3.211

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-34

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-D-35

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** convex **Slope:** 2.0% / 1.1 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.776917 **Long.:** -87.965052 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-35

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	100	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	20	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	120	x 4 =	480	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	480	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-35

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-36**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): hillslope **Local relief (concave, convex, none):** convex **Slope:** 10.0% / 5.7 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.775280 **Long.:** -87.964964 **Datum:** WGS 1984

Soil Map Unit Name: Chisca-Nella-Nectar complex, 10 to 45 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-36

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Pinus taeda	30	☑	37.5%	FAC
2. Carya tomentosa	20	☑	25.0%	UPL
3. Juniperus virginiana	30	☑	37.5%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	15	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Toxicodendron radicans	10	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 40.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	40	x 3 =	120	
FACU species	45	x 4 =	180	
UPL species	20	x 5 =	100	
Column Totals:	105	(A)	400	(B)

Prevalence Index = B/A = 3.810

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-36

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-37**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.777411 **Long.:** -87.965426 **Datum:** WGS 1984

Soil Map Unit Name: Pruitton and Sullivan silt loams, 0-2 percent slopes, occasionally flooded **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☑ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-37

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	95	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	95	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	20	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	115	x 4 =	460	
UPL species	0	x 5 =	0	
Column Totals:	115	(A)	460	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-37

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 12-Jul-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-D-38**

Investigator(s): Justin Stelly, Corbin Hoffmann **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.780009 **Long.:** -87.967494 **Datum:** WGS 1984

Soil Map Unit Name: Capshaw silt loam, 2 to 6 percent slopes. **NWI classification:** UPL

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-D-38

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Pinus taeda	30	☑	50.0%	FAC
2. Celtis laevigata	30	☑	50.0%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	60	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Solidago altissima	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	20	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Parthenocissus quinquefolia	20	☑	66.7%	FACU
2.	10	☑	33.3%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 40.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	30	x 2 =	60	
FAC species	30	x 3 =	90	
FACU species	40	x 4 =	160	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	310	(B)

Prevalence Index = B/A = 3.100

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-D-38

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-001**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.749672 **Long.:** -87.90308 **Datum:** WGS 1984

Soil Map Unit Name: DaB—Decatur silt loam, 2 to 6 percent slopes. **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-001

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Juniperus virginiana	50	☑	52.6%	FACU
2. Pinus taeda	30	☑	31.6%	FAC
3. Quercus marilandica	10	☐	10.5%	UPL
4. Liquidambar styraciflua	5	☐	5.3%	FAC
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	95	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:		
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	35	x 3 =	105	
FACU species	50	x 4 =	200	
UPL species	10	x 5 =	50	
Column Totals:	95	(A)	355	(B)

Prevalence Index = B/A = 3.737

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-002**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75130605450 **Long.:** -87.90238377270 **Datum:** WGS 1984

Soil Map Unit Name: FbF- Fullerton-Bodine complex, 15 to 45 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-002

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.		☐	0.0%	
2.		☐	0.0%	
3.		☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Lonicera sempervirens	20	☑	100.0%	FACU
2.		☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	20	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	80	☑	88.9%	FACU
2. Rubus trivialis	10	☐	11.1%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	90	= Total Cover		
Herb Stratum (Plot size:)				
1.		☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Lonicera periclymenum	10	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	110	x 4 =	440	
UPL species	10	x 5 =	50	
Column Totals:	120	(A)	490	(B)

Prevalence Index = B/A = 4.083

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-002

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-003**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): slope **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75130605450 **Long.:** -87.90238377270 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-003

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	50	☑	100.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	50	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	20	= Total Cover		
Herb Stratum (Plot size:)				
1. Setaria pumila ssp. pumila	5	☐	6.3%	FAC
2. Stenotaphrum secundatum	75	☑	93.8%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	80	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	80	x 3 =	240	
FACU species	20	x 4 =	80	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	320	(B)

Prevalence Index = B/A = 3.200

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-003

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5R	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-004**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74717490000 **Long.:** -87.90706602730 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-004

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Pinus taeda	60	☑	70.6%	FAC
2. Juniperus virginiana	20	☑	23.5%	FACU
3. Celtis laevigata	5	☐	5.9%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	85	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	15	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	5	x 2 =	10	
FAC species	60	x 3 =	180	
FACU species	35	x 4 =	140	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	330	(B)

Prevalence Index = B/A = 3.300

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-004

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-005**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Other **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74768930910 **Long.:** -87.90648185450 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-005

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Ulmus americana	80	☑	88.9%	FACW
2. Cornus florida	10	☐	11.1%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	90	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	80	x 2 =	160	
FAC species	0	x 3 =	0	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	200	(B)

Prevalence Index = B/A = 2.222

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-005

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-006**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74540058180 **Long.:** -87.90216755450 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-006

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	60	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	60	x 5 =	300	
Column Totals:	60	(A)	300	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-006

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-007**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74540058180 **Long.:** -87.90216755450 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-007

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus virginiana	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	20	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.		☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	15	☑	50.0%	FAC
2. Lonicera sempervirens	15	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	105	x 4 =	420	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	465	(B)

Prevalence Index = B/A = 3.875

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-007

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-008**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.7473239008 **Long.:** -87.90213224550 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-008

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus virginiana	20	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	20	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	15	☑	60.0%	FAC
2. Lonicera sempervirens	10	☑	40.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	25	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	115	(A)	445	(B)

Prevalence Index = B/A = 3.870

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-008

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-009**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74358854300 **Long.:** -87.90137030830 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-009

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	60	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	60	x 5 =	300	
Column Totals:	60	(A)	300	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-009

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-010**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74397391740 **Long.:** -87.91024325600 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-010

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	95	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	95	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	95	x 3 =	285	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	285	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-010

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-011**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74681656570 **Long.:** -87.90988633450 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-011

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	95	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	95	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	95	x 3 =	285	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	285	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-011

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-012**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74869793640 **Long.:** -87.91378814550 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-012

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-012

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-013**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74871150000 **Long.:** -87.91559321820 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-013

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-013

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-014**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74561695440 **Long.:** -87.91663993020 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-014

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-014

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-015**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74715954490 **Long.:** -87.92200401750 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-015

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-015

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-016**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74738346930 **Long.:** -87.92469375050 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-016

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-016

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-017**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75034384650 **Long.:** -87.92182121280 **Datum:** WGS 1984

Soil Map Unit Name: ChD - Chisca loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-017

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-017

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5R	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-018**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74628335450 **Long.:** -87.92367320000 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☑ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ◉	No ○	Depth (inches): 3	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-018

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size:)				
1. Rumex crispus	20	☑	50.0%	FAC
2. Cyperus acuminatus	20	☑	50.0%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	40	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	20	x 1 =	20	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	50	(A)	120	(B)

Prevalence Index = B/A = 2.400

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-018

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/1	85	7.5YR	4/8	15	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-019**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74618989090 **Long.:** -87.92358704550 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-019

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-019

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-020**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74599968510 **Long.:** -87.92212051640 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-020

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-020

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-021**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74803124630 **Long.:** -87.93111301870 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** PUBHh

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-021

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-021

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-022**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74724818200 **Long.:** -87.92823100120 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):
Water Table Present?	Yes ○	No ◉	Depth (inches):
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-022

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-022

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-023**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74814083650 **Long.:** -87.93288529800 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-023

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	100	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	100	x 3 =	300	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	300	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-023

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-024**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75045998690 **Long.:** -87.92955641340 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-024

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	65	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	65	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	65	x 5 =	325	
Column Totals:	65	(A)	325	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-024

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-025**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75309167730 **Long.:** -87.93219911240 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-025

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	65	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	65	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	65	x 5 =	325	
Column Totals:	65	(A)	325	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-025

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-026**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75500789560 **Long.:** -87.93270451560 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-026

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-026

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc[2]	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2]Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-027**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75528470910 **Long.:** -87.93523014550 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-027

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	20	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	20	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	5	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	5	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	20	x 2 =	40	
FAC species	5	x 3 =	15	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	335	(B)

Prevalence Index = B/A = 3.526

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-027

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-028**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75693850910 **Long.:** -87.93498842730 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-028

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	25	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	25	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	5	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	5	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	25	x 2 =	50	
FAC species	5	x 3 =	15	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	345	(B)

Prevalence Index = B/A = 3.450

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-028

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100							

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-029**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75832610660 **Long.:** -87.93218760990 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-029

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-029

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-030**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75722792730 **Long.:** -87.93396993640 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-030

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	25	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	25	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	5	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	5	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	25	x 2 =	50	
FAC species	5	x 3 =	15	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	345	(B)

Prevalence Index = B/A = 3.450

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-030

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-031**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75931199990 **Long.:** -87.92963681930 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-031

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-031

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc[2]	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2]Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-032**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75674860000 **Long.:** -87.92931384550 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-032

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	25	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	25	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	5	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	5	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	25	x 2 =	50	
FAC species	5	x 3 =	15	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	345	(B)

Prevalence Index = B/A = 3.450

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-032

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	7.5YR	3/3	100						Loam	
3-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-033**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75709880020 **Long.:** -87.93212794190 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-033

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Celtis laevigata	25	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	25	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	5	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	5	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	25	x 2 =	50	
FAC species	5	x 3 =	15	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	345	(B)

Prevalence Index = B/A = 3.450

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-033

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	7.5YR	3/3	100						Loam	
3-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 27-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-034**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74985205450 **Long.:** -87.92401124550 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-034

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Pinus taeda	70	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	70	x 3 =	210	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	330	(B)

Prevalence Index = B/A = 3.300

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-034

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-035**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75148086360 **Long.:** -87.92476583640 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-035

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Pinus taeda	70	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	70	x 3 =	210	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	330	(B)

Prevalence Index = B/A = 3.300

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-035

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-036**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.74946111180 **Long.:** -87.92573868500 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-036

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Pinus taeda	70	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	70	x 3 =	210	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	330	(B)

Prevalence Index = B/A = 3.300

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-036

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-037**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): slope **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75829732730 **Long.:** -87.93439757270 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-037

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus laurifolia	70	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	15	☑	37.5%	FACU
2. Lonicera sempervirens	25	☑	62.5%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	70	x 2 =	140	
FAC species	0	x 3 =	0	
FACU species	40	x 4 =	160	
UPL species	0	x 5 =	0	
Column Totals:	110	(A)	300	(B)

Prevalence Index = B/A = 2.727

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-037

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loamy Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-038**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.75857964550 **Long.:** -87.93362895450 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-038

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	10	☑	33.3%	FACU
2. Lonicera sempervirens	20	☑	66.7%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	30	(A)	120	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-038

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-039**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76011249090 **Long.:** -87.93386490000 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-039

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	50	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	50	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	60	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	50	x 3 =	150	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	110	(A)	390	(B)

Prevalence Index = B/A = 3.545

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-039

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc[2]	Texture	Remarks
0-2	7.5YR	3/2	100						Clay Loam	
2-16	7.5YR	4/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2]Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-040**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76009568180 **Long.:** -87.93406109090 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 6	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-040

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Salix nigra	20	☑	66.7%	OBL
2. Fraxinus pennsylvanica	10	☑	33.3%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	30	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Cephalanthus occidentalis	60	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	60	= Total Cover		
Herb Stratum (Plot size:)				
1. Lemna minor	10	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	10	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	90	x 1 =	90	
FACW species	10	x 2 =	20	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	110	(B)

Prevalence Index = B/A = 1.100

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-040

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	10YR	3/2	95	5YR	4/6	5			Clay Loam	
3-16	10YR	5/2	85	5YR	4/6	15			Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-041**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76082407270 **Long.:** -87.93445850910 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-041

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus phellos	60	☑	75.0%	FAC
2. Liquidambar styraciflua	20	☑	25.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Cephalanthus occidentalis	10	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	10	x 1 =	10	
FACW species	0	x 2 =	0	
FAC species	80	x 3 =	240	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	250	(B)

Prevalence Index = B/A = 2.778

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-041

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	5/2	90	5YR	4/6	10	C	PL	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-042**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76082699090 **Long.:** -87.93417437270 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-042

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	70	☑	87.5%	FAC
2. Quercus laurifolia	10	☐	12.5%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Lonicera sempervirens	60	☑	85.7%	FACU
2. Rubus trivialis	10	☐	14.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	10	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	80	x 3 =	240	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	160	(A)	540	(B)

Prevalence Index = B/A = 3.375

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-042

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-043**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76260736360 **Long.:** -87.93436279090 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-043

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	80	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	30	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	110	x 3 =	330	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	370	(B)

Prevalence Index = B/A = 3.083

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-043

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-044**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76346021440 **Long.:** -87.93416998420 **Datum:** WGS 1984

Soil Map Unit Name: CeA - Chenneby silt loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-044

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	80	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	30	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	110	x 3 =	330
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	120 (A)		370 (B)

Prevalence Index = B/A = 3.083

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-044

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-045**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76286596370 **Long.:** -87.93235089970 **Datum:** WGS 1984

Soil Map Unit Name: CeA - Chenneby silt loam, 0 to 2 percent slopes, ponded **NWI classification:** PEM1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-045

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	80	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	80	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1. Smilax rotundifolia	30	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	110	x 3 =	330	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	370	(B)

Prevalence Index = B/A = 3.083

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-045

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-046**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76535673640 **Long.:** -87.93322630910 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-046

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Liquidambar styraciflua	80	☑	88.9%	FAC
2. Fraxinus pennsylvanica	10	☐	11.1%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	90	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	80	x 3 =	240	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	260	(B)

Prevalence Index = B/A = 2.889

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-046

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc[2]	Texture	Remarks
0-16	7.5YR	4/3	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2]Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-047**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76419733440 **Long.:** -87.93403184050 **Datum:** WGS 1984

Soil Map Unit Name: CeA - Chenneby silt loam, 0 to 2 percent slopes, ponded **NWI classification:** PEM1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☑ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-047

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Ulmus americana	50	☑	55.6%	FACW
2. Fraxinus pennsylvanica	40	☑	44.4%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	90	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	90	x 2 =	180	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	180	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-047

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	90	5YR	4/6	10	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-048**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76511761620 **Long.:** -87.93350748140 **Datum:** WGS 1984

Soil Map Unit Name: CeA - Chenneby silt loam, 0 to 2 percent slopes, ponded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☑ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-048

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Liquidambar styraciflua	15	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	15	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Xanthium strumarium	70	☑	82.4%	FAC
2. Cephalanthus occidentalis	15	☐	17.6%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15	
FACW species	0	x 2 =	0	
FAC species	85	x 3 =	255	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	270	(B)

Prevalence Index = B/A = 2.700

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-048

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	85	5YR	4/6	15	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-049**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76702158200 **Long.:** -87.93019788940 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-049

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	90	☑	90.0%	UPL
2. Lamium amplexicaule	10	☐	10.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-049

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-050**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76554106620 **Long.:** -87.92752232850 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-050

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	90	☑	90.0%	UPL
2. Lamium amplexicaule	10	☐	10.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-050

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-051**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76661184320 **Long.:** -87.92366875380 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-051

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	90	☑	90.0%	UPL
2. Lamium amplexicaule	10	☐	10.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-051

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-17	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-052**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76542437530 **Long.:** -87.91991759300 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-052

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Glycine max	90	☑	90.0%	UPL
2. Lamium amplexicaule	10	☐	10.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-052

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-053**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76242229090 **Long.:** -87.91596971820 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-053

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Fraxinus pennsylvanica	75	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	75	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	75	x 2 =	150
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	75 (A)		150 (B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-053

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-054**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76095566210 **Long.:** -87.91545354700 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-054

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Fraxinus pennsylvanica	75	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	75	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	75	x 2 =	150	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	75	(A)	150	(B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-054

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-055**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76004338180 **Long.:** -87.91371072730 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-055

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Juniperus virginiana	20	☑	22.2%	FACU
2. Quercus bicolor	20	☑	22.2%	FACW
3. Quercus texana	30	☑	33.3%	OBL
4. Quercus laurifolia	20	☑	22.2%	FACW
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	90	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Lonicera sempervirens	15	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 60.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	30	x 1 =	30	
FACW species	40	x 2 =	80	
FAC species	0	x 3 =	0	
FACU species	35	x 4 =	140	
UPL species	0	x 5 =	0	
Column Totals:	105	(A)	250	(B)

Prevalence Index = B/A = 2.381

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-055

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-056**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76004338180 **Long.:** -87.91275918180 **Datum:** WGS 1984

Soil Map Unit Name: W - water **NWI classification:** PEM1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-056

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Salix nigra	20	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	20	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	20	x 1 =	20	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	20	(A)	20	(B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-056

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-057**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76213060000 **Long.:** -87.91133420910 **Datum:** WGS 1984

Soil Map Unit Name: W - water **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-057

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Fraxinus pennsylvanica	75	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	75		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0		= Total Cover	
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	75	x 2 =	150
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	75 (A)		150 (B)

Prevalence Index = B/A = 2.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-057

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	4/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-058**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77735931380 **Long.:** -87.93388290000 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-058

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	70	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	70	(A)	280	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-058

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-059**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77704516260 **Long.:** -87.92772557170 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-059

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-059

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-060**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77589402590 **Long.:** -87.92202043010 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-060

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	60	x 4 =	240
UPL species	0	x 5 =	0
Column Totals:	60 (A)		240 (B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-060

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100							

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-061**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77695382860 **Long.:** -87.91904488710 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-061

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-061

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-062**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77208796180 **Long.:** -87.90477529910 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-062

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	60	x 4 =	240
UPL species	0	x 5 =	0
Column Totals:	60 (A)		240 (B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-062

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-063**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77255110800 **Long.:** -87.90140706500 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-063

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Juniperus virginiana	25	☑	55.6%	FACU
2. Celtis laevigata	20	☑	44.4%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	45	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	20	x 2 =	40	
FAC species	0	x 3 =	0	
FACU species	65	x 4 =	260	
UPL species	0	x 5 =	0	
Column Totals:	85	(A)	300	(B)

Prevalence Index = B/A = 3.529

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-063

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-064**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77376580910 **Long.:** -87.90427150910 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-064

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-064

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-065**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.77349359640 **Long.:** -87.90567910900 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-065

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-065

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-066**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76724298180 **Long.:** -87.90478404550 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-066

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Juniperus virginiana	20	☑	40.0%	FACU
2. Celtis laevigata	20	☑	40.0%	FACW
3. Quercus nigra	10	☑	20.0%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	50	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	15	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	20	x 2 =	40	
FAC species	10	x 3 =	30	
FACU species	35	x 4 =	140	
UPL species	0	x 5 =	0	
Column Totals:	65	(A)	210	(B)

Prevalence Index = B/A = 3.231

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-066

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	7.5YR	3/3	100						Clay Loam	
3-16	7.5YR	4/6	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-067**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76672597270 **Long.:** -87.90351187270 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-067

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Celtis laevigata	30	☑	42.9%	FACW
2. Quercus nigra	20	☑	28.6%	FAC
3. Pinus taeda	10	☐	14.3%	FAC
4. Ulmus alata	10	☐	14.3%	FACU
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	70	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	30	x 2 =	60	
FAC species	30	x 3 =	90	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	70	(A)	190	(B)

Prevalence Index = B/A = 2.714

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-067

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-068**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76679647270 **Long.:** -87.90594256360 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-068

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Stenotaphrum secundatum	70	☑	77.8%	FAC
2. Lamium amplexicaule	20	☑	22.2%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	70	x 3 =	210	
FACU species	0	x 4 =	0	
UPL species	20	x 5 =	100	
Column Totals:	90	(A)	310	(B)

Prevalence Index = B/A = 3.444

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-068

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 28-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-069**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76617450910 **Long.:** -87.90470178180 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-069

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus palustris	20	☑	50.0%	FACW
2. Ulmus americana	10	☑	25.0%	FACW
3. Celtis laevigata	10	☑	25.0%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	40		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40		= Total Cover	
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0		= Total Cover	
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	40	x 2 =	80	
FAC species	0	x 3 =	0	
FACU species	40	x 4 =	160	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	240	(B)

Prevalence Index = B/A = 3.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-069

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-070**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76559506360 **Long.:** -87.90747775450 **Datum:** WGS 1984

Soil Map Unit Name: FaD - Fullerton gravelly silt loam, 6 to 15 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-070

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Quercus palustris	50	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	50	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Lonicera sempervirens	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	40	= Total Cover		
Shrub Stratum (Plot size:)				
1. Ligustrum sinense	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	50	x 2 =	100	
FAC species	0	x 3 =	0	
FACU species	70	x 4 =	280	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	380	(B)

Prevalence Index = B/A = 3.167

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-070

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-071**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): other **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.78053656330 **Long.:** -87.93483560140 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-071

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Juniperus virginiana	5	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	5	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	60	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	5	x 4 =	20	
UPL species	60	x 5 =	300	
Column Totals:	65	(A)	320	(B)

Prevalence Index = B/A = 4.923

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-071

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-072**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.78064085450 **Long.:** -87.93534819090 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-072

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	60	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	60	x 5 =	300	
Column Totals:	60	(A)	300	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-072

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-073**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.78299642730 **Long.:** -87.93593033640 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-073

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Lonicera japonica	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1. Paspalum notatum	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	30	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-073

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-074**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.78457691230 **Long.:** -87.93524401550 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-074

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Platanus occidentalis	30	☑	50.0%	FACW
2. Celtis laevigata	20	☑	33.3%	FACW
3. Juniperus virginiana	10	☐	16.7%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	60	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Smilax rotundifolia	20	☑	66.7%	FAC
2. Rubus trivialis	10	☑	33.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	50	x 2 =	100	
FAC species	20	x 3 =	60	
FACU species	20	x 4 =	80	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	240	(B)

Prevalence Index = B/A = 2.667

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-074

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-075**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.78456163640 **Long.:** -87.93545243640 **Datum:** WGS 1984

Soil Map Unit Name: PUA - Pruitton and Sullivan silt loams, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-075

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1. Platanus occidentalis	30	☑	50.0%	FACW
2. Celtis laevigata	20	☑	33.3%	FACW
3. Juniperus virginiana	10	☐	16.7%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	60	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Smilax rotundifolia	20	☑	66.7%	FAC
2. Rubus trivialis	10	☑	33.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	50	x 2 =	100	
FAC species	20	x 3 =	60	
FACU species	20	x 4 =	80	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	240	(B)

Prevalence Index = B/A = 2.667

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-075

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-076**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.79056123640 **Long.:** -87.93516309090 **Datum:** WGS 1984

Soil Map Unit Name: EmA - Emory silt Loam, 0 to 2 percent slopes, ponded **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-076

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	60	(A)	240	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-076

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 29-Nov-18

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-E-077**

Investigator(s): Justin Stelly; Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Plain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 34.79321521980 **Long.:** -87.93806079040 **Datum:** WGS 1984

Soil Map Unit Name: DaB- Decatur silt loam, 0 to 2 percent slopes **NWI classification:** None

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-E-077

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Gossypium hirsutum	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	60	x 4 =	240
UPL species	0	x 5 =	0
Column Totals:	60 (A)		240 (B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-E-077

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	3/3	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-1**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 2.0% / 1.1 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.746349 **Long.:** -87.861329 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-1

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1. Pinus taeda	10	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	10	= Total Cover		
Shrub Stratum (Plot size:)				
1. Pinus taeda	10	☑	66.7%	FAC
2. Yucca filamentosa	5	☑	33.3%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size:)				
1. Arundo donax	60	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	60	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	60	x 4 =	240	
UPL species	5	x 5 =	25	
Column Totals:	85	(A)	325	(B)

Prevalence Index = B/A = 3.824

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-3	5YR 4/3	100					Loam	
3-16	2.5YR 3/4	100					Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-F-2

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 2.0% / 1.1 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.742909 **Long.:** -87.858614 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-2

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Pinus taeda	20	☑	50.0%	FAC
2. Rubus trivialis	20	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size:)				
1. Stellaria media	10	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	10	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	20	x 4 =	80	
UPL species	10	x 5 =	50	
Column Totals:	50	(A)	190	(B)

Prevalence Index = B/A = 3.800

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-F-3

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 5.0% / 2.9 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.742197 **Long.:** -87.855881 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 6 to 15 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-3

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Pinus taeda	30	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size:)				
1. Arundo donax	30	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	30	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	30	x 3 =	90
FACU species	30	x 4 =	120
UPL species	0	x 5 =	0
Column Totals:	60 (A)		210 (B)

Prevalence Index = B/A = 3.500

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5YR	3/4	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-F-4

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.747936 **Long.:** -87.862519 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 2 to 6 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-4

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Juncus effusus	85	☑	85.0%	FACW
2. Cyperus acuminatus	15	☐	15.0%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15	
FACW species	85	x 2 =	170	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	185	(B)

Prevalence Index = B/A = 1.850

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-2	10YR	3/2	80	5YR	4/6	20	C	PL	Silty Clay	
2-16	10YR	4/2	80	5YR	4/6	20	C	PL	Silty Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-5**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 2.0% / 1.1 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.747989 **Long.:** -87.862551 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 2 to 6 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present? Yes ○ No ◉ Depth (inches): _____

Water Table Present? Yes ○ No ◉ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ○ No ◉ Depth (inches): _____

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-5

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	65	☑	76.5%	FACU
2. Lonicera japonica	20	☑	23.5%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	65	x 4 =	260	
UPL species	0	x 5 =	0	
Column Totals:	85	(A)	320	(B)

Prevalence Index = B/A = 3.765

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/3						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-6**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Swale **Local relief (concave, convex, none):** concave **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.751895 **Long.:** -87.872236 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton gravelly silt loam, 2 to 6 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-6

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	80	☑	88.9%	FACU
2. Lonicera japonica	10	☐	11.1%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	90	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	80	x 4 =	320	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	350	(B)

Prevalence Index = B/A = 3.889

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	7.5YR	3/3	100						Loam	
3-16	7.5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-F-7

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.765916 **Long.:** -87.898294 **Datum:** WGS 1984

Soil Map Unit Name: Pruitton and Sullivan silt loams, 0-2 percent slopes, occasionally flooded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-7

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	60	☑	70.6%	FACU
2. Lonicera japonica	15	☐	17.6%	FAC
3. Smilax rotundifolia	10	☐	11.8%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	25	x 3 =	75	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	85	(A)	315	(B)

Prevalence Index = B/A = 3.706

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-7

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	3/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** DP-F-8

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** S N/A T N/A R N/A

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76754 **Long.:** -87.900766 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton-Bodine complex, 15 to 45 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Saturation to surface of soil. The source of this wetland is a natural spring that feeds into Mulberry Creek. The water was observed to come out of the ground and flow into the Mulberry Creek and finally just a few thousand feet into the Tennessee River.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Saturation to surface of soil. The source of this wetland is a natural spring that feeds into Mulberry Creek. The water was observed to come out of the ground and flow into the Mulberry Creek and finally just a few thousand feet into the Tennessee River.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-8

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Juncus effusus	70	☑	77.8%	FACW
2. Cyperus acuminatus	20	☑	22.2%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	20	x 1 =	20
FACW species	70	x 2 =	140
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	90 (A)		160 (B)

Prevalence Index = B/A = 1.778

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-8

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/2	80	5YR	4/6	20	C	M	Silty Clay Loam	Mushy Soil.

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-9**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.767672 **Long.:** -87.901007 **Datum:** WGS 1984

Soil Map Unit Name: Fullerton-Bodine complex, 15 to 45 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-9

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	60	☑	75.0%	FACU
2. Smilax rotundifolia	10	☐	12.5%	FAC
3. Sambucus nigra ssp. canadensis	10	☐	12.5%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	80	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	300	(B)

Prevalence Index = B/A = 3.750

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-9

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	4/4	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-10**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.766188 **Long.:** -87.898915 **Datum:** WGS 1984

Soil Map Unit Name: Pruitton and Sullivan silt loams, 0-2 percent slopes, occasionally flooded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):
Water Table Present?	Yes ○	No ◉	Depth (inches):
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-10

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1. Rubus trivialis	60	☑	75.0%	FACU
2. Smilax rotundifolia	10	☐	12.5%	FAC
3. Sambucus nigra ssp. canadensis	10	☐	12.5%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	80	= Total Cover		
Herb Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	20	x 3 =	60	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	300	(B)

Prevalence Index = B/A = 3.750

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-10

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	5YR 4/4	100					Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-11**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.766218 **Long.:** -87.898947 **Datum:** WGS 1984

Soil Map Unit Name: Pruitton and Sullivan silt loams, 0-2 percent slopes, occasionally flooded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

Same spring fed wetland but point taken on other end near Mulberry Creek.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-11

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Carex stricta	90	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	90	x 1 =	90	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	90	(B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-11

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	7.5YR	4/1	85	5YR	4/6	15	C	PL	Silty Clay Loam	mushy soil

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Muscle Shoals **City/County:** Cherokee/Colbert **Sampling Date:** 14-Jan-19

Applicant/Owner: First Solar, Dev., LLC **State:** AL **Sampling Point:** **DP-F-12**

Investigator(s): Justin Stelly, Frank Lewis **Section, Township, Range:** **S** N/A **T** N/A **R** N/A

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0% / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 34.76968 **Long.:** -87.906622 **Datum:** WGS 1984

Soil Map Unit Name: Decatur silt loam, 0 to 2 percent slopes. **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☑ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Low lying point in a corn field. No significant hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: DP-F-12

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size:)				
1. Zea mays	50	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	50	= Total Cover		
Woody Vine Stratum (Plot size:)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	50	x 5 =	250	
Column Totals:	50	(A)	250	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: DP-F-12

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	5YR	4/3	100						Silt Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX B

PHOTOGRAPHIC LOG

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
1	6/1/2016

Item:

DP-A-1 UP

Description:

Upland Vegetation

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
2	6/2/2016

Item:

DP-A-2 UP

Description:

Upland Vegetation

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
3	6/2/2016

Item:

DP-A-3 UP

Description:

Upland Vegetation

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
4	6/2/2016

Item:

DP-A-4 UP

Description:

Upland Vegetation

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
5	6/2/2016

Item:

DP-A-5 UP

Description:

Upland Vegetation

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
6	6/1/2016

Item:

Fence line.

Description:

Southwest property corner near creek.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
7	6/1/2016

Item:

Mulberry Creek

Description:

Creek off southern border.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
8	6/1/2016

Item:

Beaver Dam

Description:

Beaver dam in Mulberry Creek on southern border.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
9	6/2/2016

Item:

Agricultural drainage

Description:

Agricultural drainage ditch start.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
10	6/2/2016

Item:

Agricultural drainage.

Description:

Agricultural drainage ditch followed south.

PHOTOGRAPHIC LOG

Project:	Location:	Project No.
ER Hall Habitat Assessment	Colbert County, Alabama	E515018509

Photo No.	Date:
11	6/2/2016

Item:

Agricultural field depression

Description:

Photo of depressioal area viewed identified from aerial imagery.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
12	08/29/16

Coordinates:

34.77161, -87.91040

Description:

Agricultural drainage and erosion.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
13	08/29/16

Coordinates:

34.77120, -87.91049

Description:

Area of ponded water behind berm. Stunted crops.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
14	08/29/16

Coordinates:

34.77110, -87.91052

Description:

DP-B-1

Herbaceous Vegetation.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
15	08/29/16

Coordinates:

34.77069, -87.91212

Description:

Agricultural drainage.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
16	08/29/16

Coordinates:

34.77054, -87.91386

Description:

DP-B-2

Forested vegetation.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
17	08/29/16

Coordinates:

34.77041, -87.91419

Description:

DP-B-3

Herbaceous vegetation.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
18	08/29/16

Coordinates:

34.76970, -87.91422

Description:

DP-B-4

Herbaceous/Shrub Scrub vegetation.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
19	08/29/16

Coordinates:

34.76970, -87.91422

Description:

Sloping agricultural land.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
20	08/29/16

Coordinates:

34.76979, -87.91187

Description:

Agricultural drainage.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
21	08/29/16

Coordinates:

34.76734, -87.92331

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
22	08/29/16

Coordinates:

34.76756, -87.92351

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
23	08/29/16

Coordinates:

34.76962, -87.92611

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
24	08/29/16

Coordinates:

34.76987, -87.92672

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
25	08/29/16

Coordinates:

34.77012, -87.92749

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
26	08/29/16

Coordinates:

34.76789, -87.92413

Description:

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
27	08/29/16

Coordinates:

34.76974, -87.92359

Description:

S-B-3

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
28	08/29/16

Coordinates:

34.77027, -87.92348

Description:

S-B-3

Agricultural terrace, drainage, and berms.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
29	08/29/16

Coordinates:

34.77069, -87.92349

Description:

S-B-3

Ephemeral drainage in forested area.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
30	08/29/16

Coordinates:

34.77071, -87.92363

Description:

Forested Upland

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
31	08/29/16

Coordinates:

34.76491, -87.90355

Description:

S-B-1

Deeply incised ephemeral drainage.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
32	08/29/16

Coordinates:

34.76459, -87.90377

Description:

S-B-1

Deeply incised ephemeral drainage.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
33	08/29/16

Coordinates:

34.76472, -87.90257

Description:

S-B-1

Deeply incised ephemeral drainage.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
Carter Reid Environmental Assessment	Colbert County, Alabama	E515018517

Photo No.	Date:
34	08/29/16

Coordinates:

34.76477, -87.90272

Description:

S-B-1

Deeply incised ephemeral drainage.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.769419, -87.931855	E515018535

Photo No.	Date:
35	11/16/17

Direction Photo Taken: East

Description:

View of ponded Wetland 1 (DP-C-1) – Palustrine Emergent Wetland facing east.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.7669572, -87.930957	E515018535

Photo No.	Date:
36	11/16/17

Direction Photo Taken: South

Description:

View of Wetland 2 (DP-C-4) Scrub Shrub Wetland facing south.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.771381, -87.917771	E515018535

Photo No.	Date:
37	11/16/17

Direction Photo Taken:
East

Description:

View of Wetland 3 (DP-C-6) – Palustrine Forested Wetland facing east.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.769744, -87.93113	E515018535

Photo No.	Date:
38	11/16/17

Direction Photo Taken:
North

Description:

View of upland pit point DP-C-5 facing north.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.771393, -87.931466	E515018535

Photo No.	Date:
39	11/16/17

Direction Photo Taken:
East

Description:

View of Waterbody 1 (S-C-1) - Ephemeral drainage facing east.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.771371, -87.923204	E515018535

Photo No.	Date:
40	11/16/17

Direction Photo Taken:
North

Description:

View of Waterbody 2 (S-C-2) - Ephemeral ag drainage facing north.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.773164, -87.925690	E515018535

Photo No.	Date:
41	11/16/17

Direction Photo Taken:
West

Description:

View of Waterbody 3 (S-C-3) - Ephemeral Ag Drainage facing west.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.771583, -87.920566	E515018535

Photo No.	Date:
42	11/16/17

Direction Photo Taken:
West

Description:

View of Waterbody 4 (S-C-4) – Ephemeral Drainage facing west.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	34.774433, -87.924255	E515018535

Photo No.	Date:
43	11/16/17

Direction Photo Taken:
East

Description:

View of Waterbody 5 (S-C-5) – Ephemeral Adrainage facing east.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.771300, -87.918533	E515018535

Photo No.	Date:
44	11/16/17

Direction Photo Taken:
North

Description:

View of Waterbody 6 (S-C-6) – Ephemeral Drainage facing north.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	34.761428, -87.919313	E515018535

Photo No.	Date:
45	11/17/17

Direction Photo Taken: West

Description:

View of Waterbody 7 (S-C-7)–Drainage Swale.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.761554, -87.919142	E515018535

Photo No.	Date:
46	11/17/17

Direction Photo Taken: Down

Description:

View of upland pit point DP-C-8 facing down.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
First Solar - Muscle Shoals	34.761460, -87.919293	E515018535

Photo No.	Date:
47	11/17/17

Direction Photo Taken:
South

Description:

View of the southern portion of the Muscle Shoals properties facing south. Tract was currently utilized as a pine plantation.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
48	7/11/2018

Coordinates:
34.784022, -87.968868

Description:
DP-D-1, Forested Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
49	7/11/2018

Coordinates:
34.784176, -87.969067

Description:
DP-D-2, Herbaceous Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
50	7/11/2018

Coordinates:
34.785788, -87.969992

Description:
DP-D-3, Forested Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
51	7/11/2018

Coordinates:
34.787810, -87.970757

Description:
DP-D-4, Herbaceous Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
52	7/11/2018

Coordinates:
34.784149, -87.965276

Description:
DP-D-6, Herbaceous Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
53	7/11/2018

Coordinates:
34.784094, -87.964290

Description:
DP-D-7, Herbaceous Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
54	7/11/2018

Coordinates:
34.789766, -87.971190

Description:
DP-D-11, Forested Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
55	7/11/2018

Coordinates:
34.790651, -87.969758

Description:
DP-D-12, Herbaceous Wetland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 56 | **Date:** 7/11/2018

Coordinates:
34.790336, -87.970632

Description:
DP-D-14, Herbaceous Wetland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 57 | **Date:** 7/12/2018

Coordinates:
34.790974, -87.971541

Description:
DP-D-18, Herbaceous Wetland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 58 | **Date:** 7/12/2018

Coordinates:
34.791030, -87.971536

Description:
DP-D-19, Herbaceous Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 59 | **Date:** 7/12/2018

Coordinates:
34.793456, -87.969178

Description:
DP-D-21, Forested/Shrub scrub Wetland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 60 | **Date:** 7/12/2018

Coordinates:
34.793330, -87.966132

Description:
DP-D-23, Herbaceous Wetland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 61 | **Date:** 7/12/2018

Coordinates:
34.793471, -87.965713

Description:
DP-D-24, Forested Wetland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
62	7/12/2018

Coordinates:
34.793351, -87.965801

Description:
DP-D-25, Forested Upland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
63	7/12/2018

Coordinates:
34.787089, -87.945555

Description:
DP-D-29, Herbaceous Upland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
64	7/12/2018

Coordinates:
34.787151, -87.949692

Description:
DP-D-31, Herbaceous Wetland.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
65	7/12/2018

Coordinates:
34.786915, -87.949483

Description:
DP-D-32, Ag Field Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
66	7/12/2018

Coordinates:
34.776917
-87.965052

Description:
DP-D-35, Forested Upland.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
67	7/11/2018

Coordinates:
34.7876939, -87.970955

Description:
S-D-1, Ephemeral Culvert drainage.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 68 | **Date:** 7/11/2018

Coordinates:
34.78939, -87.96772

Description:
S-D-2, Ephemeral Drain.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No. 69 | **Date:** 7/11/2018

Coordinates:
34.78942, -87.96235

Description:
S-D-3, Ephemeral Drainage.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
70	7/11/2018

Coordinates:
34.79077, -87.96994

Description:
S-D-5, Ephemeral Drainage.

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
71	7/12/2018

Coordinates:
34.786222, -87.952860

Description:
S-D-7, Ephemeral Drainage

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
72	7/12/2018

Coordinates:
34.786433, -87.944369

Description:
S-D-8, Perennial Drainage

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
73	7/12/2018

Coordinates:
34.787932, -87.947545

Description:
S-D-9, Ephemeral Drainage

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
74	7/12/2018

Coordinates:
34.786969, -87.958847

Description:
S-D-11, Ephemeral Drainage

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
75	7/12/2018

Coordinates:
34.778384, -87.962267

Description:
S-D-12, Ephemeral Drainage

PHOTOGRAPHIC LOG

Property Name:	Location:	Project No.
Muscle Shoals	Cherokee, Colbert County, Alabama	E515018535

Photo No.	Date:
76	7/12/2018

Coordinates:
34.777848, -87.965080

Description:
S-D-13, Intermittent Drainage

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
77	11/27/2018

Coordinates: 34.753621, -87.901752

Photo Direction: Southwest

Description:

Stream E-1

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
78	11/27/2018

Coordinates: 34.749653, -87.903108

Photo Direction: Northwest

Description:

DP-E-1, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
79	11/27/2018

Coordinates: 34.751232, -87.902361

Photo Direction: Southwest

Description:

DP-E-2, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
80	11/27/2018

Coordinates: 34.747403, -87.905195

Photo Direction: Southeast

Description:

DP-E-3, Upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
81	11/27/2018

Coordinates: 34.747029, -87.905833

Photo Direction: Southeast

Description:

Excavated ponded area (WET-E-1).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
82	11/27/2018

Coordinates: 34.747160, -87.907067

Photo Direction: Southeast

Description:

DP-E-4, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
83	11/27/2018

Coordinates: 34.747717, -87.906519

Photo Direction: Northwest

Description:

DP-E-5, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
84	11/27/2018

Coordinates: 34.745478, -87.902238

Photo Direction: Northeast

Description:

DP-E-6, Upland cornfield.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
85	11/27/2018

Coordinates: 34.743821, -87.912465

Photo Direction: Northeast

Description:

DP-E-10, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
86	11/27/2018

Coordinates: 34.748577, -87.912339

Photo Direction: Southwest

Description:

Excavated ponded area (WET-E-2).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
87	11/27/2018

Coordinates: 34.748584, -87.912403

Photo Direction: Northwest

Description:

DP-E-12, upland, and pond culvert drain pipe.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
88	11/27/2018

Coordinates: 34.748862, -87.915802

Photo Direction: Northeast

Description:

DP-E-13, upland soils.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
89	11/27/2018

Coordinates: 34.747317, -87.914641

Photo Direction: Northwest

Description:

Excavated ponded area (WET-E-3).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
90	11/27/2018

Coordinates: 34.747792, -87.921156

Photo Direction: Southwest

Description:

Stream E-15 (Mulberry Creek)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
91	11/27/2018

Coordinates: 34.749041, -87.922703

Photo Direction: Northwest

Description:

Stream E-3.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
92	11/27/2018

Coordinates: 34.749280, -87.920676

Photo Direction: Southwest

Description:

DP-E-17, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
93	11/27/2018

Coordinates: 34.748211, -87.920749

Photo Direction: Northeast

Description:

Stream E-4

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
94	11/27/2018

Coordinates: 34.746226, -87.923657

Photo Direction: Southeast

Description:

DP-E-18, PEM wetland (WET-E-1).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
95	11/27/2018

Coordinates: 34.748273, -87.932653

Photo Direction: Northeast

Description:

DP-E-21, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
96	11/27/2018

Coordinates: 34.748028, -87.931800

Photo Direction: Southeast

Description:

Stream E-7

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
97	11/27/2018

Coordinates: 34.750975, -87.935390

Photo Direction: Northeast

Description:

DP-E-24, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
98	11/27/2018

Coordinates: 34.755297, -87.935263

Photo Direction: Northwest

Description:

DP-E-27, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
99	11/27/2018

Coordinates: 34.757499, -87.933274

Photo Direction: North

Description:

DP-E-29, upland cotton field.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
100	11/27/2018

Coordinates: 34.757259, -87.933958

Photo Direction: Northeast

Description:

DP-E-30, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
101	11/27/2018

Coordinates: 34.757050, -87.931071

Photo Direction: Northeast

Description:

DP-E-31, upland cotton field.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
102	11/27/2018

Coordinates: 34.756769, -87.929281

Photo Direction: Northwest

Description:

DP-E-32, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
103	11/28/2018

Coordinates: 34.749886, -87.924008

Photo Direction: Northwest

Description:

DP-E-34, upland forest.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
104	11/28/2018

Coordinates: 34.748280, -87.926631

Photo Direction: Northeast

Description:

DP-E-36, scrub/shrub upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
105	11/28/2018

Coordinates: 34.758306, -87.934379

Photo Direction: Northeast

Description:

DP-E-37, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
106	11/28/2018

Coordinates: 34.758575, -87.933656

Photo Direction: Northeast

Description:

DP-E-38, herbaceous and scrub/shrub upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
107	11/28/2018

Coordinates: 34.759999, -87.933758

Photo Direction: Southwest

Description:

DP-E-39, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
108	11/28/2018

Coordinates: 34.760692, -87.934581

Photo Direction: Southwest

Description:

DP-E-41, PFO wetland (WET-E-8).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
109	11/28/2018

Coordinates: 34.762661, -87.934453

Photo Direction: Southeast

Description:

DP-E-43, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
110	11/28/2018

Coordinates: 34.764084, -87.933685

Photo Direction: Southeast

Description:

DP-E-47, PSS wetland (WET-E-9).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
111	11/28/2018

Coordinates: 34.76412, -87.933826

Photo Direction: Northwest

Description:

DP-E-48, PSS wetland (WET-E-10).

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
112	11/28/2018

Coordinates: 34.767247, -87.930113

Photo Direction: Southwest

Description:

DP-E-49, upland soils.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
113	11/28/2018

Coordinates: 34.767392, -87.926882

Photo Direction: Southeast

Description:

Stream 8 through upland pasture.

Cardno
Shaping the Future

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
114	11/28/2018

Coordinates: 34.767390, -87.926875

Photo Direction: Southeast

Description:

DP-E-50, upland pasture.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
115	11/28/2018

Coordinates: 34.763654, -87.916995

Photo Direction: Northwest

Description:

Stream E-10.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
116	11/28/2018

Coordinates: 34.761040, -87.914450

Photo Direction: Northeast

Description:

DP-E-54, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
117	11/28/2018

Coordinates: 34.760137, -87.913755

Photo Direction: Northwest

Description:

DP-E-55, forested upland.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
118	11/28/2018

Coordinates: 34.762423, -87.912813

Photo Direction: Southeast

Description:

DP-E-56, Williams pond (WET-E-11). Inundation visible on aerial imagery; however, dry at the time of field survey.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
119	11/28/2018

Coordinates: 34.778208, -87.934734

Photo Direction: Southeast

Description:

DP-E-58, upland ag field.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
McWilliams et. al. tracts	Colbert County, Alabama	E515018535

Photo No.	Date:
120	11/28/2018

Coordinates: 34.773805, -87.904250

Photo Direction: Northwest

Description:

DP-E-64, upland ag field.

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
121	01/14/2018

Coordinates:
34.75199, -87.87244

Photo Direction:
Southeast

Description:
Stream 1 – upstream (S-F-1)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
122	01/14/2018

Coordinates:
34.75198, -87.87242

Photo Direction:
northwest

Description:
Stream 1 – Downstream (S-F-1)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
123	01/14/2018

Coordinates:
34.766219, -87.898382

Photo Direction:
Southwest

Description:
Stream 2 – Mulberry Creek, upstream (S-F-2)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
124	01/14/2018

Coordinates:
34.766212, -87.898551

Photo Direction:
Northwest

Description:
Stream 2 – Mulberry Creek, downstream (S-F-2)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
125	01/14/2018

Coordinates:
34.767859, -87.901234

Photo Direction:
Northwest

Description:
Stream 3 –
Upstream (S-F-3)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
126	01/14/2018

Coordinates:
34.767869, -87.901153

Photo Direction:
Southwest

Description:
Stream 3 –
Downstream (S-F-3)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
127	01/14/2018

Coordinates:
34.747943, -87.862452

Photo Direction:
Southeast

Description:
PEM Wetland (WET-F-1)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
128	01/14/2018

Coordinates:
34.767493, -87.900822

Photo Direction:
Southeast

Description:
PEM Wetland (WET-F-2)

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
TVA Transmission Line	Colbert County, Alabama	E515018535

Photo No.	Date:
129	01/14/2018

Coordinates:
34.746468, -87.861210

Photo Direction:
Northwest

Description:
Stream 4, Cane Creek (S-F-4)

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX C

PROJECT MAPPING



Data Source:
ArcGIS Online

1

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study A: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 520 1,040 Feet

0 170 340 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source: ArcGIS Online

2

Image: WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study B: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 425 850 Feet

0 130 260 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd

GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

3

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study B: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 520 1,040 Feet

0 170 340 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

4

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study C: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 390 780 Feet

0 125 250 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source: ArcGIS Online

5

Image: WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study D: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 380 760 Feet

0 120 240 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd

GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

6

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study D: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 340 680 Feet
0 110 220 Meters

Cardno
Shaping the Future
76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

7

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study D: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 260 520 Feet

0 80 160 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

8

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study D: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 140 280 Feet

0 40 80 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

9

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study D: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 170 340 Feet
0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

10

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 225 450 Feet

0 70 140 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

11

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 325 650 Feet

0 100 200 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

12

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 430 860 Feet
0 130 260 Meters

Cardno
Shaping the Future
76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

13

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 230 460 Feet
0 70 140 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source: ArcGIS Online

14

Image: WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 430 860 Feet

0 130 260 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd

GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

15

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 250 500 Feet

0 80 160 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

16

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 280 560 Feet
0 80 160 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

17

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 180 360 Feet
0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

18

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 290 580 Feet
0 90 180 Meters

Cardno
Shaping the Future
76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

19

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 320 640 Feet
0 100 200 Meters

Cardno
Shaping the Future
76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

20

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 240 480 Feet

0 75 150 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

21

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study E: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 520 1,040 Feet

0 170 340 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

22

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 150 300 Feet
0 40 80 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

23

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 170 340 Feet

0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

24

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 175 350 Feet

0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

25

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 170 340 Feet

0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman

Data Source:
ArcGIS Online

26

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 180 360 Feet

0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 1/25/2019 Date Revised: 1/25/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: samuel.waltman



Data Source:
ArcGIS Online

27

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 160 320 Feet

0 50 100 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 3/22/2019 Date Revised: 3/22/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: chad.martin

Data Source:
ArcGIS Online

28

Image:
WGS 1984

Study Areas	Data Points	Wetlands	Streams
Study A	Upland	Forested	Intermittent
Study B	Wetland	Herbaceous	ephemeral
Study C		Scrub/Shrub	perennial
Study D		PUB(x)	
Study E			
Study F			

Study F: Wetlands and Waterbodies

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 230 460 Feet

0 70 140 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 3/22/2019 Date Revised: 3/22/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Muscle Shoals Combined_Working.mxd
GIS Analyst: chad.martin

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX D

ENVIRONMENTAL PERMITTING MATRIX

Permit	Agency	Level	Est. Application Preparation Time	Typical Agency Review Period	Approximate Preparation Cost	Application Submittal Cost	Description	Notes
Pre-Construction: Ecological								
Clean Water Act Section 404 Permit (Wetlands) - NWP 51 - Land-Based Renewable Energy Generation Facilities	United States Army Corps of Engineers-Nashville District (USACE)	Federal	15 days	45-90 days	$10,000.00	NA	Relates to the construction of land based renewable electric generation facilities and attendant features. No more than 1/2 acre of non-tidal waters of the U.S. loss due to the placement or discharge of fill material from construction, expansion, or modification of land-based renewable energy production facilities including attendant features. Limited to loss not greater than 300 linear feet of stream bed. Pre-construction notification required. Crossing of waterbodies by electric transmission lines may be permitted under NWP 12. Each water body crossing may be permitted as an individual and complete project.	As listed on the National Wetland Inventory (NWI), wetlands exists within project boundaries. Some of these wetlands are jurisdictional because of the relation to Mulberry Creek and the Tennessee River. Mitigation requirements may apply depending on wetlands size, jurisdiction and impacts.
Federal Endangered Species Consultations per NEPA	United States Fish and Wildlife Service (USFWS)	Federal	TVA to complete	45-days	NA	N/A	Endangered Species Act (ESA) of 1973 protects endangered and threatened animals and plants and their habitats. The U.S. Fish and Wildlife Service (USFWS) regulations prohibit the taking, possession, transportation, or sale of any of the animal species designated by Federal law as endangered or threatened without the issuance of a permit.	The Indiana bat (Myotis sodalis) was originally listed as being in danger of extinction under the Endangered Species Preservation Act of 1966 (32 FR 4001, March 11, 1967), and is currently listed as endangered under the Endangered Species Act (ESA) of 1973, as amended.
Pre-Construction: Additonal Permits / Notifications								
State Endangered Species Consultations	The Alabama Department of Conservation and Natural Resources - Division of Wildlife and Freshwater Fisheries District 1	State	2-days	45-days	$500.00	N/A	Consultation Letter sent to Alabama Division of Wildlife and Freshwater Fisheries. The collection of animals for scientific or conservation purposes in the State of Alabama will need to apply for a Scientific Collection/State-Listed Species Scientific Collection Permit according to Regulations 220-2-.92 and 220-2-.98. Persons collecting or working with federally endangered or threatened species may need a federal permit in addition to the state permit, which is ALWAYS required. This is true even if activities don't require capture or handling of animals, but may be construed as harassment.	The Indiana bat (Myotis sodalis) was originally listed as being in danger of extinction under the Endangered Species Preservation Act of 1966 (32 FR 4001, March 11, 1967), and is currently listed as endangered under the Endangered Species Act (ESA) of 1973, as amended.
Archeological Review	Alabama Historical Commission (AHC)	State	30-days	30-days	$5,000.00	N/A	Section 106 of the National Historic Preservation Act of 1966 (NHPA) requires construction to take into account the effects of their undertakings on historic properties, and afford the Alabama Historical Commission a reasonable opportunity to comment. The historic preservation review process mandated by Section 106 is outlined in regulations issued by Advisory Council on Historic Preservation (ACHP).	
National Environmental Protection Act (NEPA) Environmental Assessment	Tennessee Valley Authority (via PPA)	Federal	4 to 6-months for draft EA	3 to 6-months for agency review and public comment period	$100,000.00	TBD	TVA incorporates environmental considerations into its decision making processes from concept through implementation. Consideration of environmental aspects of proposed actions are part of each decision making process, consistent with the requirements of NEPA.	Each TVA office is responsible for integrating environmental considerations early in the process to avoid potential delays and minimize potential conflicts. Environmental reports are reviewed at the same time as other planning documents.
Tribal Consultation per NEPA	Local Tribes / BIA	Federal	TVA to complete	45-days	N/A	N/A	Letter of Notification of Intent to commence construction and to determine if there are issues that need to be resolved prior to construction	TVA to conduction Tribal Consultations

Construction: Stormwater								
General NPDES Permit No. ALR100000	Alabama Department of Environmental Management (ADEM)	State	Time to draft SWPPP, site drawing, and USGS Map 30-60 days	30-days (notification of NOI receipt)	$8,000.00 - $12,000.00	TBD	The Clean Water Act and Federal regulations require construction site operators to obtain NPDES permit coverage for regulated land disturbances and associated discharges of stormwater runoff to State waters. Effective April 1, 2011, ADEM established General NPDES Permit No. ALR100000 for discharges associated with regulated construction activity that will result in land disturbance equal to or greater than one acre or from construction activities involving less than one acre and which are part of a common plan of development or sale equal to or greater than one acre.	Operators / owners of all regulated construction sites must implement and maintain effective erosion and sediment controls in accordance a Construction Best Management Practices Plan (CBMPP) prepared and certified by a Qualified Credentialed Professional (QCP). A QCP or Qualified Credentialed Inspector (QCI) conduct regular inspections of regulated construction activities to ensure effective erosion and sediment controls are being maintained. In certain circumstances, the QCI or QCP must also monitor construction site discharges for turbidity
Notice of Intent (NOI) General Permit No. ALR100000	Alabama Department of Environmental Management (ADEM)	State	1-day	Immediate if submitted electronically or 1-week if submitted by mail		TBD	Notice of Intent is the application/notification to the ADEM of the start of construction associated with the NPDES Permit Number ALR100000	
Notice of Termination (NOT) General Permit No. ALR100000	Alabama Department of Environmental Management (ADEM)	State	1-day	Immediate if submitted electronically or 1-week if submitted by mail		TBD	Termination Request is the application/request notifying the ADEM the termination of construction activities associated with the NPDES Permit Number ALR100000	
County Stormwater Permits for Colbert County, AL							Colbert County does not regulate stormwater for construction projects.	Colbert County does not require Storm water permits for Construction. County Engineer John Bedford will be the point of contact for sewer, road, water, and floodplain information. Project site is not within the Floodplain according to available FEMA Floodplain maps so additonal permitting should not be required.

Construction: Infrastruture								
Notification for Aboveground Storage Tanks	Alabama Department of Environmental Management (ADEM)	State	TBD	TBD	TBD	N/A	Alabama has no specific regulations concerning aboveground storage tanks (ASTs). AST owners must complete and submit a notification form to ADEM for each location containing ASTs.	Each local jurisdiction has adopted its own rules governing the design and installation of ASTs. Many of the local fire marshals have adopted NFPA Code 30 and Code 30A that cover AST design and installation; however, others have not. Therefore, owners and operators of ASTs should contact their local fire marshal to find out what rules are followed in their jurisdiction.
Construction: Department of Transportation								
Oversize & Overload Transportation Permit	Alabama Department of Transportation (ALDOT)	State	2-days	Dependent on Permit, blanket permits and single trip permits exist. MDOT also has an automated trip permit service.	$3,000.00	$10.00 - $200.00	For oversized or overweight loads on the state highway system that cannot be divided into loads that would not require a permit. Permit cost depends on duration and materials hauled.	• Width = 12 ft max • Height = 14 ft max • Gross Weight = 150,000 lbs max • Over 100,000 lbs requires routing permi
Superload Transportation Permit	Alabama Department of Transportation (ALDOT)	State						• Exceeds 16 ft width • Exceeds 16 ft height • Exceeds 150 ft length • Exceeds 250,000 lbs gross weight
Permit Agreement for the Accommodation of Utility Facilities on Public Right-of-Way	Alabama Department of Transportation (ALDOT)	State	Permitting will be required for over/under DOT ROW with pipelines or electric transmission lines: TBD					
Operations: Stormwater & Discharge								
Form 3510-11 No Exposure Certification for Exclusion from NPDES Stormwater Permitting	Alabama Department of Environmental Management (ADEM)	State	2-days	TBD	TBD	TBD	Form 3510-11 is used to give notice that a facility does not require permit authorization for its stormwater discharges associated with industrial activity due to the existence of a condition of no exposure.	
Discharges Associated with Petroleum Products Notice of Intent (NOI) General Permit No. ALG340000	Alabama Department of Environmental Management (ADEM)	State	Low	TBD	TBD	TBD	Discharges associated with petroleum products consisting of storm water, hydrostatic testing water, and groundwater discharges resulting from the storage, handling, transportation, spill cleanup, contaminated groundwater, and/or soil remediation and investigation, or other operation involving petroleum and its derivatives an exterior vehicle wash water require NPDES Permit No. ALG340000.	Additional Requirements: Monitoring, NOI, SPCC Plan, BMP measurements. This permit is most likely not required for this project
Other Permits								
Zoning	Colbert County	County	Low	N/A	N/A	N/A	No zoning requirements were identified for Colbert County Alabama	

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX E

BAT HABITAT DATASHEETS

APPENDIX A
PHASE 1 SUMMER HABITAT ASSESSMENTS

INDIANA BAT HABITAT ASSESSMENT DATASHEET

Project Name: First Solar Muscle Shoals Alabama Date: **1-15-2019**

Township/Range/Section: **N/A**

Lat Long/UTM/ Zone: **N/A** Surveyor: **J.Stelly, F. Lewis**

Brief Project Description

First Solar panel installation

Project Area

	Total Acres	Forest Acres	Open Acres
Project	3520	865	2655

Proposed Tree Removal (ac)	Completely cleared	Partially cleared (will leave trees)	Preserve acres- no clearing

Vegetation Cover Types

Pre-Project	Post-Project
Combination of forest, wetlands, ag fields and open areas	Mostly open solar panels

Landscape within 5 mile radius

Flight corridors to other forested areas?

Forested areas along Mulberry Creek and Tennessee River to other forested areas

Describe Adjacent Properties (e.g. forested, grassland, commercial or residencial development, water sources)

Mostly forested & pasture land with some commercial development along eastern boundary

Proximity to Public Land

What is the distance (mi.) from the project area to forested public lands (e.g., national or state forests, national or state parks, conservation areas, wildlife management areas)?

5.4 miles to Natchez Trace Parkway (NPS), 6.72 miles to Key Cave National Wildlife Refuge (NWR), 8.10 miles to Seven Mile Island NWR

Use additional sheets to assess discrete habitat types at multiple sites in a project area

Include a map depicting locations of sample sites if assessing discrete habitats at multiple sites in a project area
A single sheet can be used for multiple sample sites if habitat is the same

Sample Site Description
Sample Site No.(s): B-1 Mulberry Creek riparian zone, decidous forest bounded by young pine forest and pastureland.

Water Resources at Sample Site				
Stream Type (# and length)	Ephemeral	Intermittent	Perennial 1 > 1000'	Describe existing condition of water sources: Perennial stream (Mulbery Creek) 20' wide, 1-2' deep
Pools/Ponds (# and size)	n/a	Open and accessible to bats? n/a		
Wetlands (approx. ac.)	Permanent n/a	Seasonal n/a		

Forest Resources at Sample Site				
Closure/Density	Canopy (> 50 ') 5	Midstory (20-50') 2	Understory (<20') 4	1=1-10%, 2=11-20%, 3=21-40%, 4=41-60%, 5=61-80%, 6=81=100%
Dominant Species of Mature Trees	sycamore, eastern red cedar			
% Trees w/ Exfoliating Bark	10	0	0	
Size Composition of Live Trees (%)	Small (3-8 in) 20	Med (9-15 in) 70	Large (>15 in) 10	
No. of Suitable Snags		2		

Standing dead trees with exfoliating bark, cracks, crevices, or hollows. Snags without these characteristics are not considered suitable.

IS THE HABITAT SUITABLE FOR INDIANA BATS? yes

Additional Comments: Site had 2 suitable trees with large holes and crevices. Size of area is roughly 10 acres (linear along and to about 75' to either side of Mulberry Creek.

Attach aerial photo of project site with all forested areas labeled and a general description of the habitat

Photographic Documentation: habitat shots at edge and interior from multiple locations; understory/midstory/canopy; examples of potential suitable snags and live trees; water sources

Use additional sheets to assess discrete habitat types at multiple sites in a project area

Include a map depicting locations of sample sites if assessing discrete habitats at multiple sites in a project area
A single sheet can be used for multiple sample sites if habitat is the same

Sample Site Description	
Sample Site No.(s): B-2	Mulberry Creek riparian zone, decidous forest bounded by young pine forest and pastureland.

Water Resources at Sample Site				
Stream Type (# and length)	Ephemeral	Intermittent	Perennial 1 > 1000'	Describe existing condition of water sources:
Pools/Ponds (# and size)	n/a	Open and accessible to bats? n/a		Perennial stream (Mulbery Creek) 20' wide, 1-2' deep
Wetlands (approx. ac.)	Permanent n/a	Seasonal n/a		

Forest Resources at Sample Site				
Closure/Density	Canopy (> 50 ') 2	Midstory (20-50') 3	Understory (<20') 1	1=1-10%, 2=11-20%, 3=21-40%, 4=41-60%, 5=61-80%, 6=81=100%
Dominant Species of Mature Trees	swamp chestnut oak, sycamore, sweet gum			
% Trees w/ Exfoliating Bark	10	0	0	
Size Composition of Live Trees (%)	Small (3-8 in) 20	Med (9-15 in) 75	Large (>15 in) 5	
No. of Suitable Snags		0		

Standing dead trees with exfoliating bark, cracks, crevices, or hollows. Snags without these characteristics are not considered suitable.

IS THE HABITAT SUITABLE FOR INDIANA BATS? no

Additional Comments:	No suitable habitat was found in this area. Size of area is roughly 10 acres (linear along and to about 75' to either side of Mulberry Creek.

Attach aerial photo of project site with all forested areas labeled and a general description of the habitat

Photographic Documentation: habitat shots at edge and interior from multiple locations; understory/midstory/canopy; examples of potential suitable snags and live trees; water sources

Use additional sheets to assess discrete habitat types at multiple sites in a project area

Include a map depicting locations of sample sites if assessing discrete habitats at multiple sites in a project area
A single sheet can be used for multiple sample sites if habitat is the same

Sample Site Description
Sample Site No.(s): B-3 Mulberry Creek riparian zone, decidous forest bounded by ag fields and forest.

Water Resources at Sample Site				
Stream Type (# and length)	Ephemeral	Intermittent	Perennial	Describe existing condition of water sources:
			1 > 1000'	Perennial stream (Mulbery Creek) 20' wide, 1-2' deep
Pools/Ponds (# and size)	n/a	Open and accessible to bats?		
		n/a		
Wetlands (approx. ac.)	Permanent	Seasonal		
	n/a	n/a		

Forest Resources at Sample Site				
Closure/Density	Canopy (> 50')	Midstory (20-50')	Understory (<20')	1=1-10%, 2=11-20%, 3=21-40%, 4=41-60%, 5=61-80%, 6=81=100%
	1	5	1	
Dominant Species of Mature Trees	sycamore, cottonwood			
% Trees w/ Exfoliating Bark	10	0	0	
Size Composition of Live Trees (%)	Small (3-8 in)	Med (9-15 in)	Large (>15 in)	
	25	60	15	
No. of Suitable Snags		1		

Standing dead trees with exfoliating bark, cracks, crevices, or hollows. Snags without these characteristics are not considered suitable.

IS THE HABITAT SUITABLE FOR INDIANA BATS? yes

Additional Comments: One large cottonwood with exfoliating bark along Mulberry Creek near Mulberry Lane. Size of area is roughly 10 acres (linear along and to about 75' to either side of Mulberry Creek.

Attach aerial photo of project site with all forested areas labeled and a general description of the habitat

Photographic Documentation: habitat shots at edge and interior from multiple locations; understory/midstory/canopy; examples of potential suitable snags and live trees; water sources

Use additional sheets to assess discrete habitat types at multiple sites in a project area
Include a map depicting locations of sample sites if assessing discrete habitats at multiple sites in a project area
A single sheet can be used for multiple sample sites if habitat is the same

Sample Site Description
Sample Site No.(s): B-4 Evergreen pine forest, bounded by ag fields and grazing pasture land.

Water Resources at Sample Site				
Stream Type (# and length)	Ephemeral	Intermittent	Perennial	Describe existing condition of water sources:
				No stream in area
Pools/Ponds (# and size)	n/a	Open and accessible to bats? n/a		
Wetlands (approx. ac.)	Permanent n/a	Seasonal n/a		

Forest Resources at Sample Site				
Closure/Density	Canopy (> 50 ')	Midstory (20-50')	Understory (<20')	1=1-10%, 2=11-20%, 3=21-40%, 4=41-60%, 5=61-80%, 6=81=100%
	6	3		
Dominant Species of Mature Trees	Pinus taeda, Ligustrum sinense			
% Trees w/ Exfoliating Bark	0	0	0	
Size Composition of Live Trees (%)	Small (3-8 in)	Med (9-15 in)	Large (>15 in)	
	25	75		
No. of Suitable Snags		0		

Standing dead trees with exfoliating bark, cracks, crevices, or hollows. Snags without these characteristics are not considered suitable.

IS THE HABITAT SUITABLE FOR INDIANA BATS? no

Additional Comments: No suitable bat habitat located.

Attach aerial photo of project site with all forested areas labeled and a general description of the habitat

Photographic Documentation: habitat shots at edge and interior from multiple locations; understory/midstory/canopy; examples of potential suitable snags and live trees; water sources

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
First Solar Muscle Shoals	Colbert County, Alabama	E515018535

Photo No.	Date:
1	01/15/2018

Coordinates:
34.748964, -87.907999

Photo Direction:
Southeast

Description:

Potential bat habitat

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
First Solar Muscle Shoals	Colbert County, Alabama	E515018535

Photo No.	Date:
2	01/15/2018

Coordinates:
34.74891, -87.91099

Photo Direction:
Southeast

Description:

Potential bat habitat



PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
First Solar Muscle Shoals	Colbert County, Alabama	E515018535

Photo No.	Date:
3	01/15/2018

Coordinates:
34.756063, -87.900531

Photo Direction:
Northwest

Description:

Potential bat habitat

PHOTOGRAPHIC LOG

Property Name:	County/State:	Project No.
First Solar Muscle Shoals	Colbert County, Alabama	E515018535

Photo No.	Date:
4	06/01/2016

Coordinates:
34.755393, -87.902104

Photo Direction:
Unknown

Description:

Potential vertical karst feature/rocky outcrop.

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX F

VEGETATION ASSESSMENT DATASHEETS

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code: Veg Plot 1 Polygon Code: n/a

Provsnal Community Name: Immature pine plantation

State: Al Site Name: Muscle Shoals

Quad Name: Barton Quad Code: 34087-F8

GPS File Name: N/A Field UTM x: N/A mE Field UTM y: N/A mN

please do not complete the following information when in the field

Corrected UTM x: 416555.63 mE Corrected UTM y: 3845652.53 mN UTM Zone: 16S

Survey Date: 1-15-2019 Surveyors: Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length: N/A Plot Width: N/A Plot photos (y/n): yes Plot Permanent (y/N): N/A

Plot Representatives

yes

Environmental Description

Elevation: N/A Slope: N/A Aspect: N/A

Topographic Position: High slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Young Pine forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	___ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
_X_ Evergreen	_X_ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	_X_ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	_X_ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code Veg Plot 1

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Pinustaeda	4	Rubus	3
		Carpinus caroliniana	3	Chickweed	5

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-2 Polygon Code n/a

Provsnal Community Name Immature pine plantation

State Al Site Name Muscle Shoals

Quad Name Barton Quad Code 34087-F8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 416879.28 mE Corrected UTM y 3845607.46 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: High slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Young Pine forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	___ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
_X_ Evergreen	_X_ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	_X_ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	_X_ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-2

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Pinustaeda	4	Rubus	3
		Carpinus caroliniana	3	Chickweed	5

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-3 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 417489.37 mE Corrected UTM y 3845859.16 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: Mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Decidous forest with a privet understory

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-3

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Liquidambar styraciflua	5	Ligustrum sinense	5		
Pin oak	3				
American elm	3				

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-4 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 417371.19 mE Corrected UTM y 3847234.01 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: High slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Pine forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	___ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
_X_ Evergreen	_X_ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			_X_ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-4

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Pinus taeda	5	Ligustrum sinense	4		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-5 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 417313.13 mE Corrected UTM y 3847485.18 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: Mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Deciduous forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			_X_ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-5

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Quercus rubra	4	Ligustrum sinense	4		
Celtis laevigata	3				

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-6 Polygon Code n/a

Provsnal Community Name Cornfield

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 416538.35 mE Corrected UTM y 3848689.85 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Open corn field, harvested. Dead / winter season

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	loam
silt loam	silt	x clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)

Tree and Shrubs
___ Evergreen
___Cold-decidous
___ Drought-decidous
___ Mixed evergreen-Cold deciduous
___ Mixed evergreen-Drought deciduous

Herbs
_X_ Annual
___ Perennial

Leaf Type (of dominant stratum)

___ Broad-leaved
___ Needle-leaved
___ Microphyllous
___ Graminoid
___ Forb
___ Pteridophyte

Physiognomic class

___ Forest
___ Woodland
___ Shrubland
___ Dwarf Shrubland
___ Herbaceous
___ Non-vascular
___ Sparsely vegetated

Cover Scale for Stratan& unvegetated surface

___ 01 <5%
___ 02 5-15%
___ 03 15-25%
___ 04 25-35%
___ 05 35-45%
___ 06 45-55%
___ 07 55-65%
___ 08 65-75%
___ 09 75-85%
___ 10 85-95%
_X_ 11 95-100%

Height Scale for Strata

_X_ 01 <.5 m
___ 02 0.5-1 m
___ 03 1-2 m
___ 04 2-5 m
___ 05 5-10 m
___ 06 10-15 m
___ 07 15-20 m
___ 08 20-35 m
___ 09 35-50 m
___ 10 >50 m

Plot Code Veg Plot 1

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-7 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 415331.99 mE Corrected UTM y 3848225.32 mN UTM Zone 16S

Survey Date 1-15-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Deciduous forest with privet understory

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			_X_ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-7

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Celtis laevigata	3	Ligustrum sinense	5	Rubus	3
Pin oak	3			Chic week	3
Willow oak	3				

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-8 Polygon Code n/a

Provsnal Community Name Shrubland

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 411365.19 mE Corrected UTM y 3849540.37 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ligustrum sinense forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	_X_ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-8

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Ligustrum sinense	06		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-9 Polygon Code n/a

Provsnal Community Name Ag land

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name N/A Field UTM x N/A mE Field UTM y N/A mN

please do not complete the following information when in the field

Corrected UTM x 411386.37 mE Corrected UTM y 3849440.46 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

N/A

Plot length N/A Plot Width N/A Plot photos (y/n) yes Plot Permanent (y/N) N/A

Plot Representatives

yes

Environmental Description

Elevation N/A Slope N/A Aspect N/A

Topographic Position: mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Dormant wheat field

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			_X_ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-9

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Dormant winter crop land	

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-10 Polygon Code n/a

Provsnal Community Name Shrubland

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 411296.57 mE Corrected UTM y 3850564.61 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ligustrum sinense forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	_X_ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-10

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Ligustrum sinense	06		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-11 Polygon Code n/a

Provsnal Community Name Shrubland

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 411472.93 mE Corrected UTM y 3850588.75 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ligustrum sinense forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	_X_ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-11

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Ligustrum sinense	06		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-12 Polygon Code n/a

Provsnal Community Name Maintained grass

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 411861.84 mE Corrected UTM y 3850289.77 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Cemetary

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
_X_ Perennial			_X_ 11 95-100%	

Plot Code V-12

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Bermuda grass	06

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-13 Polygon Code n/a

Provsnal Community Name Shrubland

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 411803.73 mE Corrected UTM y 3850127.63 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: Hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ligustrum sinense forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	_X_ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	_X_ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-13

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Ligustrum sinense	06		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-14 Polygon Code n/a

Provsnal Community Name Herbaceous pasture

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 413495.20 mE Corrected UTM y 3849836.62 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) no Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

pasture land

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-14

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
		Rubus trivialis	03	Bermuda grass	06

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-15 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 414425.46 mE Corrected UTM y 3847155.26 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Deciduous forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	Well drained
x Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
_X_ Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			_X_ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-15

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Liquidambar styriciflua	06				
Ulmus americana	04				

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-16 Polygon Code n/a

Provsnal Community Name Forest

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 418843.82 mE Corrected UTM y 3844070.30 mN UTM Zone 16S

Survey Date 1-16-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Pine forest

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	___ Broad-leaved	_X_ Forest	___ 01 <5%	___ 01 <.5 m
_X_ Evergreen	_X_ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	___ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	_X_ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
___ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-16

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
Pinus taeda	06	Ligustrum sinense	06		

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-17 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Barton Quad Code 34087-F8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 416995.56 mE Corrected UTM y 3844859.02 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ag field with bermuda grass

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	Well drained
x Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			_X_ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			___ 11 95-100%	

Plot Code V-17

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Bermuda grass	06

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-18 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 414389.10 mE Corrected UTM y 3845983.31 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ag field with rye grass

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-18

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Rye grass	06

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-19 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 411959.47 mE Corrected UTM y 3849010.62 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Ag field with rye grass

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen-Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen-Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-19

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Rye grass	06

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-20 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 412675.50 mE Corrected UTM y 3850548.84 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Dormant cotton field

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-20

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Dormant cotton field	01

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-21 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Cherokee Quad Code 34087-G8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 413590.40 mE Corrected UTM y 3850506.36 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

x Upland
Estuarine
Riverine
Palustrine
Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Dormant cotton field

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-21

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Dormant cotton field	01

Appendix A

Standard Field Form for Data Collection

IDENTIFIERS/LOCATORS

Plot Code V-22 Polygon Code n/a

Provsnal Community Name Ag Field

State Al Site Name Muscle Shoals

Quad Name Barton Quad Code 34087-F8

GPS File Name n/a Field UTM x n/a mE Field UTM y n/a mN

please do not complete the following information when in the field

Corrected UTM x 417714.51 mE Corrected UTM y 3844882.17 mN UTM Zone 16S

Survey Date 1-17-2019 Surveyors Justin Stelly, Frank Lewis

Directions to plot:

n/a

Plot length n/a Plot Width n/a Plot photos (y/n) yes Plot Permanent (y/N) n/a

Plot Representatives

yes

Environmental Description

Elevation n/a Slope n/a Aspect n/a

Topographic Position: mid slope

Landform: hill

Surficial Geology: Organic soil

Cowardin System

- x Upland
- Estuarine
- Riverine
- Palustrine
- Lacustrine

Hydrologic Modifiers

Semipermanently Flooded	Intermittently Flooded	Salinity/Halinity Modifiers
Seasonally Flooded	Permanenetly flooded	Saltwater
Saturated	Permanently flooded-tidal	Brackish
Temporarily Flooded	Tidally Flooded	Freshwater

Environmental Comments:

Dormant cotton field

Soil Description:

UnvegetatedSurface (please use the cover scale next page)

Bedrock	Wood (>1 cm)
Large rocks (.10cm)	x Litter, duf
Smal rocks (0.2-10 cm)	
Sand (0.1-2mm)	Bare soil
Other	

Soil Texture

sand	loamy sand	sandy loam	x loam
silt loam	silt	clay loam	silty clay
clay	peat	muck	

Soil Drainage

Rapidly drained	x Well drained
Moderately well drained	Somewhate poorly drained
Poorly drained	Very poorly drained

Vegetation Description

Leaf phenology (of dominant stratum)	Leaf Type (of dominant stratum)	Physiognomic class	Cover Scale for Stratan& unvegetated surface	Height Scale for Strata
Tree and Shrubs	_X_ Broad-leaved	___ Forest	___ 01 <5%	_X_ 01 <.5 m
___ Evergreen	___ Needle-leaved	___ Woodland	___ 02 5-15%	___ 02 0.5-1 m
___Cold-decidous	___ Microphyllous	___ Shrubland	___ 03 15-25%	___ 03 1-2 m
___ Drought-decidous	___ Graminoid	___ Dwarf Shrubland	___ 04 25-35%	___ 04 2-5 m
___ Mixed evergreen- Cold deciduous	___ Forb	_X_ Herbaceous	___ 05 35-45%	___ 05 5-10 m
	___ Pteridophyte	___ Non-vascular	___ 06 45-55%	___ 06 10-15 m
___ Mixed evergreen- Drought deciduous		___ Sparsely vegetated	___ 07 55-65%	___ 07 15-20 m
			___ 08 65-75%	___ 08 20-35 m
Herbs			___ 09 75-85%	___ 09 35-50 m
_X_ Annual			___ 10 85-95%	___ 10 >50 m
___ Perennial			_X_ 11 95-100%	

Plot Code V-22

Species percent cover. Starting with the uppermost stratum, list all species with % cover for each species in the stratum. For forest and woodlands, on a separate line below each tree species, list the DBH of all trees above 10cm diameter. Separate measurements with a comma. Put an asterisk next to any species that are known diagnostics for a particular community in the classification. Also list species outside the plot at the end of the table or designate with a 0 in Cover Class column

Cover scale for species:
01 < 1% 02 1-5% 03 5-25% 04 25-50% 05 50-75% 06 75-100%

Stratum Species Name	Cover	Stratum Species Name	Cover	Stratum Species Name	Cover
				Dormant cotton field	01

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX G

TVA RAPID ASSESSMENT DATASHEETS

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-B-1	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

1 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [x] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

1 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

15 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [■] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [■] other PLOWED

Metric 4. Habitat Alteration and Development

6 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [■] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [■] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [■] nutrient enrichment

23

Site: Wet-B-1	**Rater(s):** Justin Stely	**Date:** 11/16/2018

23
subtotal previous page

	0
max 10 pts.	subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	2
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [x] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Vegetation Community Cover Scale

0 = Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 = Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 = Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 = Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low = Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod = Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high = A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 = Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 = Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 = Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 = High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 = Absent
1 = Present in very small amounts or if more common of marginal quality
2 = Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 = Present in moderate or greater amounts and of highest quality

25	**GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

Site: Wet-B-2	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

	3
max 6 pts.	subtotal

Metric 1. Wetland Area (size)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [x] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

	8
max 14 pts.	subtotal

Metric 2. Upland Buffers and Surrounding Land Use

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

	24
max 30 pts.	subtotal

Metric 3. Hydrology

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [x] Semi- to permanently inundated/saturated (4)
- [x] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

	18
max 20 pts.	subtotal

Metric 4. Habitat Alteration and Development

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

53

Site: Wet-B-2	**Rater(s):** Justin Stely	**Date:** 11/16/2018

53
subtotal previous page

	0
max 10 pts.	subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	2
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [x] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

55	**GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-B-3	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

2 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

5 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

15 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

18 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

40

Site: Wet-B-3	**Rater(s):** Justin Stely	**Date:** 11/16/2018

40
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 0 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 8 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [x] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [x] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [x] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [x] Amphibian breeding pools

Vegetation Community Cover Scale

0 = Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 = Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 = Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 = Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low = Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod = Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high = A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 = Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 = Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 = Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 = High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 = Absent
1 = Present in very small amounts or if more common of marginal quality
2 = Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 = Present in moderate or greater amounts and of highest quality

48 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-C-1	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 1

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [x] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 8

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 5

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 7

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

21

Site: Wet-C-1	**Rater(s):** Justin Stely	**Date:** 11/16/2018

21
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 9 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 4 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [x] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

34 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-C-2	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

1 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [x] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

8 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

5 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

7 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

21

Site: Wet-C-2	**Rater(s):** Justin Stely	**Date:** 11/16/2018

21
subtotal previous page

	9
max 10 pts.	subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	3
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [x] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [x] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

33	**GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-C-3	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

2 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

8 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

17 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

17 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

44

Site: Wet-C-3	**Rater(s):** Justin Stely	**Date:** 11/16/2018

44
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 9 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 8 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [x] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [x] Vegetated hummocks/tussocks
- [x] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

61 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-D-1; Wet-D-2	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 2

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 1

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 17

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [x] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 3

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [x] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [x] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [x] nutrient enrichment

23

Site: Wet-D-1; Wet-D-2	**Rater(s):** Justin Stely	**Date:** 11/16/2018

23
subtotal previous page

	0
max 10 pts.	subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	4
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

27	**GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

Site: Wet-D-3; Wet-D-4; Wet-D-5	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 2

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 5

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 15

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 4

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [x] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [x] nutrient enrichment

26

Site: Wet-D-3; Wet-D-4; Wet-D-5	**Rater(s):** Justin Stely	**Date:** 11/16/2018

26
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 0 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 4 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

30 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-D-6	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

0 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [x] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

8 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

16 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

16 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

40

Site: Wet-D-6	**Rater(s):** Justin Stely	**Date:** 11/16/2018

40
subtotal previous page

	4
max 10 pts.	subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	4
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

48	**GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-D-7; Wet-D-8	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

0 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [x] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

5 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

15 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

6 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [■] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [■] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [■] nutrient enrichment

26

Site: Wet-D-7; Wet-D-8	**Rater(s):** Justin Stely	**Date:** 11/16/2018

26
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 4 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 4 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

34 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-D-9; Wet-D-10	**Rater(s):** Justin Stelly	**Date:** 11/16/2018

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 2

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 1

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 15

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 6

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [■] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [■] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [■] nutrient enrichment

24

Site: Wet-D-9; Wet-D-10	**Rater(s):** Justin Stely	**Date:** 11/16/2018

24
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 4 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 4 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [ ] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [x] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

32 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-E-6	**Rater(s):** Justin Stelly	**Date:** 12/06/2018

Metric 1. Wetland Area (size)

1 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [x] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

1 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

24 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [x] 100-year floodplain (1)
- [x] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [x] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

11 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [■] mowing
- [■] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

37

Site: Wet-E-6	**Rater(s):** Justin Stelly	**Date:** 12/06/2018

37
subtotal previous page

	3
max 10 pts.	subtotal

3
raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [x] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

	5
max 20 pts.	subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

45
GRAND TOTAL (max 100 pts)

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-E-7	**Rater(s):** Justin Stelly	**Date:** 12/06/2018

Metric 1. Wetland Area (size)

max 6 pts. | 1 subtotal

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [x] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | 8 subtotal

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | 19 subtotal

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | 14 subtotal

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

42

Site: Wet-E-7	**Rater(s):** Justin Stelly	**Date:** 12/06/2018

42
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 9 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 8 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [x] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

59 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-E-8	**Rater(s):** Justin Stelly	**Date:** 12/10-2018

Metric 1. Wetland Area (size)

2 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

8 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

19 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

14 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

43

Site: Wet-E-8	**Rater(s):** Justin Stelly	**Date:** 12/10/2018

43
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 9 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [x] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 7 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [ ] Emergent
- [ ] Shrub
- [x] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Vegetation Community Cover Scale

0 = Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 = Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 = Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 = Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low = Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod = Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high = A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 = Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 = Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 = Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 = High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 = Absent
1 = Present in very small amounts or if more common of marginal quality
2 = Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 = Present in moderate or greater amounts and of highest quality

59 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

Site: Wet-E-9	**Rater(s):** Justin Stelly	**Date:** 12/10-2018

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 3

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [x] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [ ] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 8

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 19

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 14

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

44

Site: Wet-E-9	**Rater(s):** Justin Stelly	**Date:** 12/10/2018

44
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 5 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 8 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [x] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

57 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: Wet-E-10	**Rater(s):** Justin Stelly	**Date:** 12/10-2018

Metric 1. Wetland Area (size)

2 (max 6 pts. / subtotal)

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [x] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

8 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [x] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [x] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

19 (max 30 pts. / subtotal)

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [x] Precipitation (1) [unless BR/CM primary source (5)]
- [x] Seasonal/intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [x] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [x] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

17 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

46

Site: Wet-E-10	**Rater(s):** Justin Stelly	**Date:** 12/10/2018

46
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. 5 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [x] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. 8 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [x] Emergent
- [x] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [x] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

58 **GRAND TOTAL (max 100 pts)**

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: TVA Line Wet-F-1	**Rater(s):** Justin Stelly	**Date:** 01/23/2019

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 1

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- ☐ >50 acres (>20.2 ha) (6 pts)
- ☐ 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- ☐ 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- ☐ 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- ☐ 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- ☒ 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- ☐ <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 14

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- ☒ WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- ☐ MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- ☐ NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- ☐ VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- ☒ VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- ☐ LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- ☐ MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- ☐ High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 24

3a. Sources of water. Score all that apply.

- ☐ High pH groundwater (5)
- ☐ Other groundwater (3) [BR/CM (5)]
- ☐ Precipitation (1) [unless BR/CM primary source (5)]
- ☐ Seasonal/intermittent surface water (3)
- ☒ Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- ☒ 100-year floodplain (1)
- ☐ Between stream/lake and other human use (1)
- ☐ Part of wetland/upland (e.g., forest), complex (1)
- ☐ Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- ☐ >0.7 m (27.6 in.) (3)
- ☐ 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- ☒ <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- ☒ Semi- to permanently inundated/saturated (4)
- ☐ Regularly inundated/saturated (3) [BR/CM (4)]
- ☐ Seasonally inundated (2) [BR/CM (4)]
- ☐ Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- ☒ None or none apparent (12)
- ☐ Recovered (7)
- ☐ Recovering (3)
- ☐ Recent or no recovery (1)

Check all disturbances observed

☐ ditch	☐ point source (nonstormwater)
☐ tile (including culvert)	☐ filling/grading
☐ dike	☐ road bed/RR track
☐ weir	☐ dredging
☐ stormwater input	☐ other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 19

4a. Substrate disturbance. Score one or double check and average.

- ☒ None or none apparent (4)
- ☐ Recovered (3)
- ☐ Recovering (2)
- ☐ Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- ☐ Excellent (7)
- ☒ Very good (6)
- ☐ Good (5)
- ☐ Moderately good (4)
- ☐ Fair (3)
- ☐ Poor to fair (2)
- ☐ Poor (1)

4c. Habitat alteration. Score one or double check and average.

- ☒ None or none apparent (9)
- ☐ Recovered (6)
- ☐ Recovering (3)
- ☐ Recent or no recovery (1)

Check all disturbances observed

☐ mowing	☐ shrub/sapling removal
☐ grazing	☐ herbaceous/aquatic bed removal
☐ clearcutting	☐ woody debris removal
☐ selective cutting	☐ sedimentation
☐ farming	☐ dredging
☐ toxic pollutants	☐ nutrient enrichment

Site: TVA LINE WET-F-1	**Rater(s):** Justin Stelly	**Date:** 01/23/2019

subtotal previous page

max 10 pts. subtotal

raw score*

Metric 5. Special Wetlands

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [ ] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

max 20 pts. 7 subtotal

Metric 6. Plant Communities, Interspersion, Microtopography

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [X] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

Vegetation Community Cover Scale

0 =	Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 =	Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 =	Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 =	Present and comprises a significant part or more of wetland's vegetation and is of high quality

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [X] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

Narrative Description of Vegetation Quality

low =	Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod =	Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high =	A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [X] Absent (1)

Mudflat and Open Water Class Quality

0 =	Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 =	Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 =	Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 =	High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [ ] Amphibian breeding pools

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 =	Absent
1 =	Present in very small amounts or if more common of marginal quality
2 =	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 =	Present in moderate or greater amounts and of highest quality

65 = CAT 3

GRAND TOTAL (max 100 pts)

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

TENNESSEE VALLEY AUTHOROITY RAPID ASSESSMENT MEHTOD: Assessing Wetland Condition, Functional Capacity, Quality
TVARAM FIELD FORM

Site: TVA Line Wet-F-2	**Rater(s):** Justin Stelly	**Date:** 01/23/2019

Metric 1. Wetland Area (size)

max 6 pts. | subtotal: 2

Notes: BR/CM = adjusted points for Blue Ridge and Cumberland Mountains. If an open water body (excluding aquatic beds and seasonal mudflats) is >20 acres (8 ha), then add only 0.5 acre (0.2 ha) of it to the wetland size for Metric 1.

Select one size class and assign score.

- [ ] >50 acres (>20.2 ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2 ha) (5) [BR/CM (6)]
- [ ] 10 to <25 acres (4 to <10.1 ha) (4) [BR/CM (6)]
- [ ] 3 to <10 acres (1.2 to <4 ha) (3) [BR/CM (5)]
- [X] 0.3 to <3 acres (0.1 to <1.2 ha) (2) [BR/CM (3)]
- [ ] 0.1 to <0.3 acre (0.04 to <0.1 ha) (1) [BR/CM (2)]
- [ ] <0.1 acre (0.04 ha) (0)

Sources/assumptions for size estimate (list):

Metric 2. Upland Buffers and Surrounding Land Use

max 14 pts. | subtotal: 14

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [X] WIDE. Buffers average 50 m (164 ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25 m to <50 m (82 to <164 ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10 m to <25 m (32 ft to <82 ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10 m (<32 ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [X] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young 2nd growth forest (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field (3)
- [ ] High. Urban, industrial, open pasture, row cropping, mining, construction (1)

Metric 3. Hydrology

max 30 pts. | subtotal: 24

3a. Sources of water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3) [BR/CM (5)]
- [ ] Precipitation (1) [unless BR/CM primary source (5)]
- [ ] Seasonal/intermittent surface water (3)
- [X] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [X] 100-year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g., forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select only one and assign score.

- [ ] >0.7 m (27.6 in.) (3)
- [ ] 0.4 to 0.7 m (16 to 27.6 in.) (2) [BR/CM (3)]
- [X] <0.4 m (<16 in.) (1) [BR/CM 0.15 to 0.4 m (6 to <16 in.) (2)]

3d. Duration inundation/saturation. Score one or dbl. check & avg.

- [X] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3) [BR/CM (4)]
- [ ] Seasonally inundated (2) [BR/CM (4)]
- [ ] Seasonally saturated in upper 30 cm (12 in.) (1) [BR/CM (2)]

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [X] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile (including culvert)
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] other _____

Metric 4. Habitat Alteration and Development

max 20 pts. | subtotal: 20

4a. Substrate disturbance. Score one or double check and average.

- [X] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [x] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [X] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] farming
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] woody debris removal
- [ ] sedimentation
- [ ] dredging
- [ ] nutrient enrichment

60

Site: TVA LINE WET-F-2	**Rater(s):** Justin Stelly	**Date:** 01/23/2019

60
subtotal previous page

Metric 5. Special Wetlands

max 10 pts. | 5 subtotal

raw score*

*If the documented raw score for Metric 5 is 30 points or higher, the site is automatically considered a Category 3 wetland.

Select all that apply. Where multiple values apply in row, score row as single feature with highest point value. Provide documentation for each selection (photos, checklists, maps, resource specialist concurrence, data sources, references, etc).

- [ ] Bog, fen, wet prairie (10); acidophilic veg., mossy substrate >10 sq.m, sphagnum or other moss (5); muck, organic soil layer (3)
- [ ] Assoc. forest (wetl. &/or adj. upland) incl. >0.25 acre (0.1 ha); old growth (10); mature >18 in. (45 cm) dbh (5) [exclude pine plantation]
- [X] Sensitive geologic feature such as spring/seep, sink, losing/underground stream, cave, waterfall, rock outcrop/cliff (5)
- [ ] Vernal pool (5); isolated, perched, or slope wetland (4); headwater wetland [1st order perennial or above] (3)
- [ ] Island wetland >0.1 acre (0.04 ha) in reservoir, river, or perennial water >6 ft (2 m) deep (5)
- [ ] Braided channel or floodplain/terrace depressions (floodplain pool, slough, oxbow, meander scar, etc.) (3)
- [ ] Gross morph. adapt. in >5 trees >10 in. (25 cm) dbh: buttress, multitrunk/stool, stilted, shallow roots/tip-up, or pneumatophores (3)
- [ ] Ecological community with global rank (NatureServe): G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier]
- [ ] Known occurrence state/federal threatened/endangered species (10); other rare species with global rank G1*(10), G2*(5), G3*(3) [*use higher rank where mixed rank or qualifier] [exclude records which are only "historic"]
- [ ] Superior/enhanced habitat/use: migratory songbird/waterfowl (5); in-reservoir buttonbush (4); other fish/wildlife management/designation (3)
- [ ] Cat. 1 (very low quality) : <1 acre (0.4 ha) AND EITHER >80% cover of invasives OR nonvegetated on mined/excavated land (-10)

Metric 6. Plant Communities, Interspersion, Microtopography

max 20 pts. | 10 subtotal

6a. Wetland vegetation communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [X] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water <20 acres (8 ha)
- [ ] Moss/lichen. Other _____

6b. Horizontal (plan view) interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high (4) [BR/CM (5)]
- [X] Moderate (3)[BR/CM (5)]
- [ ] Moderately low (2) [BR/CM (3)]
- [ ] Low (1) [BR/CM (2)]
- [ ] None (0)

6c. Coverage of invasive plants.
Add or deduct points for coverage.

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [X] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [ ] Vegetated hummocks/tussocks
- [ ] Coarse woody debris >15 cm (6 in.)
- [ ] Standing dead >25 cm (10 in.) dbh
- [X] Amphibian breeding pools

Vegetation Community Cover Scale

0 = Absent or <0.1 ha (0.25 acre) contiguous acre [For BR/CM <0.04 ha (0.1 acre)]
1 = Present and either comprises a small part of wetland's vegetation and is of moderate quality, or comprises a significant part but is of low quality
2 = Present and either comprises a significant part of wetland's vegetation and is of moderate quality, or comprises a small part and is of high quality
3 = Present and comprises a significant part or more of wetland's vegetation and is of high quality

Narrative Description of Vegetation Quality

low = Low species diversity &/or dominance of nonnative or disturbance tolerant native species
mod = Native species are dominant component of the vegetation, although nonnative &/or disturbance tolerant native species can also be present, and species diversity moderate to moderately high, but generally w/o presence of rare, threatened or endangered species
high = A predominance of native species with nonnative sp &/or disturbance tolerant native sp absent or virtually absent, and high sp diversity and often but not always, the presence of rate, threatened, or endangered species

Mudflat and Open Water Class Quality

0 = Absent <0.1 ha (0.25 acres) [For BR/CM <0.04 ha (0.1 acre)]
1 = Low 0.1 to <1 ha (0.25 to 2.5 acres) [BR/CM 0.04 to <0.2 ha (0.1 to 0.5 acre)]
2 = Moderate 1 to <4 ha (2.5 to 9.9 acres) [BR/CM 0.2 to <02 ha (0.5 to 5 acre)]
3 = High 4 ha (9.9 acres) or more [BR/CM 2 ha (5 acres) or more]

Hypothetical Wetland for Estimating Degree of Interspersion



Microtopography Cover Scale

0 = Absent
1 = Present in very small amounts or if more common of marginal quality
2 = Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3 = Present in moderate or greater amounts and of highest quality

75 = CAT 3

GRAND TOTAL (max 100 pts)

0- 29 = Category 1, low wetland function, condition, quality**
30- 59 = Category 2, good/moderate wetland function, condition, quality**
60-100 = Category 3, superior wetland function, condition, quality**

**Based on ORAM Score Calibration Report for the scoring breakpoints between wetland categories: http://www.epa.state.oh.us/dsw/401/401.html

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX H

USFWS IPAC OFFICIAL SPECIES LIST

United States Department of the Interior

FISH AND WILDLIFE SERVICE
Alabama Ecological Services Field Office
1208 B Main Street
Daphne, AL 36526-4419
Phone: (251) 441-5181 Fax: (251) 441-6222

In Reply Refer To: February 13, 2019
Consultation Code: 04EA1000-2019-SLI-0467
Event Code: 04EA1000-2019-E-01269
Project Name: First Solar Muscle Shoals Environmental Assessments

Subject: List of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. Please note that new information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 et seq.).

Note that due to the volume of emails received by our office, we cannot accept project consultation requests by email.

Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Also note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the process and consultation under the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to utilize their authorities to carry out programs

for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 et seq.), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (http://www.fws.gov/windenergy/) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at:

http://www.fws.gov/migratorybirds/pdf/management/usfwscommunicationtowerguidance.pdf

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

We can be reached at:

US Fish and Wildlife Service

1208 Main Street

Daphne, AL 36526

Attachment(s):

- Official Species List

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

Alabama Ecological Services Field Office
1208 B Main Street
Daphne, AL 36526-4419
(251) 441-5181

Project Summary

Consultation Code: 04EA1000-2019-SLI-0467

Event Code: 04EA1000-2019-E-01269

Project Name: First Solar Muscle Shoals Environmental Assessments

Project Type: ** OTHER **

Project Description: Cardno was contracted by First Solar Development, LLC (First Solar) to conduct an environmental
assessment on multiple properties consisting of 3,755 acres, referenced as the Muscle Shoals Properties (Project). The Project consists of five groups of properties and a Tennessee Valley Authority (TVA) transmission line right-of-way (ROW) (designated as studies A-F) in Colbert County, Alabama that were surveyed by Cardno from June 2016 to January 2019. The tasks performed as part of this environmental assessment included a review of threatened and endangered (T&E) species, potential Cultural resources, vegetation assessments and a delineation of potential waters of the United States (WOUS).

Project Location:

Approximate location of the project can be viewed in Google Maps: https://www.google.com/maps/place/34.767109983874015N87.9186057516298W

Counties: Colbert, AL

Endangered Species Act Species

There is a total of 14 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries[1], as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

---

1. NOAA Fisheries, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Mammals

NAME	STATUS
Gray Bat *Myotis grisescens* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/6329	Endangered
Indiana Bat *Myotis sodalis* There is **final** critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/5949	Endangered
Northern Long-eared Bat *Myotis septentrionalis* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9045	Threatened

Fishes

NAME	STATUS
Alabama Cavefish *Speoplatyrhinus poulsoni* There is **final** critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/50	Endangered

Clams

NAME	STATUS
Dromedary Pearlymussel *Dromus dromas* Population: Wherever found; Except where listed as Experimental Populations No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/6377	Endangered
Fanshell *Cyprogenia stegaria* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/4822	Endangered
Orangefoot Pimpleback (pearlymussel) *Plethobasus cooperianus* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1132	Endangered
Pink Mucket (pearlymussel) *Lampsilis abrupta* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/7829	Endangered
Ring Pink (mussel) *Obovaria retusa* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/4128	Endangered
Rough Pigtoe *Pleurobema plenum* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/6894	Endangered
Sheepnose Mussel *Plethobasus cyphyus* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/6903	Endangered
Snuffbox Mussel *Epioblasma triquetra* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/4135	Endangered
Spectaclecase (mussel) *Cumberlandia monodonta* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/7867	Endangered
White Wartyback (pearlymussel) *Plethobasus cicatricosus* No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/2549	Endangered

Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX I

BAT HABITAT TECHNICAL MEMORANDUM

Technical Memorandum

Date March 19, 2019

To: Russell W. Kiesling, PMP, First Solar Development

cc: Cardno File

From: Chad Martin, Cardno Inc.

RE: **Bat Habitat Desktop Analysis for the Muscle Shoals Solar Facility**

1.0 Introduction

Cardno completed a desktop environmental assessment and site survey to document potential summer roosting or foraging habitat corridors for federally listed bat species, specifically the Indiana bat and northern long-eared bat. During literature review, Cardno scientists contacted the Auburn University Museum of Natural History, ANHP which maintains a database of rare species and natural communities and includes information regarding bats and threatened and endangered species. Consultation with the ANHP did not identify any bat or threatened or endangered species critical habitat or occurrences within the Project boundary or within 1 mile of the Project.

Cardno conducted onsite bat habitat surveys as defined in USFWS 2018 Range-wide Indiana Bat Summer Survey Guidelines (also applicable to Northern Long-eared Bat). Cardno scientists traversed the area at a casual pace looking for suitable habitat. Upon identifying potential habitat the team logged the location using GPS, marked potential habitat trees with red flagging tape, photographed the location and completed a Phase 1 Habitat Assessment form. Cardno determined that potential roosting and/or foraging habitat may exist along the Mulberry Creek riparian corridor. Other forested blocks, such as the 275 acre McWilliams tract (Figure 1 and 2), were ruled out as potential roosting or foraging habitat based on the fact that this tract is a planted loblolly pine plantation. This monoculture stand of trees is estimated at approximately 20-years old. The stand did not contain dead snags or old age pine trees that may develop loose bark, suitable for roosting.

Habitat consisting of a mosaic of forest types (including mature forest and other age classes) and non-forest habitats (e.g., grasslands, wetlands, scrub-shrub etc.) will produce a landscape conducive to multiple bat species. However, the size and juxtaposition of patches are also critical to meeting life history requirements of many species. Forests with trees of varying age, a diverse understory, and diversity of stand tree densities is important to most bats. Bats prefer to roost in large-diameter trees and snags, which generally persist longer than smaller snags and can support more roosting bats (Russo et al. 2004, Baker and Lacki 2006, Kalcounis-Rüppell et al. 2005, Lacki et al. 2012).

Thus, on a landscape scale, a mosaic of forest vegetation around hibernation and maternity sites generally is desirable, whether natural or managed through silviculture. Timber harvest can be used to create openings to provide more sunlight to potential roost trees or improve foraging habitat for some species. Harvest prescriptions that maintain more canopy cover can be desirable for other, more clutter-adapted species. Because of the diversity of bat species' foraging and roosting requirements, a staggered mix of silvicultural treatments and exclusion areas may be required within large timber production forests to sustain high levels of bat diversity on a landscape scale (Law et al. 2016).

Managed monoculture pine plantation stands, such as the McWilliams tract, provide poor-quality bat habitat. Pine plantations are densely planted (e.g., typically 675 to 750, or more, trees per acre) and are comprised of single-age or similar age class timber. They are typically managed for timber production with, depending on the product, a uniform, planned endpoint. Maximum stocking rates and short rotations result in the forfeiture of structural diversity in exchange for elevated rates of wood productivity. Plantation productivity may be further enhanced through the use of genetically improved stock, fertilization, extensive site preparation, and reduction of competition. These management actions prohibit variably stocked stands, layers of understory and midstory vegetation, and longer rotations that enhance and maintain habitat traits required by many forest-dependent wildlife species (USFWS 2015).

Indiana bats forage in and around the tree canopy of floodplain, riparian and upland forests. Within floodplain forests Indiana bats show a preference for areas where canopy closure ranges from 30% to 70%. Streams, associated floodplain forests, and impounded bodies of water are preferred foraging habitats for pregnant and lactating Indiana bats, which may fly up to 1.5 miles from upland roosts to feed. In general, Indiana bats forage within the canopy of upland forests, over clearings with early successional vegetation, along the borders of croplands, along wooded fence rows and over farm ponds in pastures. Indiana bats use larger trees with hollows or loose bark for their summer roosts and maternity colonies.

The riparian and forested buffer adjacent to Mulberry Creek (See attached Map) consists of multi-species trees of varying age class, significant and diverse understory, adjacent agricultural fields, as well as access to a constant water source. The identification of large snags and other roosting trees as well as a potential vertical karst feature adjacent to Mulberry Creek (Figure 3), indicates ideal summer habitat for bats that may be present in the vicinity of the proposed solar facility. Although the identified potential vertical karst feature could provide summer roosting habitat, it is unlikely that this feature provides a winter hibernaculum, due to its location within the high banks of Mulberry Creek, and the absence of observed guano stains at the time of field site visits. Additionally, Cardno identified secondary or lower quality foraging and roosting habitat in isolated and outlying multi-age class forested blocks. These blocks range in size from 17 to 84 acres in size and are composed of large trees, scrub/shrub, and herbaceous layers of vegetation. Several of these outlying sites contain isolated wetlands or seasonal streams. These areas in combination with open agricultural fields and proximity to Mulberry Creek may likely be considered suitable bat foraging habitat.

Bats and the habitats where they are known to occur are protected by the Endangered Species Act (ESA). Under Section 9 of the ESA, it is unlawful for any person to "take" an endangered species. The term "take" is defined as, "to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct." "Harm" is further defined to include "significant habitat modification or degradation where it actually kills or injures wildlife by significantly impacting essential behavioral patterns, including breeding, feeding, or sheltering."

In general, activities that impact suitable Indiana bat habitat have the potential to result in take. One of the most common activities impacting Indiana bat habitat is tree clearing during the summer season. Typically, incidental take associated with tree removal (i.e., trimming, cutting, girdling, burning) can be avoided by scheduling these activities during the winter hibernation period (October 1 through March 31), when Indiana bats have departed from summer habitat. As long as the scope of winter tree removal, in terms of acres, is not significant enough to constitute "harm," effects to Indiana bats can be kept minimal or beneficial.

The deciduous forests within the proposed Muscle Shoals Solar Facility has not been surveyed for the presence/absence of bats, specifically Indiana and northern long-eared bats. Winter hibernaculum is not

known within the surrounding area and therefore it may be unlikely that a summer population exists at the site or uses the area for foraging. Without presence/absence surveys, selective tree clearing could be completed outside of the summer months and not have an effect upon bats and not require federal permitting for endangered species.

In the State of Alabama, avoidance measures for all proposed projects that may impact suitable Indiana bat habitat should follow the procedures outlined in the Range-wide Indiana Bat Protection and Enhancement Plan Guidelines (July 2009), which were developed by a team comprised of the U.S. Fish and Wildlife Service, Office of Surface Mining, and a group of Regulatory Authorities representing the Interstate Mining Compact Commission. While the purpose of these guidelines is to aid coal mining applicants in understanding the options and protocols associated with assuring compliance with the 1996 Biological Opinion on implementation of the Surface Mining Control and Reclamation Act (SMCRA), they are equally applicable to other land-clearing projects within the State. The following guidance is provided for proposed projects in Alabama:

October 15 to March 31

Tree clearing should only occur from October 15 to March 31 on proposed project areas that: (a) Are within a 5 mile radius of a maternity capture record and no hibernaculum exists within a 5 mile radius of the project area; or (b) Are within a 2.5 mile radius of a male capture record and no hibernaculum exists within a 5 mile radius of the project area; or (c) Are within a 2.5 mile radius of a known maternity tree and no hibernaculum exists within a 5 mile radius of the project area; or (d) Contain potential summer habitat, Indiana bat presence is assumed, and no hibernaculum exists within a 5 mile radius of the project area.

November 15 to March 31

Tree clearing should only occur from November 15 to March 31 on proposed project areas that: (a) Contain caves, underground mine workings, rock shelters, bridges, tunnels, dams, and other underground openings where Indiana bats have been recorded; or (b) Are within a 10 mile radius of a P1 or P2 hibernaculum; or (c) Are within a 5 mile radius of a P3 or P4 hibernaculum.

2.0 References

Baker, M. and M. Lacki. 2006. Day-Roosting Habitat of Female Long-Legged Myotis in Ponderosa Pine Forests. Journal of Wildlife Management 70:207-215

Allison. 2009. Biological Evaluation for Upper Brushy Stewardship Project Commercial Thinning Bankhead National Forest Winston County. USDA Forest Service. 19 pp.

Kalcounis-Rüppell, M.C., J. Psyllakis, and R.M. Brigham. 2005. Tree roost selection by bats: an empirical synthesis using meta-analysis. Wildlife Society Bulletin 33:1123–1132.

Lacki, M.J, M.D. Baker, and J.S. Johnson. 2012. Temporal dynamics of roost snags of long-legged myotis in the Pacific Northwest, USA. Journal of Wildlife Management 76:1310–1316.

Law, B., K.J. Park, and M.J. Lacki. 2016. Insectivorous bats and silviculture: balancing timber production and bat conservation. Pp. 105-150 in: Bats in the Anthropocene: Conservation of Bats in a Changing World. Springer International Publishing. 606 pp.

USFWS. April 2015. A Key to Northern Long-eared Bat Interim 4(d) Rule for non-Federal Projects. Web site: https://www.fws.gov/mountain-prairie/ea/KeyInterim4dRule_March2015.pdf. Accessed February 8, 2019.



N

Data Source:
Bing Maps Aerial

Image:
WGS 1984

Bat Habitat Assessment

First Solar Muscle Shoals Environmental Assessment
Colbert County, Alabama

0 1,100 2,200 Feet

0 390 780 Meters

Cardno
Shaping the Future

76 San Marcos Street, Austin, TX 78702 USA
Phone (+1) 512-306-9669
www.cardno.com

Date Created: 3/15/2019 Date Revised: 3/15/2019 File Path: S:\PROJECTS\First Solar\First Solar All Muscle Shoals Surveys Combined\GIS\Bat Habitat Assessment.mxd
GIS Analyst: chad.martin

Figure 1 – McWilliams tract November 2017.

Figure 2 – McWilliams tract January 2019.

Figure 3 – Identified Potential Vertical Karst Feature 2016.

First Solar – Muscle Shoals
Natural Resources Report

APPENDIX J

TVA HYDROLOGIC DETERMINATION FIELD DATA SHEETS

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-A-4	Date/Time: 6/1/2016
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.751855, -87.903611
Previous Rainfall (7-days) : 2.10"		
Precipitation this Season vs. Normal : very wet wet [average] dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or [N] (circle) Number :	
Soil Type(s) / Geology : PUA - Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight [Absent]		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	X	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	X	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	X	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase		X
6. Presence of fish (except *Gambusia*)		X
7. Presence of naturally occurring ground water table connection		X
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	X	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) =

Justification / Notes : Lacks all primary indicators 1-4. Meets stream indicators 5-8.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-D-1	Date/Time: 7/11/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.7876939, -87.970955
Previous Rainfall (7-days) : .56"		
Precipitation this Season vs. Normal : very wet wet **average** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: **Y** or N (circle) Number : 67	
Soil Type(s) / Geology : TuB - Tupelo-Colbert Complex		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **Absent**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	X	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-D-2	Date/Time: 7/11/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.78939, -87.96772
Previous Rainfall (7-days) : .56"		
Precipitation this Season vs. Normal : very wet wet **(average)** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: (Y) or N (circle) Number : 68 in Photolog	
Soil Type(s) / Geology : EmA - Emory Silt Loam.		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **(Absent)**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-D-8	Date/Time: 7/11/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.786433, -87.944369
Previous Rainfall (7-days) : .56"		
Precipitation this Season vs. Normal : very wet wet **(average)** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: **(Y)** or N (circle) Number : 72 in Photolog	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **(Absent)**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-D-13	Date/Time: 7/11/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.777848, -87.965080
Previous Rainfall (7-days) : .56"		
Precipitation this Season vs. Normal : very wet wet **(average)** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: **(Y)** or N (circle) Number : 76 in Photolog	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **(Absent)**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-D-14	Date/Time: 7/11/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.777250, -87.965833
Previous Rainfall (7-days) : .56"		
Precipitation this Season vs. Normal : very wet wet **[average]** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **[N]** (circle) Number :	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams	Source: NRCS Web Soil Survey	
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **[Absent]**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-1	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama Stream is in both Barton, AL & Gravelly Springs, AL USGS quads		
USGS quad: Barton, AL	HUC (12 digit): 060300051002	Lat/Long: 34.753621, -87.901752
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **average** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: **Y** or N (circle) Number : 77 in Photolog	
Soil Type(s) / Geology : EmA—Emory silt loam	Source: NRCS Web Soil Survey	
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **Absent**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-3	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Barton, AL	HUC (12 digit): 060300051002	Lat/Long: 34.749041, -87.922703
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **[average]** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: [Y] or N (circle) Number : 91 in Photolog	
Soil Type(s) / Geology : FbF—Fullerton-Bodine complex		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **[Absent]**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-5	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Barton, AL	HUC (12 digit): 060300051002	Lat/Long: 34.748397, -87.921944
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **average** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **N** (circle) Number :	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **Absent**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-6	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Barton, AL	HUC (12 digit): 060300051002	Lat/Long: 34.746658, -87.925277
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **average** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **N** (circle) Number :	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **Absent**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-7	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Barton, AL	HUC (12 digit): 060300051002	Lat/Long: 34.748028, -87.931800
Previous Rainfall (7-days) : .28"		

Precipitation this Season vs. Normal : very wet wet **[average]** dry drought unknown

Source of recent & seasonal precip data : Weather Underground Historical Database

Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: [Y] or N (circle) Number : 96 in Photolog

Soil Type(s) / Geology : FaD—Fullerton gravelly silt loam Source: NRCS Web Soil Survey

Surrounding Land Use : Agricultural

Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) :

Severe Moderate Slight **[Absent]**

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-9	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.766658, -87.903611
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **(average)** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **(N)** (circle) Number :	
Soil Type(s) / Geology : FaD—Fullerton gravelly silt loam		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **(Absent)**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	NA	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	NA	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	NA	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase	NA	
6. Presence of fish (except *Gambusia*)	NA	
7. Presence of naturally occurring ground water table connection	NA	
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	NA	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Primary indicator 2 is a NO, while 8 is a YES.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-13	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.784261, -87.935555
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **average** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **N** (circle) Number :	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams		Source: NRCS Web Soil Survey
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **Absent**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	X	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	X	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	X	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase		X
6. Presence of fish (except *Gambusia*)		X
7. Presence of naturally occurring ground water table connection		X
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	X	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Lacks all primary indicators 1-4. Meets stream indicators 5-8.

Hydrologic Determination Field Data Sheet

Tennessee Division of Water Pollution Control, Version 1.4

County: Colbert	Named Waterbody: S-E-14	Date/Time: 11/26/2018
Assessors/Affiliation: Justin Stelly / Frank Lewis - Cardno		Project ID : E515018535
Site Name/Description: First Solar Muscle Shoals		
Site Location: Colbert county, Alabama		
USGS quad: Gravelly Springs, AL	HUC (12 digit): 060300051002	Lat/Long: 34.784261, -87.935555
Previous Rainfall (7-days) : .28"		
Precipitation this Season vs. Normal : very wet wet **(average)** dry drought unknown Source of recent & seasonal precip data : Weather Underground Historical Database		
Watershed Size : Pickwick Lake, app. 639 sq. miles	Photos: Y or **(N)** (circle) Number :	
Soil Type(s) / Geology : PUA—Pruitton and Sullivan silt loams	Source: NRCS Web Soil Survey	
Surrounding Land Use : Agricultural		
Degree of historical alteration to natural channel morphology & hydrology (circle one & describe fully in Notes) : Severe Moderate Slight **(Absent)**		

Primary Field Indicators Observed

Primary Indicators	NO	YES
1. Hydrologic feature exists solely due to a process discharge	X	
2. Defined bed and bank absent, dominated by upland vegetation / grass	X	
3. Watercourse dry anytime during February through April 15th, under normal precipitation / groundwater conditions	X	
4. Daily flow and precipitation records showing feature only flows in direct response to rainfall	X	
5. Presence of multiple populations of obligate lotic organisms with ≥ 2 month aquatic phase		X
6. Presence of fish (except *Gambusia*)		X
7. Presence of naturally occurring ground water table connection		X
8. Flowing water in channel and 7 days since last precipitation in local watershed		X
9. Evidence watercourse has been used as a supply of drinking water	X	

NOTE : If any Primary Indicators 1-9 = "Yes", then STOP; absent directly contradictory evidence, determination is complete.

In the absence of a primary indicator, or other definitive evidence, complete the secondary indicator table on page 2 of this sheet, and provide score below.

Guidance for the interpretation and scoring of both the primary & secondary indicators is provided in *TDEC-WPC Guidance For Making Hydrologic Determinations, Version 1.4*

Overall Hydrologic Determination = Stream

Secondary Indicator Score (if applicable) = n/a

Justification / Notes : Lacks all primary indicators 1-4. Meets stream indicators 5-8.